CATALOGUE



GT ELECTRONIC COMPONENTS CC
15 BARTLETT ROAD
BEYERS PARK
BOKSBURG
0118231458/9
info@gtelect.net
www.gtelectronics.co.za
WhatsApp 0783998954

GT ELECTRONIC COMPONENTS CC

About US

GT ELECTRONIC COMPANY PROFILE

GT Electronic Components CC was established in July 1979. Registered as a close corporation, we are proud to celebrate over 44 years of continuous growth and service in the electronic components industry.

From the outset, our vision has been to provide reliable sales and support services to industries requiring electronic components for repairs, development, testing, and training. Over the years, we have evolved from a local supplier into an international importer, expanding our product range to meet the demands of a growing and changing economy. In the past four years, we have further diversified into solar renewable energy solutions and electrical components.

We are based in Beyers Park, Boksburg, Gauteng, and currently employ a dedicated team of 10 staff members. The business is solely owned and directed by Johan Gericke.

Our sales team is committed to delivering a high standard of expertise and service. We focus on building strong, long-term relationships with our clients to ensure consistent customer satisfaction. We proudly support a wide range of customers, including companies, private institutions, training facilities, and individuals seeking technical advice or product guidance.

At GT Electronic Components, we prioritize staying up to date with the latest industry trends. Our team is continuously equipped with the knowledge and tools needed to provide a seamless and informed customer experience.

We are currently enhancing our showroom to include user-friendly price lookup systems and easy access to datasheets.

As we look to the future, we remain committed to expanding our product range and delivering high-quality products and services that our customers can rely on.

IMPORTANT NOTICE:

Our catalogue is updated every time we receive new stock. If you are looking for something specific and cannot find it, please send us an email or WhatsApp message. We will gladly assist you in sourcing the item you need.

info@gtelect.net

WhatsApp - 078 399 8954 (For image purposes only)

COURIER OPTION IS AVAILABLE FOR ALL OUR CLIENTS THROUGHOUT SOUTH AFRICA, AT AN ADDITIONAL COST.

Table of Contents

PAGE NO:

Audio & Video 4
Automotive 6
Batteries & Chargers 7
Buzzers & Microphones 18
Cable, Wiring & Management 19
Capacitors 36
Circuit Breakers 47
Computer Accessories 48
Connectors 50
Controllers 90
Crystals & Resonators 94
Development 95
Diodes 100
Electric 103
Enclosures 109
Fans & Thermal Management 112
Filters 115
Fuses & Fuse Holders 116
Hardware 126
Heatsinks 129
ICs 131
Inductors 142
Instruments & Testing 143
IOT 148
Kits 156
LEDs & displays 159
Lighting 166
Major Tech 168
Motors 184
Panel Meters 187
PCB 190
Power Supplies & Transformers 192
Printers & Cartridges 200
Programmers 201
Relays 202
Resistors 207
Security & Surveillance 217
Sensors 228
Solar & Renewable Energy 229
Soldering & Accessories 235
Sprays & Chemicals 240
Surge Protection 243
Switches 245
Thyristors 258
Tools 259
Transistors 268

AUDIO & VIDEO

RF MODULATOR

STOCK CODE: 001-0002 - AV Accessories RF Modulator



PRE AMP

STOCK CODE: 001-0006 - Pre Amp for Turntable



HDMI TO VGA CONVERTERS

STOCK CODE: 001-0007 - VGA To HDMI Converter ACDC VGA + Audio In 1xHDMI Out

1 port for VGA+L/R signal input, 1 port for HDMI signal output. Support analog audio input (RCA port). The ADC video processing technology, the signal is clear, efficient conversion. High-grade metal shell design, perfect hand feeling. Strict control of the raw materials, manufacturing and testing procedure under the ISO9001 standard, high quality and Worry-free after-sales.



STOCK CODE: 001-0008 - HDMI To VGA Converter UGreen

Full HD video output up to 1920×1080@60Hz, includes a 3.5mm audio jack to transmit sound, Micro USB power port for additional power, 25cm cable length with a sturdy ABS case



STOCK CODE: 001-0009 - HDMI To VGA & Audio Converter Astrum



STOCK CODE: 001-0010 - HDMI To VGA Converter Gizzu

HDMI to VGA Conversion 60Hz Refresh Rate, Durable Build, Plug and Play, Interface - HDMI to VGA, Max Resolution - 1080p



HDMI TO VGA CONVERTERS

STOCK CODE: 001-0011 - HDMI Extender AV Link Network Cable Kit 60M

HDMI 1.3, HDCP Compliant Max up to 50m@1080p, One HDMI Loop Out on Tx, One Way PoC, From Tx to Rx, Smart EDID Management, Bi-directional IR, PSU: 5V, 1A, Chassis dimension: W66 x H16.8 x D66mm



USB EXTENDER

STOCK CODE: 001-0012 - USB Cable Extender RJ45-RJ45 50m



STOCK CODE: 001-0023 - HDMI Extender AV Link Network Cable Kit 100M

HDMI version: 1.4a, Max. range: 100m, Video format: Up to 3840 x 2160 @ 60Hz, Audio format: Supports DTS-HD/Dolby-true HD/DTS/Dolby-AC3/DSD, Max. cable length: HDMI (input & output)15m AWG26 standard cable, Max. bandwidth: 350MHz, Max. baud rate: 3x3.4Gbps, Max. working current: 350mA (TX) and 200mA (RX), Power supply: 5Vdc, 1000mA, Dimensions: 82x45x18mm



HDMI SPLITTERS

STOCK CODE: 001-0016 - HDMI Mini Splitter AV Link 1 In 2 Out



HDMI Version: 1.4a, Video Format: 4K, up to 1080p @ 60Hz, 3D, 36bit Deep Color, Audio Format: DTS-HD, Dolby-true HD, DTS/Dolby-AC3, DSD HD(HBR), Operating temperature range: -15 to +55Â°C, Max. Bandwidth: 340MHz, Max. Baud Rate: 3.4Gbps, Max. Working Current: 350mA, Dimensions: 62 x 51 x 11mm, Weight: 31g

STOCK CODE: 001-0017 - HDMI Splitter 4K 1 In 2 Out



HDMI version: v1.4b. Video resolution: Up to 3840 x 2160 @ 30Hz. Display colors: 8/10/12bit deep color. Audio format: DTS-HD, Dolby True, DTS, Dolby-AC3 and DSD. Max. bandwidth: 340MHz. Max. baud rate: 3.4Gbps. Transmission distance: 25m max HD or 16m max 4K (15m input/10m output @ 1080p and 8m input/output @ 4K). Operating temperature range: -15C to +55C.

STOCK CODE: 001-0019 - HDMI Switch HDCVT Bi-Directional 2-1 Out 1-2 Out



Bi-directional switching: 2 input to 1 output and 1 input to 2 output modes, 4K@60Hz Ultra HD support with HDR and zero lag or signal loss, 3D & HDCP 2.2 compatible for smooth playback, Universal compatibility with various devices, Plug-and-play functionality for instant setup, Premium aluminium alloy build, Manual switch button: toggle between HDMI sources with a simple press, Gold-plated HDMI ports reduces signal degradation for stable and high-quality video output, Compact & lightweight design

STOCK CODE: 001-0020 - HDMI Switch HDCVT 3 In 1 Out



HDMI V2.0 supports resolutions up to 4K2K@50/60Hz YCbCr 4:4:4, HDCP and EDID compliant, supports all 3D formats, Switch using a manual button or included IR remote, Supports uncompressed audio such as LPCM and compressed audio such as DTS Digital, Dolby Digital (including DTS-HD and Dolby True HD), Ultra-low power consumption does not require a power supply5V USB to DC power cable included for additional power requirements

STOCK CODE: 001-0021 - HDMI Switch HDCVT 2.0 5 In 1 Out



HDMI V1.4 supports resolutions up to 4K2K@50/60Hz YCbCr 4:4:4, HDCP and EDID Compliant, supports all 3D formats, Switch using a manual button or included IR remote, Supports uncompressed audio such as LPCM and compressed audio such as DTS Digital, Dolby Digital (including DTS-HD and Dolby True HD), Ultra-low power consumption, does not require a power supply
5V USB to DC power cable included for additional power requirements

STOCK CODE: 001-0022 - HDMI Repeater AV Link HDR4K 4K



HDMI version - v2.0b Video resolution - Up to 3840 x 2160P @ 60Hz Audio format - DTS-HD, Dolby True, DTS, Dolby-AC3 and DSD HDCP version - 2.2 Max. bandwidth - 600Mhz [Max. baud rate [- 3x 6Gbps Max. working current - 300mA Transmission distance - 10m 4K@60Hz (5m input/5m output), 40m 4K@30Hz and 1080p (20m input/20m output) Dimensions - 50 x 30 x 18mm Weight - 21g

USB TO HDMI CONVERTER



STOCK CODE: 001-0024 - USB to HDMI Converter

SPEAKERS

STOCK CODE: 001-0013 - Speaker 50E 0.25W



Paper Cone Loud Speaker, 50 Ohms, 0.25W, Size: 44x17mm

STOCK CODE: 001-0014 - Speaker Mylar 8E 0.5W



Magnet Size: N35 12.5x1.5mm, Size 40x5.1mm, Rated Power: 1W, Max Power: 1.5W

STOCK CODE: 001-0014 - Speaker Mylar 8E 0.5W



Size: 64x19.4mm. Rated Power: 2W, Max Power: 3W

AUTOMOTIVE

SOLENOIDS

STOCK CODE: 003-0001 - Automotive Body Solenoid Continuous Duty 12V 85A



BATTERIES & CHARGERS

BATTERY HOLDERS

STOCK CODE: 005-0001 - Battery Holder 2 x AAA (Snap)



STOCK CODE: 005-0002 - Battery Holder 1 x AA Leads
Size: 57x17x14mm



STOCK CODE: 005-0003 - Battery Holder 1 x AA (Solder Tags)



STOCK CODE: 005-0004 - Battery Holder 2 x AA (Snap)
Size: 57x32x16mm



STOCK CODE: 005-0005 - Battery Holder 2 x AA Flat Leads
Size: 59x33x15mm



STOCK CODE: 005-0006 - Battery Holder 3 x AA (Snap)



STOCK CODE: 005-0007 - Battery Holder 3 x AA Flat Leads



STOCK CODE: 005-0008 - Battery Holder 4 x AA Flat Leads
Size: 64x58x16mm



STOCK CODE: 005-0009 - Battery Holder 4 x AA Square (Leads)
Size: 57x30.5x28mm



STOCK CODE: 005-0010 - Battery Holder 4 x AA Square (Snap)
Size: 57x30x27mm



STOCK CODE: 005-0011 - Battery Holder 4 x AA Long (Snap)
Size: 109x26x17mm



STOCK CODE: 005-0012 - Battery Holder 6 x AA Square (Snap)
Size: 58x45x28mm



STOCK CODE: 005-0013 - Battery Holder 8 x AA Square (Leads)
Size: 108x31x29mm



STOCK CODE: 005-0014 - Battery Holder 4 x C Flat (Snap)



STOCK CODE: 005-0015 - Battery Holder 1 x D (Leads)
Size: 69.8x37.1x31.3mm



STOCK CODE: 005-0016 - Battery Holder 4 x D Flat (Leads)
Size: 141x73x31mm



STOCK CODE: 005-0017 - Battery Snap 9V (Leads)



STOCK CODE: 005-0018 - Battery Holder 1 x 9V (Leads)
Size: 55x20x14mm



STOCK CODE: 005-0019 - Battery Holder 12V TX (Leads)



STOCK CODE: 005-0020 - Battery Holder Coin CR2025 (PCB)
27.5mm Wide, 6.25mm High



STOCK CODE: 005-0021 - Battery Holder 1 x CR123A (Leads)



STOCK CODE: 005-0022 - Battery Holder 1 x 18650 (Leads)
Size: 75x21x21mm



STOCK CODE: 005-0023 - Battery Holder 2 x 18650 (Leads)
Size: 77.9x4011x21.10mm



STOCK CODE: 005-0181 - E10 School Series 1 x AA Battery Holder
Battery Cell Size: AA Number of Cells: 1 Termination Style: Contact Screws Operating Temperature: -40 - 180 Deg



STOCK CODE: 005-0140 - Battery Box
1 x 60A Fuse, 2 x 12V DC Power Socket, 2 x 5V USB Charger Sockets (1 x 2.1A & 1 x 1A), 1 x 12V Digital Voltmeter, 1 x 16A Circuit Breaker Switch, Positive & Negative Terminals, Battery Excluded, Suitable Battery: 325 x 200 x 185 = 100Ah



BATTERY VOLTAGE DETECTION MODULE

STOCK CODE: 005-0177 - 12V Relay Battery Voltage Detection Module
12VDC Relay Module Voltage Detection Charging Discharge Monitoring with Delay Timer. Digital display DC voltage detection, control the relay output. Adjustable voltage limit is 0 to 99V. When the measured voltage is lower than the lower limit or higher than upper limit value, the relay works. Can be used for voltage detection switch, battery over under voltage protector or discharge meter.



BATTERY LOW VOLTAGE CUT OFF MODULE

STOCK CODE: 005-0178 - Battery Low Voltage Cut Off Module
Automatically cuts power when battery voltage falls to 10.6 volts Current rating 5A@ 12 VDC size: 59mm x 40mm



BATTERY VOLTAGE DISPLAY

STOCK CODE: 005-0178 - Battery Voltage LCD Monitor
Programmable LCD Display Battery Power Indicator for 12V / 24V Pb-Acid and L1 / 1S - 7S Lithium Batteries with Input Voltage: 8 - 30V and Input Current: 5 - 12mA



USB CAR CHARGER

STOCK CODE: 005-0033 - USB 3.0 Car Charger 3.1A
Charge your devices on the go with the BDD USB 3.0 Car Charger 3.1A. This intelligent dual USB charger ensures fast, efficient charging while protecting against overvoltage and current issues. Stay powered up during every journey!



DC ENERGY METER 7 IN 1

STOCK CODE: 005-0223 - USB 3.0 Car Charger 3.1A
Voltmeter: 0-33V resolution 0.01V Ammeter: 0-10A resolution 0.001A Wattmeter: 0-330.0W resolution 0.01W Battery Capacity: 0-99.99Ah Time: 0 to 99h59 Thermometer: Ambient Temp 1°C resolution Watt Hour: up to 3300.0Wh Display: White OLED Working temperature: -10°C to + 60°C Dimensions: 50 x 30 x 20mm




BMS PCB'S

STOCK CODE: 005-0185 - BMS PCB 1 Cell 3A
STOCK CODE: 005-0186 - BMS PCB 1 Cell 15A
STOCK CODE: 005-0187 - BMS PCB 2 Cell 6A
STOCK CODE: 005-0188 - BMS PCB 3 Cell 6A
STOCK CODE: 005-0189 - BMS PCB 4 Cell 6A
STOCK CODE: 005-0190 - BMS PCB 5 Cell 7A
STOCK CODE: 005-0191 - BMS PCB 6 Cell 7A
STOCK CODE: 005-0192 - BMS PCB 3 Cell 10A
STOCK CODE: 005-0193 - BMS PCB 3 Cell 15A
STOCK CODE: 005-0194 - BMS PCB 7 Cell 5A



BMS PCB WITH BALANCING

STOCK CODE: 005-0239 - BMS PCB + Balancing 1 Cell 5A 1S5A Li-Ion 3.7V
STOCK CODE: 005-0240 - BMS PCB + Balancing 2 Cell 5A 2S5A Li-Ion 3.7V
STOCK CODE: 005-0241 - BMS PCB + Balancing 3 Cell 7A 3S7A Li-Ion 3.7V
STOCK CODE: 005-0242 - BMS PCB + Balancing 4 Cell 7A 4S7A Li-Ion 3.7V



BATTERY CHARGERS

STOCK CODE: 005-0185 - Charger Mean Well 3 Stage I=220V O=12VDC 20.85A
3-STAGE 300W Single Output Battery Charge in Aluminium Enclosure for Lead Acid Battery, 13VDC TO 14.7VDC



STOCK CODE: 005-0215 - Charger Mean Well 3 Stage 24VDC 4A
Sealed Lead Acid, SLA, Lithium and Gel Batteries. Programmable. 18-30VDC. Ideal for 15 to 40aH Batteries



BATTERY TESTERS

STOCK CODE: 005-0027 - Battery Tester Analyzer AE300 12V
4 Standard indexes of secondary batteries: voltage, resistance, CCA, condition of secondary battery. Input Voltage: 12V Voltage Range: 7V-15.8V CCA Value Range: 5-9995 CCA Battery Type: Flood, SLA, AGM & Gel, Operation Temperature: -20-70Deg, Storage Temperature: -20-60Deg, LCD backlight



LAPTOP CHARGERS

STOCK CODE: 005-0028 - Laptop Charger Kerio Energy Knight III 65W 3.4A
I:220VAC O:15,16,18,19,24VDC



STOCK CODE: 005-0029 - Laptop Charger Digital World LAZ-009 100W 4.5A
I:12VDC or 220VAC O:12,15,16,18,19,20,22,24VDC



MEANWELL CHARGERS

STOCK CODE: 005-0030 - Charger Mean Well I=220V O=7.2VDC 3A
Desktop Battery charger for lead-acid batteries (flooded, Gel and AGM) and li-ion batteries (lithium iron and lithium manganese). INPUT: 90-264VAC OUTPUT: 6.5-7.5VDC at 3A 21.6W LED INDICATES LOAD STATUS



STOCK CODE: 005-0031 - Charger Mean Well 220V O=13.5-14.5V 2A
Desktop battery charger for Lead Acid Battery (Flooded, Gel And AGM) And LI-ION Batteries.



STOCK CODE: 005-0032 - Charger Mean Well SLA I=220V O=12VDC 7.2A
Power Supply / Battery Charger for 12VDC Lead Acid Batteries, Pulse charger detects battery voltage.



STOCK CODE: 005-0034 - Charger Mean Well I=220V O=24VDC 4.3A
Charger for 24VDC sealed lead acid batteries. Protections Short circuit / Over load / Over voltage / Over temperature.

STOCK CODE: 005-0035 - Charger Mean Well I=220V O=24VDC 12.5A



STOCK CODE: 005-0212 - Charger Mean Well 3 Stage 24VDC 6A
Sealed Lead Acid, SLA, Lithium and Gel Batteries. Programmable. 18-30VDC. Ideal for 30 to 80aH Batteries



STOCK CODE: 005-0213 - Mean Well UPS Battery Charger 220V 27.6V 2.7A
Mean Well Ups & Lead Acid Chargers
75 Watt Ups Function Switch Mode Battery Backup Power Supply for Security and CCTV Applications, Input: 85-264vac Output=26 To 31.7vdc @ 2.7 Amps



STOCK CODE: 005-0219 - Charger Mean Well 3 Stage I=220V O=12VDC 8A
Sealed Lead Acid / SLA, Lithium and Gel Battery Charger. 3 Stage and Fully Programmable. 9-15VDC. Ideal for 30 to 80AH Batteries.



STOCK CODE: 005-0220 - Charger Mean Well 3 Stage I=220V O=12VDC 12A
Sealed Lead Acid / SLA, Lithium and Gel Battery Charger. 3 Stage and Fully Programmable. 9-15VDC. Ideal for 45 to 125Ah Batteries.



STOCK CODE: 005-0221 - Charger Mean Well 3 Stage I=220V O=12VDC 20A
Sealed Lead Acid or Lithium Battery Charger with Built in PFC. 2 or 3 Stage Charging. 10.5-15.2VDC. Ideal for 65 to 195Ah Batteries.



LEAD ACID BATTERY CHARGERS (FOR LEAD ACID BATTERIES ONLY)

STOCK CODE: 005-0036 - Charger Lead Acid 7.5V 1A Centre Neg
STOCK CODE: 005-0037 - Charger Lead Acid FS138100 13.8V 1A Centre Pos
STOCK CODE: 005-0038 - Charger Lead Acid FS138200 13.8V 2A Centre Pos
STOCK CODE: 005-0039 - Charger Lead Acid M276100 27.6V 1A Centre Neg



LI-ION CHARGERS

STOCK CODE: 005-0040 - Charger Li-Ion HG-106Li 1 x 18650



STOCK CODE: 005-0041 - Charger Li-Ion Nitecore I2 2 x 18650 with LCD
STOCK CODE: 005-0042 - Charger Li-Ion Nitecore I4 4 x 18650 with LCD



STOCK CODE: 005-0045 - Charger Li-Ion USB Magnetic
STOCK CODE: 005-0236 - Charger Lithium Li-Ion 7 Cell 29.4V 2A



STOCK CODE: 005-0237 - Charger Lithium Li-Ion 7 Cell 29.4V 5A

STOCK CODE: 005-0238 - Charger Lithium LifePO4 24V (28.8V) 1.04A

Desktop Battery charger for lead-acid batteries (flooded, Gel and AGM) and li-ion batteries (lithium iron and lithium manganese). Input: 90-264VAC Output: 27-28.8V @ 1.04A, For 6 Cell Lithium



LITHIUM CHARGERS

STOCK CODE: 005-0046 - Charger Lithium 18650s Only 12.6V 2A

For Use On 18650 Battery Packs Only



STOCK CODE: 005-0170 - Charger Lithium 18650s Only 12.6V 1A

For Use on 18650 Battery Packs Only



STOCK CODE: 005-0173 - Charger Shield 1x18650 3x3V 3x5V 1xUSB Outputs

Charge and protect your 18650 batteries effortlessly with the HKD 1X18650 Battery Holder and Charger. Featuring a micro-USB input and LED indicators, this compact device ensures safe charging with up to 4A output. Perfect for DIY electronics and battery management, it keeps your batteries safe and ready for use!



STOCK CODE: 005-0200 - Charger Lithium 6 Cell 25.2V 2A



STOCK CODE: 005-0201 - Charger Lithium LiFePO 14.4V 5A

STOCK CODE: 005-0202 - Charger Lithium LiFePO 14.4V 1A

STOCK CODE: 005-0176 - Charger Lithium 8.4V 2A

STOCK CODE: 005-0146 - Charger Lithium 8.4V 1A

STOCK CODE: 005-0229 - Charger PCB Lithium 4.2V 1A USB C

Based on TP4056 and 8205A Mosfet. Input Voltage: 5V. Charging Cut-Off Voltage: 4.2V. Max Charging Current: 1000mA. Battery Over-Discharge Protection Voltage: 2.5V. Battery Overcurrent Protection Current: 3A. Size: 26x17mm



UNIVERSAL CHARGER (AAA, AA 9V, C, D)

STOCK CODE: 005-0047 - Charger Universal EIE Nicd Ni-Mh AAA AA C D 9V



DURACELL CHARGERS (AA, AAA)

STOCK CODE: 005-0050 - Charger Duracell Hi-Sp 2 x AA 2 x AAA CEF14

A wall-plug unit designed to recharge 2 or 4 AA or AAA NiMH batteries at a time



STOCK CODE: 005-0051 - Charger Duracell Hi-Sp 2 x AA 2 x AAA CEF27

It charges two AA batteries to about 85% in 45 minutes. It includes partial-charge LED indicators and nine safety features like over-charge protection. It comes with two AA (1300 mAh) and two AAA (750 mAh) batteries.

FULLY AUTOMATIC CHARGER

STOCK CODE: 005-0209 - Charger Benton BX-2M 12V 7.5A / 24V 3.75A IP65

8 Step Fully Automatic Charger. Battery Types: For 12V Battery: Lead Acid (Wet, Gel, MF, AGM, Calcium), 12.8V 4 Cell LiFePO4. For 24V Battery: Lead Acid (Wet, Gel, MF, AGM, Calcium) 13.6V. Battery Capacity: 12V 18Ah-240Ah, 24V 10Ah-120Ah, Lithium 12.8V 4 Cell LiFePO4 10Ah-80Ah.



MEAN WELL CHARGERS (OPEN FRAME)

STOCK CODE: 005-0052 - Charger Mean Well 13.8V 2CH PSU 3.5A 0.23A

Mean Well Ups & Lead Acid Chargers

UPS Function Switch Mode Battery Backup Power Supply for Security and CCTV Applications, Input: 88-264vac Output:12-14.5vdc @ 3.5a And Charge 0.23a,



STOCK CODE: 005-0053 - Charger Mean Well UPS PSU 220V 13.8V 3.6A

Mean Well Ups & Lead Acid Chargers

Ups Function Switch Mode Battery Backup Power Supply for Security and CCTV Applications, Input:85-264vac / 120-370vdc Output: 13.1vdc-15.87vdc @ 3.6a



MAJOR TECH SUPER HEAVY-DUTY BATTERIES

STOCK CODE: 005-0054 - Battery 9V Major Tech Super Heavy Duty (1 Pack)
STOCK CODE: 005-0058 - Battery AA Major Tech Super Heavy Duty (4 Pack)
STOCK CODE: 005-0066 - Battery AAA Major Tech Super Heavy Duty (4 Pack)
STOCK CODE: 005-0079 - Battery C Major Tech Super Heavy Duty (2 Pack)
STOCK CODE: 005-0083 - Battery D Major Tech Super Heavy Duty (2 Pack)



MAJOR TECH MAXI ALKALINE BATTERIES

STOCK CODE: 005-0055 - Battery 9V Major Tech Maxi Alkaline (1 Pack)
STOCK CODE: 005-0060 - Battery AA Major Tech Maxi Alkaline (4 Pack)
STOCK CODE: 005-0068 - Battery AAA Major Tech Maxi Alkaline (4 Pack)
STOCK CODE: 005-0080 - Battery C Major Tech Maxi Alkaline (2 Pack)
STOCK CODE: 005-0084 - Battery D Major Tech Maxi Alkaline (2 Pack)
STOCK CODE: 005-0101 - Battery N Major Tech Maxi Alkaline (2 Pack)



DURACELL BATTERIES

STOCK CODE: 005-0056 - Battery 9V Duracell Alkaline (1 Pack)
STOCK CODE: 005-0061 - Battery AA Duracell Alkaline (4 Pack)
STOCK CODE: 005-0069 - Battery AAA Duracell Alkaline (4 Pack)
STOCK CODE: 005-0081 - Battery C Duracell Alkaline (2 Pack)
STOCK CODE: 005-0085 - Battery D Duracell Alkaline (2 Pack)



ENERGIZER BATTERIES


STOCK CODE: 005-0057 - Battery 9V Energizer (Single Cell)
STOCK CODE: 005-0063 - Battery AA Energizer (Single Cell)
STOCK CODE: 005-0064 - Battery AA Energizer Alkaline (2 Pack)
STOCK CODE: 005-0065 - Battery AA Energizer Alkaline (4 Pack)
STOCK CODE: 005-0071 - Battery AAA Energizer (Single Cell)
STOCK CODE: 005-0072 - Battery AAA Energizer Alkaline (2 Pack)
STOCK CODE: 005-0082 - Battery C Energizer (Single Cell)
STOCK CODE: 005-0086 - Battery D Energizer (Single Cell)



DC – DC CHARGE & BOOST REGULATOR

STOCK CODE: 005-0234 - DC-DC Charger and Boost Regulator I:3.7V O:5V

Quick Spec: Input Voltage / Solar: 4.5-8VDC. Battery Input: 3.7V Li-Ion. Output Type: Single. Output Current: <1.2A. Output Frequency: DC-DC. Output Voltage: 5VDC. Operating Ambient Temperature: -40 to +85C. Storage Temperature: -65 to +125C. Dimensions: 23 x 15.4 x 5.7mm



BATTERY BUTTON

STOCK CODE: 005-0073 - Battery Button AG1 (LR 621-SR 60)
STOCK CODE: 005-0074 - Battery Button AG3
STOCK CODE: 005-0075 - Battery Button AG4 (LR 626-SR 626)
STOCK CODE: 005-0076 - Battery Button AG5 (LR48-SR 754)
STOCK CODE: 005-0077 - Battery Button AG10 (LR 1130-SR 1130)
STOCK CODE: 005-0078 - Battery Button AG13 LR44 A76 V13GA



LITHIUM BATTERY – BUTTON CELL

STOCK CODE: 005-0087 - Battery Lithium CR1616
STOCK CODE: 005-0088 - Battery Lithium CR1220
STOCK CODE: 005-0089 - Battery Lithium CR2016
STOCK CODE: 005-0090 - Battery Lithium CR2025
STOCK CODE: 005-0091 - Battery Lithium CR2032
STOCK CODE: 005-0094 - Battery Lithium CR2450
STOCK CODE: 005-0199 - Battery Lithium CR1620





STOCK CODE: 005-0092 - Battery Lithium CR2032 + Pins Vertical
STOCK CODE: 005-0093 - Battery Lithium CR2032 + Pins Horizontal



LITHIUM BATTERY



STOCK CODE: 005-0095 - Battery Lithium CR123A



STOCK CODE: 005-0096 - Battery Lithium CR2 3V

STOCK CODE: 005-0097 - Battery Lithium 14250 1-2AA 3.6V No Leads
STOCK CODE: 005-0098 - Battery Lithium 14250 1-2AA 3.6V With Leads




STOCK CODE: 005-0099 - Battery Lithium 14500 AA 3.6V No Leads
STOCK CODE: 005-0100 - Battery Lithium 14500 AA 3.6V With Leads




GP60 / GP80 BATTERY PACK

STOCK CODE: 005-0102 - Battery Pack GP60 NiCd 2 Pin PCB – Blue
STOCK CODE: 005-0103 - Battery Pack GP60 NiCd 3 Pin PCB - Blue
STOCK CODE: 005-0104 - Battery Pack GP80 Ni-MH 2 Pin PCB - Green
STOCK CODE: 005-0105 - Battery Pack GP80 Ni-MH 3 Pin PCB - Green




TRANSMITTER BATTERY

STOCK CODE: 005-0108 - Battery Transmitter 12V A23 TX Battery
STOCK CODE: 005-0109 - Battery Transmitter 12V A27 TX Battery



NICAD RECHARGABLE BATTERIES

STOCK CODE: 005-0110 - Battery 2-3AA NiCd Rechargeable 750mAh No Tags
STOCK CODE: 005-0111 - Battery 2-3AA NiCd Rechargeable 750mAh With Tags
STOCK CODE: 005-0113 - Battery AA NiCd Rechargeable 1000mAh No Tags
STOCK CODE: 005-0114 - Battery AA NiCd Rechargeable 1000mAh With Tags
STOCK CODE: 005-0117 - Battery AAA NiCd Rechargeable 350mAh No Tags
STOCK CODE: 005-0118 - Battery AAA NiCd Rechargeable 350mAh With Tags
STOCK CODE: 005-0121 - Battery C NiCd Recharge 2500mAh 2800mAh No Tags
STOCK CODE: 005-0122 - Battery C NiCd Rechargeable 2500mAh With Tags
STOCK CODE: 005-0124 - Battery D NiCd Rechargeable 4500mAh No Tags
STOCK CODE: 005-0126 - Battery Half Sub C NiCd Recharge 650mAh No Tags
STOCK CODE: 005-0127 - Battery Half Sub C NiCd Recharge 650mAh With Tags
STOCK CODE: 005-0128 - Battery Sub C NiCd Recharge 2100mAh No Tags
STOCK CODE: 005-0129 - Battery Sub C NiCd Recharge 2100mAh with Tags





NI-MH RECHARGABLE BATTERIES

STOCK CODE: 005-0112 - Battery 9V Ni-MH Rechargeable 200mAh
STOCK CODE: 005-0115 - Battery AA Ni-MH Rechargeable 2500mAh
STOCK CODE: 005-0182 - Battery AA Ni-MH Rechargeable 2500mAh + Tags
STOCK CODE: 005-0119 - Battery AAA Ni-MH Rechargeable 750mAh 950mAh
STOCK CODE: 005-0183 - Battery AAA Ni-MH Rechargeable 800mAh + Tags
STOCK CODE: 005-0123 - Battery C Ni-MH Rechargeable 4500mAh




STOCK CODE: 005-0175 - Battery C Ni-MH Rechargeable 3300mAh With Tags
STOCK CODE: 005-0125 - Battery D Ni-MH Rechargeable 9000mAh

DURACELL RECHARGABLE BATTERYS (PREPACKS)



STOCK CODE: 005-0116 - Battery AA Duracell Ni-MH Recharge 2500mAh (4 Pack)
STOCK CODE: 005-0120 - Battery AAA Duracell Ni-MH Recharge 900mAh (4 Pack)

18650 LITHIUM BATTERY



Stock Code: 005-0148 - Battery Lithium 18650 Li-Ion 3.7V 2600mAh Flat Top
Stock Code: 005-0149 - Battery Lithium 18650 Li-Ion 3.7V 2600mAh Pip Top
Stock Code: 005-0150 - Battery Lithium 18650 Li-Ion 3.7V 2600mAh +Tags
Stock Code: 005-0151 - Battery Lithium 18650 Li-Ion 3.7V 3000mAh Flat Top
Stock Code: 005-0152 - Battery Lithium 18650 Li-Ion 3.7V 3000mAh Pip Top
Stock Code: 005-0153 - Battery Lithium 18650 Li-Ion 3.7V 3000mAh +Tags

18500 LITHIUM BATTERY



Stock Code: 005-0233 - Battery Lithium 18500 Li-Ion 3.7V 1600mAh Pip Top

BR-2/3AG LITHIUM BATERY



Stock Code: 005-0243 - Battery Lithium BR-2/3AG 3V 1450mAh

LEAD ACID BATTERIES

4V LEAD ACID



STOCK CODE: 005-0211 - Battery Lead Acid 4V 4.5Ah NO WARRANTY
47x47x100mm

6V LEAD ACID



STOCK CODE: 005-0130 - Battery Lead Acid 4V 4.5Ah NO WARRANTY
97x24x52mm



STOCK CODE: 005-0131 - Battery Lead Acid 6V 2.8Ah NO WARRANTY
66x33x98mm



STOCK CODE: 005-0132 - Battery Lead Acid 6V 3.2Ah NO WARRANTY
130x58x33mm



STOCK CODE: 005-0133 - Battery Lead Acid 6V 4Ah 4.5Ah NO WARRANTY
70x47x101mm



STOCK CODE: 005-0134 - Battery Lead Acid 6V 12Ah NO WARRANTY
151x50x101mm

12V LEAD ACID



STOCK CODE: 005-0135 - Battery Lead Acid 12V 1.2Ah 1.4Ah NO WARRANTY
97x43x52mm



STOCK CODE: 005-0136 - Battery Lead Acid 12V 2.3Ah NO WARRANTY
178x35x61mm



STOCK CODE: 005-0137 - Battery Lead Acid 12V 3.2Ah NO WARRANTY
134x67x61mm

PRODUCTS MAY VARY FROM PICTURES & SPECIFICATIONS

STOCK CODE: 005-0138 - Battery Lead Acid 12V 4.5Ah 5Ah NO WARRANTY



90x70x101mm

STOCK CODE: 005-0139 - Battery Lead Acid 12V 7Ah 7.2Ah 7.5Ah NO WARRANTY



151x65x94mm

STOCK CODE: 005-0141 - Battery Lead Acid Battery Lead Acid 12V 9Ah NO WARRANTY



151x65x94mm

STOCK CODE: 005-0142 - Battery Lead Acid 12V 12Ah NO WARRANTY



151x98x101mm

STOCK CODE: 005-0143 - Battery Lead Acid 12V 17Ah 18Ah NO WARRANTY



181x77x167mm

STOCK CODE: 005-0144 - Battery Lead Acid 12V 20Ah NO WARRANTY

181x77x167mm

STOCK CODE: 005-0145 - Battery Lead Acid Deep Cycle 12V 100Ah NO WARRANTY

24V LEAD ACID

STOCK CODE: 005-0169 - Battery Lead Acid Deep Cycle 12V 100Ah NO WARRANTY



12V GEL / LEAD ACID

STOCK CODE: 005-0172 - Battery Gel 12V 8Ah (9Ah) NO WARRANTY

STOCK CODE: 005-0197 - Battery Lead Acid 12V 200Ah Gel NO WARRANTY

STOCK CODE: 005-0198 - Battery Lead Acid Gel 12V 100Ah NO WARRANTY



UNIROSS LITHIUM BATTERY

Stock Code: 005-0217 - Uniross LFP24-3.5 for Garage Door LifePO4 24V 3.5Ah



GT LITHIUM BATTERY

Stock Code: 005-0224 - GT SIB 12-7/10 Na-Ion Battery 12.8V 7Ah 90Wh

Max Constant Drain: 9A. Max Pulse: 10A 1sec. Max Charge Current: 5A. Built in Battery Management System with Auto Balancing.

Stock Code: 005-0225 - GT LFP 12-6/20 LiFePO4 Battery 12.8V 6Ah 77Wh

Max Constant Drain: 6A. Max Pulse: 20A 1sec. Max Charge Current: 3A. Built in Battery Management System with Auto Balancing.

Stock Code: 005-0226 - GT LFP 12-9/30 LiFePO4 Battery 12.8V 9Ah 115Wh

Max Constant Drain: 15A. Max Pulse: 30A 1sec. Max Charge Current: 5A. Built in Battery Management System with Auto Balancing.



Stock Code: 005-0227 - GT LFP 12-13.5/30 LiFePO4 Batt 12.8V 13.5Ah 173Wh

Max Constant Drain: 15A. Max Pulse: 40A 1sec. Max Charge Current: 5A. Built in Battery Management System with Auto Balancing.

Stock Code: 005-0228 - GT LFP 12-22.5/30 LiFePO4 Batt 12.8V 22.5Ah 288Wh

Max Constant Drain: 30A. Max Pulse: 60A 5sec. Max Charge Current: 7A. Standby Voltage: 13.6V-13.8V. Cycle Voltage: 14.2V-14.8V. Built in Battery Management System with Auto Balancing.

Stock Code: 005-0235- GT LFP 12-7/20 LiFePO4 Battery 12.8V 7Ah 90Wh

Max Constant Drain: 6A. Max Pulse: 20A 1sec. Max Charge Current: 3A. Built in Battery Management System with Auto Balancing.

BATTERY PACKS

NICAD

Stock Code: 005-0154 - Battery Pack NiCd 2 x 1-2AA 2.4V 300mAh
Stock Code: 005-0155 - Battery Pack NiCd 3 x 1-2AA 3.6V 350mAh
Stock Code: 005-0156 - Battery Pack NiCd 2 x 2-3AA 2.4V
Stock Code: 005-0157 - Battery Pack NiCd 2 x AAA 2.4V 350mAh
Stock Code: 005-0158 - Battery Pack NiCd 3 x AAA 3.6V 350mAh
Stock Code: 005-0159 - Battery Pack NiCd 2 x AA 2.4V 1000mAh
Stock Code: 005-0160 - Battery Pack NiCd 3 x AA 3.6V 1000mAh
Stock Code: 005-0161 - Battery Pack NiCd 4 x AA 4.8V 1100mAh



NI-MH

Stock Code: 005-0162 - Battery Pack Ni-MH 2 x 1-2AA 2.4V
Stock Code: 005-0163 - Battery Pack Ni-MH 3 x 1-2AA 3.6V
Stock Code: 005-0164 - Battery Pack Ni-MH 2 x AAA 2.4V 800mAh
Stock Code: 005-0165 - Battery Pack Ni-MH 3 x AAA 3.6V 750mAh
Stock Code: 005-0166 - Battery Pack Ni-MH 2 x AA 2.4V 1000mAh
Stock Code: 005-0167 - Battery Pack Ni-MH 3 x AA 3.6V 1000mAh
Stock Code: 005-0168 - Battery Pack Ni-MH 3 x AAA 3.6V 800mAh Telephone



BATTERY EQUALIZER

Stock Code: 005-0230 - Battery Equalizer 24V + LED Voltage Display (2 x 12V)

Suitable for all battery types. Keeps batteries in optimal condition. Up to 5Amp inter battery balancing. Ensures longer service life of batteries. Highly recommended for batteries in series. 24V Active balancer. Easily connect to batteries with included wiring. Can be connected to 24V battery banks (2x 12V in series). Monitors each battery voltage. On deviation of more than 20 mV, the higher voltage battery will be discharged to the lower voltage batteries until all the battery voltages are equal.



Stock Code: 005-0231 - Battery Equalizer 48V (2-4 x 12V)

Suitable for all battery types. Keeps batteries in optimal condition. Up to 10Amp inter battery balancing. Ensures longer service life of batteries. Highly recommended for batteries in series. 36V/48V Active balancer. Easily connect to batteries with included wiring. Can be connected to 24V, 36V or 48V battery banks (2, 3 or 4 in series). Monitors each battery voltage. On deviation of more than 10 mV, the higher voltage battery will be discharged to the lower voltage batteries until all the batter



Stock Code: 005-0232 - Battery Equalizer 48V + LED Voltage Di (2-4 x 12V)

Keeps batteries in optimal condition. Up to 10Amp inter battery balancing. Ensures longer service life of batteries. Highly recommended for batteries in series. 36V/48V Active balancer. Easily connect to batteries with included wiring. Can be connected to 24V, 36V or 48V battery banks (2, 3 or 4 in series). Monitors each battery voltage. On deviation of more than 10 mV, the higher voltage battery will be discharged to the lower voltage batteries until all the battery voltages are equal.



BATTERY MONITOR

Stock Code: 005-0244 - Battery Monitor BM6 6-20VDC 1.5mA + Bluetooth

BM6 is a smart solution for monitoring 12V automotive lead-acid and lithium batteries. It allows for real-time display of battery power, voltage, and temperature, and can be customized to define the voltage values corresponding to battery percentages. leagend BM6 supports multi-battery monitoring, allowing up to four batteries to be tracked on a single page.



BUZZERS & MICROPHONES

BUZZER PANEL MOUNT 12VDC



Stock Code: 010-0002 - Buzzer Round Piezo 3VDC - 28VDC 85dB

Diameter: 23mm, Height: 11mm, Mounting Holes: 29.5mm



Stock Code: 010-0004 - Buzzer Large White 12VDC

Operating Volts: 3-28VDC 30mA, 105db Size: 45x26mm



Stock Code: 010-0005 - Buzzer Square 12VDC / 18-24V 30mA 85D13

Operating Volts: 18-24VDC Current: 30mA 85db Size: 33.5x17x15mm



Stock Code: 010-0007 - Buzzer 3 Terminal Black 4VDC - 28VDC

Operating Volts: 4-24VDC Current: 20mA 100dB 28mm Panel Hole 2 Tone Selectable

PCB MOUNT



Stock Code: 010-0003 - Buzzer Round PCB 30mA 83dB 12VDC

Operating Voltage: 8-16VDC Size: 12x9.5mm



Stock Code: 010-0008 - Buzzer Large Round PCB 12VDC

Operating Volts: 3-24VDC Current: 12mA 85dB Size: 23x9.8mm



Stock Code: 010-0009 - Buzzer PCB 24mm 3VDC - 20VDC 82dB

Operating Volts: 3-20VDC Current: 15mA 80dB

220VAC



Stock Code: 010-0006 - Buzzer Single 220VAc

Operating Volts: 220VAC Current: 20mA 90db 43.5x49.5mm



Stock Code: 010-0016 - Buzzer Pulse Tone 220VAC

Operating Volts: 220VAC Current: 10mA 80db 43.5x49.5mm

PIEZZO DISC

Stock Code: 010-0010 - Buzzer Piezo Disc 27mm 3K 50Hz

Maximum Input: 30VDC



MIC INSERT


Stock Code: 010-0001 - Mic Insert 2 Pin (Condenser)

Operating Voltage: 1-10V Size: 6x5mm



BUZZER BEACON Current: 20mA

Stock Code: 010-0011 - Buzzer Beacon Red 12VDC/AC 22mm
Stock Code: 010-0012 - Buzzer Beacon Red 230VAC 22mm
Stock Code: 010-0013 - Buzzer Beacon Red 24VDC/AC 22mm
Stock Code: 010-0014 - Buzzer Beacon Red 48VDC/AC 22mm





CABLES, WIRE & MANAGEMENT

RIPCORD / TWIN FLEX (PER METER)

Stock Code: 015-0001 - Cable Ripcord 0.22mm per meter
Stock Code: 015-0008 - Cable Ripcord 0.22mm per 100m
Stock Code: 015-0086 - Cable Twin flex 0.22mm Black per meter
Stock Code: 015-0088 - Cable Twin flex 0.22mm Red Black per meter
Stock Code: 015-0085 - Cable Twin flex 0.5mm White per meter
Stock Code: 015-0087 - Cable Twin flex 0.5mm Black per meter
Stock Code: 015-0089 - Cable Twin flex 0.5mm Red Black per meter
Stock Code: 015-0090 - Cable Twin flex 0.75mm Red Black per meter
Stock Code: 015-0091 - Cable Twin flex 1.5mm Red Black per meter
Stock Code: 015-0092 - Cable Twin flex 2.5mm Red Black per meter
Stock Code: 015-0093 - Cable Twin flex 4mm Red Black per meter



ALARM CABLE (PER METER)

Stock Code: 015-0003 - Cable Alarm 4 Core per meter
Stock Code: 015-0004 - Cable Alarm 6 Core per meter
Stock Code: 015-0005 - Cable Alarm 8 Core per meter
Stock Code: 015-0006 - Cable Alarm 12 Core per meter
Stock Code: 015-0007 - Cable Alarm 20 Core per meter



Stock Code: 015-0009 - Cable Alarm 2 Core per meter
Stock Code: 015-0010 - Cable Alarm 4 Core per meter
Stock Code: 015-0011 - Cable Alarm 6 Core per meter
Stock Code: 015-0012 - Cable Alarm 8 Core per meter
Stock Code: 015-0013 - Cable Alarm 12 Core per meter
Stock Code: 015-0014 - Cable Alarm 20 Core per meter



NEMTEK CABLE (PER METER)

Stock Code: 015-0015 - Cable HT Nemtek BS-Series Slimline Black per meter

SOLAR-TRON CABLE (PER METER)

4MM

Stock Code: 015-0373 - Cable Solar-Tron 4mm Red per meter
Stock Code: 015-0374 - Cable Solar-Tron 4mm Black per meter



6MM

Stock Code: 015-0375 - Cable Solar-Tron 6mm Red per meter
Stock Code: 015-0376 - Cable Solar-Tron 6mm Black per meter

10MM

Stock Code: 015-0377 - Cable Solar-Tron 10mm Red per meter
Stock Code: 015-0378 - Cable Solar-Tron 10mm Black per meter

BATTERY CABLE (PER METER)

16MM

Stock Code: 015-0055 - Cable Battery 16mm Yellow Green per meter
Stock Code: 015-0367 - Cable Battery 16mm Red per meter
Stock Code: 015-0368 - Cable Battery 16mm Black per meter

25MM

Stock Code: 015-0369 - Cable Battery 25mm Red per meter
Stock Code: 015-0370 - Cable Battery 25mm Black per meter
Stock Code: 015-0515 - Cable Battery 25mm Blue per meter



35MM

Stock Code: 015-0053 - Cable Battery 35mm Grey per meter
Stock Code: 015-0054 - Cable Battery 35mm Black per meter
Stock Code: 015-0371 - Cable Battery 35mm Red per meter
Stock Code: 015-0372 - Cable Battery 35mm Blue per meter
Stock Code: 015-0480 - Cable Battery 35mm Brown per meter

50MM

Stock Code: 015-0438 - Cable Battery 70mm Red per meter
Stock Code: 015-0439 - Cable Battery 70mm Black per meter

CABTYRE MAINS CABLE (PER METER)

Stock Code: 015-0016 - Cable Mains Cabtyre 0.5mm 3 Core per meter
Stock Code: 015-0017 - Cable Mains Cabtyre 0.75mm 3 Core per meter
Stock Code: 015-0018 - Cable Mains Cabtyre 1mm 3 Core per meter
Stock Code: 015-0019 - Cable Mains Cabtyre 1.5mm 3 Core per meter
Stock Code: 015-0362 - Cable Mains Cabtyre 2.5mm 3 Core per meter



COAX CABLE (PER METER)



Stock Code: 015-0021 - Cable Coax RG58 (50R) per meter
Stock Code: 015-0022 - Cable Coax RG59 (75R) per meter
Stock Code: 015-0023 - Cable Coax RG213 (50R) per meter
Stock Code: 015-0024 - Cable Coax RG59PX Poax Cable per meter
Stock Code: 015-0081 - Cable Screen 3 Core Blue + Coax per meter
Stock Code: 015-0025 - Cable Coax RG6U 6T (Normal TV) per meter
6mm, 75-Ohm
Stock Code: 015-0026 - Cable Coax SAT500 (Thinner TV Coax) per meter

---

COPPER WIRE (PER ROLL)



Stock Code: 015-0304 - Copper Wire 0.125mm 250g (+/- m)
Stock Code: 015-0449 - Copper Wire 0.28mm 125g (±228M)
Stock Code: 015-0450 - Copper Wire 0.28mm 250g (±456M)
Stock Code: 015-0451 - Copper Wire 0.28mm 500g (±913M)
Stock Code: 015-0452 - Copper Wire 0.315mm 125g (±180M)
Stock Code: 015-0453 - Copper Wire 0.315mm 250g (±358M)
Stock Code: 015-0454 - Copper Wire 0.315mm 500g (±721M)
Stock Code: 015-0455 - Copper Wire 0.4mm 125g (±111M)
Stock Code: 015-0456 - Copper Wire 0.4mm 250g (±223M)
Stock Code: 015-0457 - Copper Wire 0.4mm 500g (±447M)
Stock Code: 015-0458 - Copper Wire 0.5mm 125g (±71M)
Stock Code: 015-0459 - Copper Wire 0.5mm 250g (±143M)
Stock Code: 015-0460 - Copper Wire 0.5mm 500g (±286M)
Stock Code: 015-0461 - Copper Wire 0.63mm 125g (±45M)
Stock Code: 015-0462 - Copper Wire 0.63mm 250g (±90M)
Stock Code: 015-0463 - Copper Wire 0.63mm 500g (±180M)
Stock Code: 015-0464 - Copper Wire 0.8mm 125g (±27M)
Stock Code: 015-0465 - Copper Wire 0.8mm 250g (±55M)
Stock Code: 015-0466 - Copper Wire 0.8mm 500g (±111M)
Stock Code: 015-0467 - Copper Wire 0.9mm 125g (±22M)
Stock Code: 015-0468 - Copper Wire 0.9mm 250g (±44M)
Stock Code: 015-0469 - Copper Wire 0.9mm 500g (±88M)
Stock Code: 015-0470 - Copper Wire 1mm 125g (±17M)
Stock Code: 015-0471 - Copper Wire 1mm 250g (±35M)
Stock Code: 015-0472 - Copper Wire 1mm 500g (±71M)

Stock Code: 015-0473 - Copper Wire 0.315mm 20m pre-cut

NORSE CABLE FLAT (PER METER)



Stock Code: 015-0363 - Cable Flat Norse 2+E 1.5mm White per meter
Stock Code: 015-0364 - Cable Flat Norse 2+E 2.5mm White per meter

Made SURFIX CABLE ROUND (PER METER)

Stock Code: 015-0365 - Cable Round Surfix 2+E 1.5mm White per meter
Stock Code: 015-0366 - Cable Round Surfix 2+E 2.5mm White per meter
Stock Code: 015-0493 - Cable Round Surfix 4+E 6mm White per meter
Stock Code: 015-0494 - Cable Round Surfix 4+E 6mm Black per meter
Stock Code: 015-0495 - Cable Round Surfix 2+E 6mm White per meter
Stock Code: 015-0030 - Cable Round Surfix 2+E 2.5mm Black per meter



MYLAR CABLE (PER METER)

0.22MM FOIL SCREEN

Stock Code: 015-0038 - Cable Mylar 2 Core 0.22mm per meter
Stock Code: 015-0039 - Cable Mylar 4 Core 0.22mm per meter
Stock Code: 015-0040 - Cable Mylar 6 Core 0.22mm per meter
Stock Code: 015-0041 - Cable Mylar 8 Core 0.22mm per meter
Stock Code: 015-0042 - Cable Mylar 12 Core 0.22mm per meter
Stock Code: 015-0043 - Cable Mylar 16 Core 0.22mm per meter
Stock Code: 015-0044 - Cable Mylar 25 Core 0.22mm per meter



0.5MM FOIL SCREEN

Stock Code: 015-0056 - Cable Mylar 4 Core with Foil Yell 0.5mm per meter
Stock Code: 015-0031 - Cable Mylar 8 Core Braided Grey 0.5mm per meter
Stock Code: 015-0033 - Cable Mylar 4 Core Black 0.5mm per meter

1MM FOIL SCREEN

Stock Code: 015-0474 - Cable Mylar 2 Core 1mm per meter
Stock Code: 015-0488 - Cable Mylar 4 Core Foil 1mm per meter

0.5MM BRAIDED SCREEN

Stock Code: 015-0046 - Cable Mylar 4 Core Braided Grey 0.5mm per meter
Stock Code: 015-0047 - Cable Mylar 6 Core Braided Grey 0.5mm per meter



0.75MM BRAIDED SCREEN

Stock Code: 015-0446 - Cable Mylar 2 Core 0.75mm per meter
Stock Code: 015-0447 - Cable Mylar 4 Core 0.75mm per meter

NETWORK CABLE (PER METER)

Stock Code: 015-0049 - Cable Network CAT5E UTP per meter
Stock Code: 015-0050 - Cable Network CAT5E UTP UV Black per meter
Stock Code: 015-0051 - Cable Network CAT6 UTP per meter
Stock Code: 015-0427 - Cable Network CAT6 FTP Grey per meter
Stock Code: 015-0428 - Cable Network CAT5E FTP Black UV per meter
Stock Code: 015-0496 - Cable Network CAT6 Black UV per meter



PANEL WIRE STRANDED (PER METER)



0.22MM

Stock Code: 015-0318 - Cable Panel Wire 0.2mm per meter Black
Stock Code: 015-0319 - Cable Panel Wire 0.2mm per meter Brown
Stock Code: 015-0320 - Cable Panel Wire 0.2mm per meter Red
Stock Code: 015-0321 - Cable Panel Wire 0.2mm per meter Orange
Stock Code: 015-0322 - Cable Panel Wire 0.2mm per meter Yellow
Stock Code: 015-0323 - Cable Panel Wire 0.2mm per meter Green
Stock Code: 015-0324 - Cable Panel Wire 0.2mm per meter Blue
Stock Code: 015-0325 - Cable Panel Wire 0.2mm per meter Violet
Stock Code: 015-0326 - Cable Panel Wire 0.2mm per meter Grey
Stock Code: 015-0327 - Cable Panel Wire 0.2mm per meter White
Stock Code: 015-0379 - Cable Panel Wire 0.2mm per meter Pink

Stock Code: 015-0440 - Cable Panel Wire 0.2mm Red Black 1 Meter

0.5MM

Stock Code: 015-0328 - Cable Panel Wire 0.5mm per meter Black
Stock Code: 015-0329 - Cable Panel Wire 0.5mm per meter Brown
Stock Code: 015-0330 - Cable Panel Wire 0.5mm per meter Red
Stock Code: 015-0331 - Cable Panel Wire 0.5mm per meter Orange
Stock Code: 015-0332 - Cable Panel Wire 0.5mm per meter Yellow
Stock Code: 015-0333 - Cable Panel Wire 0.5mm per meter Green
Stock Code: 015-0334 - Cable Panel Wire 0.5mm per meter Blue
Stock Code: 015-0335 - Cable Panel Wire 0.5mm per meter Violet
Stock Code: 015-0336 - Cable Panel Wire 0.5mm per meter Grey
Stock Code: 015-0337 - Cable Panel Wire 0.5mm per meter White
Stock Code: 015-0380 - Cable Panel Wire 0.5mm per meter Pink

1MM

Stock Code: 015-0338 - Cable Panel Wire 1mm per meter Black
Stock Code: 015-0339 - Cable Panel Wire 1mm per meter Brown
Stock Code: 015-0340 - Cable Panel Wire 1mm per meter Red
Stock Code: 015-0341 - Cable Panel Wire 1mm per meter Orange
Stock Code: 015-0342 - Cable Panel Wire 1mm per meter Yellow
Stock Code: 015-0343 - Cable Panel Wire 1mm per meter Green
Stock Code: 015-0344 - Cable Panel Wire 1mm per meter Blue
Stock Code: 015-0345 - Cable Panel Wire 1mm per meter Violet
Stock Code: 015-0346 - Cable Panel Wire 1mm per meter Grey
Stock Code: 015-0347 - Cable Panel Wire 1mm per meter White
Stock Code: 015-0381 - Cable Panel Wire 1mm per meter Pink
Stock Code: 015-0261 - Cable Panel Wire 1mm per meter Yellow Green Earth

1.5MM

Stock Code: 015-0348 - Cable Panel Wire 1.5mm per meter Black
Stock Code: 015-0349 - Cable Panel Wire 1.5mm per meter Brown
Stock Code: 015-0350 - Cable Panel Wire 1.5mm per meter Red
Stock Code: 015-0351 - Cable Panel Wire 1.5mm per meter Orange
Stock Code: 015-0352 - Cable Panel Wire 1.5mm per meter Yellow
Stock Code: 015-0353 - Cable Panel Wire 1.5mm per meter Green

Stock Code: 015-0354 - Cable Panel Wire 1.5mm per meter Blue
Stock Code: 015-0355 - Cable Panel Wire 1.5mm per meter Violet
Stock Code: 015-0356 - Cable Panel Wire 1.5mm per meter Grey
Stock Code: 015-0357 - Cable Panel Wire 1.5mm per meter White
Stock Code: 015-0382 - Cable Panel Wire 1.5mm per meter Pink
Stock Code: 015-0486 - Cable Panel Wire 1.5mm per meter Yellow Green Earth



2.5MM

Stock Code: 015-0358 - Cable Panel Wire 2.5mm per meter Red
Stock Code: 015-0359 - Cable Panel Wire 2.5mm per meter Black
Stock Code: 015-0360 - Cable Panel Wire 2.5mm per meter Blue
Stock Code: 015-0361 - Cable Panel Wire 2.5mm per meter Orange
Stock Code: 015-0383 - Cable Panel Wire 2.5mm per meter White
Stock Code: 015-0448 - Cable Panel Wire 2.5mm per meter Green Yellow

4MM

Stock Code: 015-0429 - Cable Panel Wire 4mm per meter Red
Stock Code: 015-0430 - Cable Panel Wire 4mm per meter Black
Stock Code: 015-0479 - Cable Panel Wire 4mm per meter Yellow Green Earth

6MM

Stock Code: 015-0431 - Cable Panel Wire 6mm per meter Red
Stock Code: 015-0432 - Cable Panel Wire 6mm per meter Black
Stock Code: 015-0478 - Cable Panel Wire 6mm per meter Yellow Green Earth


10MM

Stock Code: 015-0442 - Cable Panel Wire 10mm per meter Red
Stock Code: 015-0443 - Cable Panel Wire 10mm per meter Black
Stock Code: 015-0444 - Cable Panel Wire 10mm per meter Yellow Green

---

PANEL WIRE SOLID CORE (PER METER)

Stock Code: 015-0481 - Cable Panel Wire Solid 1mm per meter Red
Stock Code: 015-0482 - Cable Panel Wire Solid 1mm per meter Black
Stock Code: 015-0483 - Cable Panel Wire Solid 1mm per meter White
Stock Code: 015-0511 - Cable Panel Wire Solid 1mm per meter Green/Yellow



RIBBON CABLE (PER METER)

Stock Code: 015-0062 - Cable Ribbon 10 Way per meter
Stock Code: 015-0063 - Cable Ribbon 14 Way per meter
Stock Code: 015-0064 - Cable Ribbon 16 Way per meter
Stock Code: 015-0065 - Cable Ribbon 20 Way per meter
Stock Code: 015-0066 - Cable Ribbon 26 Way per meter
Stock Code: 015-0067 - Cable Ribbon 34 Way per meter
Stock Code: 015-0068 - Cable Ribbon 40 Way per meter
Stock Code: 015-0069 - Cable Ribbon 50 Way per meter



SCREEN CABLE (PER METER)



Stock Code: 015-0071 - Cable Screen 1 Core Thin per meter
Stock Code: 015-0072 - Cable Screen 1 Core Thick per meter
Stock Code: 015-0073 - Cable Screen 2 Core (RCA) Grey per meter
Stock Code: 015-0074 - Cable Screen 2 Core (RCA) Black per meter
Stock Code: 015-0075 - Cable Screen 2 Core Mic Thin per meter
Stock Code: 015-0076 - Cable Screen 2 Core Mic Thick per meter
Stock Code: 015-0077 - Cable Screen 2 Core Fig8 4mm per meter
Stock Code: 015-0079 - Cable Screen 3 Core (RCA) Black per meter
Stock Code: 015-0080 - Cable Screen 3 Core (RCA) Blue per meter
Stock Code: 015-0081 - Cable Screen 3 Core Blue + Coax per meter
Stock Code: 015-0082 - Cable Screen 4 Core Flat RCA per meter

TELEPHONE CABLE (PER METER)



Stock Code: 015-0083 - Cable Telephone 4 Core per meter
Stock Code: 015-0084 - Cable Telephone 6 Core per meter

MONSTER CABLE (PER METER)



Stock Code: 015-0094 - Cable Twin flex 0.75mm Monster per meter
Stock Code: 015-0095 - Cable Twin flex 1mm Monster per meter
Stock Code: 015-0485 - Cable Twin flex 1.5mm Monster per meter

SILICONE CABLE (PER METER)



Stock Code: 015-0034 - Cable Silicone Wire 0.5mm per meter Blue
Stock Code: 015-0035 - Cable Silicone Wire 0.5mm per meter Brown
Stock Code: 015-0036 - Cable Silicone Wire 0.5mm per meter Green/Yellow
Stock Code: 015-0037 - Cable Silicone Wire 0.5mm per meter Grey
Stock Code: 015-0045 - Cable Silicone Wire 0.5mm per meter Orange
Stock Code: 015-0070 - Cable Silicone Wire 0.5mm per meter Yellow
Stock Code: 015-0256 - Cable Silicone Wire 0.75mm per meter Black
Stock Code: 015-0259 - Cable Silicone Wire 0.75mm per meter Red
Stock Code: 015-0522 - Cable Silicone Wire 2.5mm per meter Red
Stock Code: 015-0523 - Cable Silicone Wire 2.5mm per meter Black
Stock Code: 015-0524 - Cable Silicone Wire 2.5mm per meter Grey


WIRE WRAPPING (PER METER)



Stock Code: 015-0098 - Wire Wrapping Wire Awg30 Black per meter
Stock Code: 015-0099 - Wire Wrapping Wire Awg30 Grey per meter
Stock Code: 015-0100 - Wire Wrapping Wire Awg30 Yellow per meter

---

CABLE MARKERS



0.5 – 1.5MM

Stock Code: 015-0057 - Cable Marker 0.5-1.5mm No. 0 (20pcs)
Stock Code: 015-0058 - Cable Marker 0.5-1.5mm No. 1 (20pcs)
Stock Code: 015-0059 - Cable Marker 0.5-1.5mm No. 2 (20pcs)
Stock Code: 015-0060 - Cable Marker 0.5-1.5mm No. 3 (20pcs)
Stock Code: 015-0061 - Cable Marker 0.5-1.5mm No. 4 (20pcs)
Stock Code: 015-0385 - Cable Marker 0.5-1.5mm No. 5 (20pcs)
Stock Code: 015-0386 - Cable Marker 0.5-1.5mm No. 6 (20pcs)
Stock Code: 015-0387 - Cable Marker 0.5-1.5mm No. 7 (20pcs)
Stock Code: 015-0388 - Cable Marker 0.5-1.5mm No. 8 (20pcs)
Stock Code: 015-0389 - Cable Marker 0.5-1.5mm No. 9 (20pcs)
Stock Code: 015-0400 - Cable Marker 0.5-1.5mm Symbol L (20pcs)
Stock Code: 015-0401 - Cable Marker 0.5-1.5mm Symbol N (20pcs)
Stock Code: 015-0402 - Cable Marker 0.5-1.5mm Symbol E (20pcs)
Stock Code: 015-0403 - Cable Marker 0.5-1.5mm Symbol + (20pcs)
Stock Code: 015-0404 - Cable Marker 0.5-1.5mm Symbol - (20pcs)

1.5 – 2.5MM

Stock Code: 015-0390 - Cable Marker 1.5-2.5mm No. 0 (20pcs)
Stock Code: 015-0391 - Cable Marker 1.5-2.5mm No. 1 (20pcs)
Stock Code: 015-0392 - Cable Marker 1.5-2.5mm No. 2 (20pcs)
Stock Code: 015-0393 - Cable Marker 1.5-2.5mm No. 3 (20pcs)
Stock Code: 015-0394 - Cable Marker 1.5-2.5mm No. 4 (20pcs)
Stock Code: 015-0395 - Cable Marker 1.5-2.5mm No. 5 (20pcs)
Stock Code: 015-0396 - Cable Marker 1.5-2.5mm No. 6 (20pcs)
Stock Code: 015-0397 - Cable Marker 1.5-2.5mm No. 7 (20pcs)
Stock Code: 015-0398 - Cable Marker 1.5-2.5mm No. 8 (20pcs)
Stock Code: 015-0399 - Cable Marker 1.5-2.5mm No. 9 (20pcs)
Stock Code: 015-0405 - Cable Marker 1.5-2.5mm Symbol L (20pcs)
Stock Code: 015-0406 - Cable Marker 1.5-2.5mm Symbol N (20pcs)
Stock Code: 015-0407 - Cable Marker 1.5-2.5mm Symbol E (20pcs)
Stock Code: 015-0408 - Cable Marker 1.5-2.5mm Symbol + (20pcs)
Stock Code: 015-0409 - Cable Marker 1.5-2.5mm Symbol - (20pcs)

4 – 6 MM

Stock Code: 015-0410 - Cable Marker 4-6mm No. 0 (20pcs)
Stock Code: 015-0411 - Cable Marker 4-6mm No. 1 (20pcs)
Stock Code: 015-0412 - Cable Marker 4-6mm No. 2 (20pcs)
Stock Code: 015-0413 - Cable Marker 4-6mm No. 3 (20pcs)
Stock Code: 015-0414 - Cable Marker 4-6mm No. 4 (20pcs)

Stock Code: 015-0415 - Cable Marker 4-6mm No. 5 (20pcs)
Stock Code: 015-0416 - Cable Marker 4-6mm No. 6 (20pcs)
Stock Code: 015-0417 - Cable Marker 4-6mm No. 7 (20pcs)
Stock Code: 015-0418 - Cable Marker 4-6mm No. 8 (20pcs)
Stock Code: 015-0419 - Cable Marker 4-6mm No. 9 (20pcs)
Stock Code: 015-0420 - Cable Marker 4-6mm Symbol L (20pcs)
Stock Code: 015-0421 - Cable Marker 4-6mm Symbol N (20pcs)
Stock Code: 015-0422 - Cable Marker 4-6mm Symbol E (20pcs)
Stock Code: 015-0423 - Cable Marker 4-6mm Symbol + (20pcs)
Stock Code: 015-0424 - Cable Marker 4-6mm Symbol - (20pcs)

BRAIDED SLEEVING



Stock Code: 015-0101 - Sleeve Braided 6mm Black per meter
Stock Code: 015-0102 - Sleeve Braided 12mm Black per meter
Stock Code: 015-0103 - Sleeve Braided 16mm Black per meter

CLIP SADDLES



Stock Code: 015-0104 - Cable Clip Saddles 5mm Round White Pack of 10
Stock Code: 015-0105 - Cable Clip Saddles 8mm Round White Pack of 10
Stock Code: 015-0106 - Cable Clip Saddles 10mm Round White Pack of 10
Stock Code: 015-0107 - Cable Clip Saddles 20mm Round White Pack of 10

Stock Code: 015-0108 - Cable Clip Saddles 5mm Round White Pack of 100
Stock Code: 015-0109 - Cable Clip Saddles 8mm Round White Pack of 100
Stock Code: 015-0110 - Cable Clip Saddles 10mm Round White Pack of 100
Stock Code: 015-0111 - Cable Clip Saddles 20mm Round White Pack of 100

Stock Code: 015-0508 - Cable Clip Saddles 5mm Flat White Pack of 100
Stock Code: 015-0509 - Cable Clip Saddles 9mm Round Black Pack of 10

Stock Code: 015-0527 - Cable Clip Saddles 8mm Round Black Pack of 10
Stock Code: 015-0528 - Cable Clip Saddles 8mm Round Black Pack of 100

CABLE JOINER / JUNCTION BOX



Stock Code: 015-0112 - Cable Joiner In-Line Weatherproof 3P M20
Stock Code: 015-0113 - Cable Joiner Junction Box T-Piece 3 Way
Stock Code: 015-0477 - Cable Joiner Junction Box X Type 4 Way

CABLE TIE BASES



Stock Code: 015-0114 - Cable Tie Bases TY3NT 14X20 White
Stock Code: 015-0115 - Cable Tie Bases TY3BK 14X20 Black
Stock Code: 015-0116 - Cable Tie Bases HQ20 20X20 White
Stock Code: 015-0117 - Cable Tie Bases TY8BK 33X25 Black
Stock Code: 015-0513 - Cable Tie Bases 27x27mm Black

CABLE TIES



Stock Code: 015-0118 - Cable Ties T18RNT (GT100N) White 100mm X 2.5mm
Stock Code: 015-0119 - Cable Ties T18RBK (GT100B) Black 100mm X 2.5mm
Stock Code: 015-0120 - Cable Ties T30RBK (GT150IB) Black 148mm X 3.5mm
Stock Code: 015-0121 - Cable Ties T30RNT White 148mm X 3.5mm
Stock Code: 015-0122 - Cable Ties GT150IN White 150mm X 3.5mm
Stock Code: 015-0123 - Cable Ties T50RBK (GT200IB) Black 198mm X 4.7mm
Stock Code: 015-0124 - Cable Ties T50RNT White 198mm X 4.7mm
Stock Code: 015-0125 - Cable Ties T50IBK (Gt300SB) Black 305mm X 4.7mm
Stock Code: 015-0126 - Cable Ties T50INT White 305mm X 4.7mm
Stock Code: 015-0127 - Cable Ties T50LNT (GT390SN) White 392mm X 4.7mm
Stock Code: 015-0445 - Cable Ties T50LBK Black 392mm X 4.7mm

CHOCOLATE BLOCKS



Stock Code: 015-0128 - Chocolate Block 3A 250V 2.5mm
Stock Code: 015-0129 - Chocolate Block 6A 250V 4mm
Stock Code: 015-0130 - Chocolate Block 10A 250V 6mm
Stock Code: 015-0131 - Chocolate Block 16A 250V 10mm
Stock Code: 015-0132 - Chocolate Block 30A 250V 16mm
Stock Code: 015-0133 - Chocolate Block 60A 250V 25mm
Stock Code: 015-0134 - Chocolate Block 32A 400V 4mm + Wire Protection
Stock Code: 015-0135 - Chocolate Block 41A 400V 6mm + Wire Protection

COMPRESSION GLANDS





Stock Code: 015-0136 - Compression Glands M12x1.5 Light Grey
Stock Code: 015-0137 - Compression Glands M16x1.5 Light Grey
Stock Code: 015-0138 - Compression Glands No.0 White
Stock Code: 015-0139 - Compression Glands No.1 White
Stock Code: 015-0317 - Compression Glands No.00 White
Stock Code: 015-0475 - Compression Glands M12x1.5 Black
Stock Code: 015-0476 - Compression Glands M16x1.5 Black

Stock Code: 015-0487 - Strain Relief Cable Gland M16x1.5mm Black - IP68-10

QUICK CONNECT



Stock Code: 015-0530 - Quick Connect P/Mount M16 15.8mm Straight Black
Stock Code: 015-0531 - Quick Connect P/Mount M20 15.8mm Straight Black
Stock Code: 015-0532 - Quick Connect P/Mount M20 21.2mm Straight Black
Stock Code: 015-0533 - Quick Connect P/Mount M25 25mm Straight Black

---

GROMMETS



Stock Code: 015-0140 - Grommet ID: 3.1mm OD: 5.5mm
Stock Code: 015-0141 - Grommet ID: 6mm OD: 7.4mm
Stock Code: 015-0142 - Grommet ID: 8mm OD: 9.4mm
Stock Code: 015-0143 - Grommet ID: 9mm OD: 11.9mm
Stock Code: 015-0144 - Grommet ID: 10mm OD: 12.3mm
Stock Code: 015-0145 - Grommet ID: 12.1mm OD: 14.9mm
Stock Code: 015-0146 - Grommet ID: 14mm OD: 16.8m

HEATSHRINK

BLACK (PER METER)



Stock Code: 015-0147 - Heatshrink Black 1mm per meter (Shrinks to: 0.6mm Lay flat Size: 2mm)
Stock Code: 015-0148 - Heatshrink Black 1.6mm per meter (Shrinks to: 0.8mm Lay flat Size: 2.5mm)
Stock Code: 015-0149 - Heatshrink Black 2.4mm per meter (Shrinks to: 1.2mm Lay flat Size: 3.8mm)
***Stock Code: 015-0150* - Heatshrink Black 3.5mm per meter** (Shrinks to: 1.6mm Lay flat Size: 5mm)
Stock Code: 015-0151 - Heatshrink Black 4.8mm per meter (Shrinks to: 2.4mm Lay flat Size: 7.5mm)
Stock Code: 015-0152 - Heatshrink Black 6.4mm per meter (Shrinks to: 3.2mm Lay flat Size: 10mm)
Stock Code: 015-0153 - Heatshrink Black 9.5mm per meter (Shrinks to: 4.8mm Lay flat Size: 15mm)
Stock Code: 015-0154 - Heatshrink Black 12mm per meter (Shrinks to: 6.4mm Lay flat Size: 20mm)
Stock Code: 015-0155 - Heatshrink Black 20mm per meter (Shrinks to: 9.5mm Lay flat Size: 30mm)
Stock Code: 015-0156 - Heatshrink Black 25.4mm per meter (Shrinks to: 12.7mm Lay flat Size: 40mm)
Stock Code: 015-0157 - Heatshrink Black 38.1mm 40mm per meter (Shrinks to:19mm Lay flat Size: 60mm)
Stock Code: 015-0512 - Heatshrink Black 76mm per meter (Shrinks to: 38mm Lay flat Size: 120mm)

CLEAR (PER METER)

Stock Code: 015-0158 - Heatshrink Clear 1mm per meter (Shrinks to: 0.6mm Lay flat Size: 2mm)
Stock Code: 015-0159 - Heatshrink Clear 1.6mm per meter (Shrinks to: 0.8mm Lay flat Size: 2.5mm)
Stock Code: 015-0160 - Heatshrink Clear 2.5mm per meter (Shrinks to: 1.2mm Lay flat Size: 3.8mm)
Stock Code: 015-0161 - Heatshrink Clear 3.5mm per meter (Shrinks to: 1.6mm Lay flat Size: 5mm)
Stock Code: 015-0162 - Heatshrink Clear 4.8mm per meter (Shrinks to: 2.4mm Lay flat Size: 7.5mm)
Stock Code: 015-0163 - Heatshrink Clear 6.4/6.5mm per meter (Shrinks to: 3.2mm Lay flat Size: 10mm)
Stock Code: 015-0164 - Heatshrink Clear 10mm per meter (Shrinks to: 3.2mm Lay flat Size: 10mm)
Stock Code: 015-0165 - Heatshrink Clear 12mm per meter (Shrinks to: 6.4mm Lay flat Size: 20mm)
Stock Code: 015-0166 - Heatshrink Clear 16mm per meter (Shrinks to: 8mm Lay flat Size: 25mm)
Stock Code: 015-0167 - Heatshrink Clear 19mm per meter (Shrinks to: 9.5mm Lay flat Size: 30mm)
Stock Code: 015-0168 - Heatshrink Clear 25.4mm per meter (Shrinks to: 12.7mm Lay flat Size: 40mm)

RED (PER METER)

Stock Code: 015-0169 - Heatshrink Red 1mm per meter (Shrinks to: 0.6mm Lay flat Size: 2mm)
Stock Code: 015-0170 - Heatshrink Red 1.6mm per meter (Shrinks to: 0.8mm Lay flat Size: 2.5mm)
Stock Code: 015-0171 - Heatshrink Red 2.5mm per meter (Shrinks to: 1.2mm Lay flat Size: 3.8mm)
Stock Code: 015-0172 - Heatshrink Red 3.2mm per meter (Shrinks to: 1.6mm Lay flat Size: 5mm)
Stock Code: 015-0173 - Heatshrink Red 4.8mm per meter (Shrinks to: 2.4mm Lay flat Size: 7.5mm)
Stock Code: 015-0174 - Heatshrink Red 6mm per meter (Shrinks to: 3.2mm Lay flat Size: 10mm)
Stock Code: 015-0175 - Heatshrink Red 9.5/10mm per meter (Shrinks to: 4.8mm Lay flat Size: 15mm)
Stock Code: 015-0176 - Heatshrink Red 12mm per meter (Shrinks to: 6.4mm Lay flat Size: 20mm)
Stock Code: 015-0177 - Heatshrink Red 15mm per meter (Shrinks to: 8mm Lay flat Size: 25mm)
Stock Code: 015-0178 - Heatshrink Red 20mm per meter (Shrinks to: 9.5mm Lay flat Size: 30mm)
Stock Code: 015-0179 - Heatshrink Red 25.4mm per meter (Shrinks to: 12.7mm Lay flat Size: 40mm)

GREEN (PER METER)

Stock Code: 015-0180 - Heatshrink Green 1mm per meter (Shrinks to: 0.6mm Lay flat Size: 2mm)
Stock Code: 015-0181 - Heatshrink Green 2.5mm per meter (Shrinks to: 1.2mm Lay flat Size: 3.8mm)
Stock Code: 015-0182 - Heatshrink Green 3.5mm per meter (Shrinks to: 1.6mm Lay flat Size: 5mm)
Stock Code: 015-0183 - Heatshrink Green 4.8mm per meter (Shrinks to: 2.4mm Lay flat Size: 7.5mm)
Stock Code: 015-0184 - Heatshrink Green 6.4mm per meter (Shrinks to: 3.2mm Lay flat Size: 10mm)
Stock Code: 015-0185 - Heatshrink Green 9.5mm per meter (Shrinks to: 4.8mm Lay flat Size: 15mm)
Stock Code: 015-0186 - Heatshrink Green 25.4mm per meter (Shrinks to: 12.7mm Lay flat Size: 40mm)

YELLOW (PER METER)



Stock Code: 015-0187 - Heatshrink Yellow 1mm per meter (Shrinks to: 0.6mm Lay flat Size: 2mm)
Stock Code: 015-0188 - Heatshrink Yellow 1.6mm per meter (Shrinks to: 0.8mm Lay flat Size: 2.5mm)
Stock Code: 015-0189 - Heatshrink Yellow 2.5mm per meter (Shrinks to: 1.2mm Lay flat Size: 3.8mm)
Stock Code: 015-0190 - Heatshrink Yellow 3mm per meter (Shrinks to: 1.6mm Lay flat Size: 5mm)
Stock Code: 015-0191 - Heatshrink Yellow 4.8mm per meter (Shrinks to: 2.4mm Lay flat Size: 7.5mm)
Stock Code: 015-0192 - Heatshrink Yellow 6mm per meter (Shrinks to: 3.2mm Lay flat Size: 10mm)
Stock Code: 015-0193 - Heatshrink Yellow 10mm per meter (Shrinks to: 4.8mm Lay flat Size: 15mm)
Stock Code: 015-0194 - Heatshrink Yellow 12.7mm per meter (Shrinks to: 6.4mm Lay flat Size: 20mm)
Stock Code: 015-0195 - Heatshrink Yellow 19mm per meter (Shrinks to: 9.5mm Lay flat Size: 30mm)
Stock Code: 015-0196 - Heatshrink Yellow 25.4mm per meter (Shrinks to: 12.7mm Lay flat Size: 40mm)

BLUE (PER METER)

Stock Code: 015-0197 - Heatshrink Blue 1mm per meter (Shrinks to: 0.6mm Lay flat Size: 2mm)
Stock Code: 015-0198 - Heatshrink Blue 1.5mm per meter (Shrinks to: 0.8mm Lay flat Size: 2.5mm)
Stock Code: 015-0199 - Heatshrink Blue 2.5mm per meter (Shrinks to: 0.8mm Lay flat Size: 2.5mm)
Stock Code: 015-0200 - Heatshrink Blue 3mm per meter (Shrinks to: 1.6mm Lay flat Size: 5mm)
Stock Code: 015-0201 - Heatshrink Blue 5mm per meter (Shrinks to: 2.4mm Lay flat Size: 7.5mm)
Stock Code: 015-0202 - Heatshrink Blue 6.4mm per meter (Shrinks to: 2.4mm Lay flat Size: 7.5mm)
Stock Code: 015-0203 - Heatshrink Blue 10mm per meter (Shrinks to: 3.2mm Lay flat Size: 10mm)
Stock Code: 015-0204 - Heatshrink Blue 12.7mm per meter (Shrinks to: 3.2mm Lay flat Size: 10mm)
Stock Code: 015-0205 - Heatshrink Blue 19mm per meter (Shrinks to: 3.2mm Lay flat Size: 10mm)
Stock Code: 015-0206 - Heatshrink Blue 25.4mm per meter (Shrinks to: 3.2mm Lay flat Size: 10mm)

WHITE (PER METER)

Stock Code: 015-0207 - Heatshrink White 1.6mm per meter (Shrinks to: 0.8mm Lay flat Size: 2.5mm)
Stock Code: 015-0208 - Heatshrink White 2.4mm per meter (Shrinks to: 0.8mm Lay flat Size: 2.5mm)
Stock Code: 015-0209 - Heatshrink White 3.2mm per meter (Shrinks to: 1.6mm Lay flat Size: 5mm)
Stock Code: 015-0210 - Heatshrink White 4.8mm per meter (Shrinks to: 2.4mm Lay flat Size: 7.5mm)
Stock Code: 015-0211 - Heatshrink White 6.4mm per meter (Shrinks to: 2.4mm Lay flat Size: 7.5mm)

Stock Code: 015-0212 - Heatshrink White 9.5mm per meter (Shrinks to: 3.2mm Lay flat Size: 10mm)
Stock Code: 015-0213 - Heatshrink White 12.7mm per meter (Shrinks to: 3.2mm Lay flat Size: 10mm)
Stock Code: 015-0214 - Heatshrink White 19mm per meter (Shrinks to: 3.2mm Lay flat Size: 10mm)
Stock Code: 015-0215 - Heatshrink White 25.4mm per meter (Shrinks to: 3.2mm Lay flat Size: 10mm)

HEATSHRINK KIT



Stock Code: 015-0216 - Heatshrink Kit Various Sizes & Colors

BUSHING NYLON (PER METER)



Stock Code: 015-0217 - Bushing Nylon Panel Thickness 1.4mm White per meter

SPIRAL WRAP (PER METER)



Stock Code: 015-0218 - Spiral Wrap 6mm White per meter
Stock Code: 015-0027 - Spiral Wrap 6mm Black per meter
Stock Code: 015-0219 - Spiral Wrap 12.7mm White per meter
Stock Code: 015-0028 - Spiral Wrap 12.7mm Black per meter
Stock Code: 015-0384 - Spiral Wrap 1.5mm Black per meter
Stock Code: 015-0526 - Spiral Wrap 19mm Black per meter

SPLIT SLEEVING



Stock Code: 015-0233 - Split Sleeving 7.5mm per meter
Stock Code: 015-0234 - Split Sleeving 12.9mm per meter
Stock Code: 015-0235 - Split Sleeving 16.8mm per meter
Stock Code: 015-0484 - Split Sleeving 33mm per meter

SPRAGUE PCV TUBING (PER METER)



Stock Code: 015-0489 - Sprague PVC Tubing ID: 7.5mm Black
Stock Code: 015-0029 - Sprague PVC Tubing ID: 17mm Black
Stock Code: 015-0490 - Sprague PVC Tubing ID: 21.8mm Black
Stock Code: 015-0491 - Sprague PVC Tubing Max Flex 25mm Grey
Stock Code: 015-0492 - Sprague PVC Tubing 20mm White

SPLICE TERMINALS



Stock Code: 015-0220 - **Splice Connector Y-Type Yellow**
U-TYPE OD=0.4m
Stock Code: 015-0221 - Splice Connector Y-Type Red
Cable Size 0.4 - 0.9mm

QUICK SPLICE



Stock Code: 015-0222 - Quick splice Red (M1.25)
Stock Code: 015-0223 - Quick splice Blue (M2)
Stock Code: 015-0224 - Quick splice Yellow (M5.5)

WAGO CONNECTORS



Stock Code: 015-0225 - Wago 221 Lever Type - 2 Way 0.14MM - 4MM
Stock Code: 015-0226 - Wago 221 Lever Type - 3 Way 0.14MM - 4MM
Stock Code: 015-0227 - Wago 221 Lever Type - 5 Way 0.14MM - 4MM
Stock Code: 015-0032 - Wago 221 Lever Type - 10 Way 0.14MM - 4MM
Stock Code: 015-0228 - Wago 221 Lever Type - 2 Way 0.5MM - 6MM
Stock Code: 015-0229 - Wago 221 Lever Type - 3 Way 0.5MM - 6MM
Stock Code: 015-0230 - Wago 221 Lever Type - 5 Way 0.5MM - 6MM



Stock Code: 015-0433 - Wago Inline Splicing Connector with Lever 4MM

WAGO CARRIERS



Stock Code: 015-0231 - Wago Mounting Carrier 0.14MM - 4MM
Stock Code: 015-0232 - Wago Mounting Carrier 0.5MM - 6MM



Stock Code: 015-0434 - Wago Mounting Carrier with Strain Relief 2 Way
Stock Code: 015-0435 - Wago Mounting Carrier with Strain Relief 3 Way
Stock Code: 015-0436 - Wago Mounting Carrier with Strain Relief 4 Way
Stock Code: 015-0437 - Wago Mounting Carrier with Strain Relief 5 Way

TERMINAL BLOCK



Stock Code: 015-0236 - Terminal Block 4 Way 15A
Stock Code: 015-0237 - Terminal Block 6 Way 15A
Stock Code: 015-0238 - Terminal Block 12 Way 15A



Stock Code: 015-0239 - Terminal Block Heavy Duty 3 Way 100A

TERMINAL CONNECTORS (DIN TERMINALS)



Stock Code: 015-0240 - Terminal Connectors DIN 2.5mm
Stock Code: 015-0241 - Terminal Connectors DIN 4mm
Stock Code: 015-0242 - Terminal Connectors DIN 6mm
Stock Code: 015-0243 - Terminal Connectors DIN 10mm
Stock Code: 015-0244 - Terminal Connectors DIN 16mm
Stock Code: 015-0245 - Terminal Connectors DIN 35mm

Stock Code: 015-0052 - Bridging Bar Screw Down Type 10Pcs 5mm



Klemsan 474129 Jumper Screw Type 10 Poles for AVK 2.5 and PIK 2.5 N

MADE UP LEADS

Stock Code: 015-0246 - Made Up Lead 3.5mm St Plug - 2 x 3.5mm Socket 20cm
Stock Code: 015-0247 - Made Up Lead 3.5mm St Male - 2x RCA Male 1.2m 1.8m
Stock Code: 015-0248 - Made Up Lead 3.5mm Stereo Male - 2 x RCA Male 4.5m
Stock Code: 015-0249 - Made Up Lead 3.5mm Stereo Male - Male 1.2m
Stock Code: 015-0250 - Made Up Lead 3.5mm Stereo Male - Male 3m
Stock Code: 015-0316 - Made Up Lead 3.5mm Stereo Plug-Stereo Socket 1.5m
Stock Code: 015-0251 - AC Cord Figure 8 - 2 Pin Plug
Stock Code: 015-0252 - AC Cord Figure 8 - 3 Pin Plug
Stock Code: 015-0253 - AC Cord IEC Kettle Socket Lead Dedicated Plug 1.8m
Stock Code: 015-0254 - AC Cord IEC Kettle Socket Lead 2m
Stock Code: 015-0255 - AC Cord Clover Lead
Stock Code: 015-0256 - AC Cord PC Cable Male to Female



Stock Code: 015-0257 - AC Cord Daisy Chain 2 x IEC
Stock Code: 015-0258 - AC Cord Daisy Chain 3 x IEC
Stock Code: 015-0262 - Made Up Lead Cigarette Lighter Plug - 2.1mm DC 1m
Stock Code: 015-0263 - Made Up Lead DVI Male - HDMI Male 1.8m
Stock Code: 015-0264 - Made Up Lead Earphones Red & Black
Stock Code: 015-0266 - Made Up Lead HDMI Male - HDMI Male 1.5 1.8 2m
Stock Code: 015-0267 - Made Up Lead HDMI Male - HDMI Male 3m
Stock Code: 015-0268 - Made Up Lead HDMI Male - HDMI Male 10m
Stock Code: 015-0269 - Made Up Lead HDMI Male - HDMI Male 15m



Stock Code: 015-0270 - Made Up Lead HDMI Male - HDMI Male 20m
Stock Code: 015-0271 - Made Up Lead HDMI Male - Micro HDMI Male 1.5m
Stock Code: 015-0272 - Made Up Lead HDMI Male - Mini HDMI Male 1.5m
Stock Code: 015-0441 - Made Up Lead HDMI Male - HDMI Male 5m
Stock Code: 015-0273 - Made Up Lead CAT5 Gigabit Ethernet Cable 1m
Stock Code: 015-0274 - Made Up Lead CAT5 Gigabit Ethernet Cable 2m
Stock Code: 015-0275 - Made Up Lead CAT5 Gigabit Ethernet Cable 3m



Stock Code: 015-0276 - Made Up Lead CAT5 Gigabit Ethernet Cable 5m
Stock Code: 015-0277 - Made Up Lead CAT5 Gigabit Ethernet Cable 10m
Stock Code: 015-0278 - Made Up Lead Network Cable Lead CAT5E 20m
Stock Code: 015-0279 - Made Up Lead CAT6E Cable Yellow 5m
Stock Code: 015-0280 - Made Up Lead CAT6E Cable 1m
Stock Code: 015-0281 - Made Up Lead CAT6E Cable 2m
Stock Code: 015-0284 - Made Up Fly lead CAT6A / CAT6E UTP Cable Grey 3m
Stock Code: 015-0299 - Made Up Fly lead CAT6A UTP Cable Grey 10m
Stock Code: 015-0282 - Made Up Lead Guitar Cord 6.3 Mono M - M 5m
Stock Code: 015-0525 - Made Up Lead WINX LINK Simple USB to Type C Silver
Stock Code: 015-0518 - Made Up Lead Orico Charg Sync Lightning Black (100cm)
Stock Code: 015-0519 - Made Up Lead Orico Charg Sync Lightning Silver (100cm)
Stock Code: 015-0520 - Made Up Lead Orico Charg Sync Micro USB Black (100cm)
Stock Code: 015-0521 - Made Up Lead Orico Charg Sync Micro USB Silver (100cm)



Stock Code: 015-0283 - Made Up Lead 1 x RCA Plug - 1 x RCA Plug 1.8m
Stock Code: 015-0284 - Made Up Lead 1 x RCA Plug - 2 x RCA Socket 45cm
Stock Code: 015-0285 - Made Up Lead 1 x RCA Plug - 2 x RCA Plug 4.5m

Stock Code: 015-0286 - Made Up Lead 2 x RCA Plug - 2 x RCA Socket 30cm
Stock Code: 015-0287 - Made Up Lead 1 x RCA Plug - 2 x RCA Socket 1.2m
Stock Code: 015-0288 - Made Up Lead 2 x RCA Plug - 2 x RCA Plug 1.2m
Stock Code: 015-0289 - Made Up Lead 2 x RCA Plug - 2 x RCA Plug 3m
Stock Code: 015-0290 - Made Up Lead 2 x RCA Plug - 2 x RCA Plug 4.5m
Stock Code: 015-0291 - Made Up Lead 2 x RCA Plug - 2 x RCA Plug 7m
Stock Code: 015-0292 - Made Up Lead 2 x RCA Plug - 2 x RCA Plug 10m
Stock Code: 015-0293 - Made Up Lead 2 x RCA Plug - 2 x RCA Plug 15m
Stock Code: 015-0294 - Made Up Lead 2 x RCA Plug - 2 x RCA Plug 20m



Stock Code: 015-0295 - Made Up Lead 3 x RCA Plug - 3 x RCA Plug 1.2m
Stock Code: 015-0296 - Made Up Lead 3 x RCA Plug - 3 x RCA Plug 5m
Stock Code: 015-0297 - Made Up Lead 3 x RCA Plug - 3 x RCA Plug 10m
Stock Code: 015-0298 - Made Up Lead 3 x RCA Plug - 3 x RCA Plug 20m
Stock Code: 015-0299 - Made Up Lead S Video Plug - 1 x RCA Plug
Stock Code: 015-0300 - Made Up Lead Telephone Extension Cord 2m
Stock Code: 015-0301 - Made Up Lead Telephone Extension Cord 5m



Stock Code: 015-0302 - Made Up Lead Telephone Extension Cord 10m
Stock Code: 015-0303 - Made Up Lead USB A Male - Female 1.8m
Stock Code: 015-0529 - Made Up Lead USB A Male - Female 10m
Stock Code: 015-0304 - Made Up Lead USB - Various Connections
Stock Code: 015-0305 - Made Up Lead USB - Micro Smartphone 1.8m
Stock Code: 015-0306 - Made Up Lead USB - Mini 5 PIN
Stock Code: 015-0307 - Made Up Lead USB A Male - A Male 1.8m
Stock Code: 015-0308 - Made Up Lead USB Printer Cable 1.8m



Stock Code: 015-0309 - Made Up Lead Adaptor USB - RS232 SERIAL
Stock Code: 015-0425 - Made Up Lead USB A Male - Female 3m
Stock Code: 015-0426 - Made Up Lead USB A Male - Female 5m
Stock Code: 015-0310 - Made Up Lead VGA Male - VGA Male 1.5m
Stock Code: 015-0311 - Made Up Lead VGA Male - VGA Male 3m
Stock Code: 015-0312 - Made Up Lead VGA Male - VGA Male 5m
Stock Code: 015-0313 - Made Up Lead VGA Male - VGA Male 10m
Stock Code: 015-0314 - Made Up Lead VGA Male - VGA Male 15m
Stock Code: 015-0315 - Made Up Lead VGA Male - VGA Male 20m



Stock Code: 015-0510 - Made Up Lead 1 x RCA Plug - 2 x RCA Socket 25cm

VETI CONNECTOR BLOCKS

Stock Code: 015-0497 - VETI PCT Connector Block 2 Way
Stock Code: 015-0498 - VETI PCT Connector Block 3 Way
Stock Code: 015-0499 - VETI PCT Connector Block 5 Way



Rated Current (Ie): 32A, Rated Voltage (Ue): 415V, Insulated Voltage (Ui): 4kV

Stock Code: 015-0500 - Splitter Connector Block 2 Pole to 2x2 Way Out
Stock Code: 015-0501 - Splitter Connector Block 2 Pole to 2x3 Way Out
Stock Code: 015-0502 - Splitter Connector Block 3 Pole to 3x2 Way Out
Stock Code: 015-0503 - Splitter Connector Block 3 Pole to 3x3 Way Out



Stock Code: 015-0535 - Interjoining Connector Block 1 Pole
Stock Code: 015-0504 - Interjoining Connector Block 2 Pole
Stock Code: 015-0505 - Interjoining Connector Block 3 Pole
Stock Code: 015-0506 - Interjoining Connector Block 4 Pole
Stock Code: 015-0507 - Interjoining Connector Block 5 Pole
Rated Current (Ie): 32A, Rated Current (Ue): 450V



CAPACITORS

CERAMIC CAPACITORS (NON-POLARIZED)

PF



Stock Code: 020-0053 - Cap Ceramic 63V 1PF
Stock Code: 020-0054 - Cap Ceramic 63V 1.2PF
Stock Code: 020-0055 - Cap Ceramic 63V 1.5PF
Stock Code: 020-0056 - Cap Ceramic 63V 1.8PF
Stock Code: 020-0057 - Cap Ceramic 63V 2.2PF
Stock Code: 020-0058 - Cap Ceramic 63V 3.3PF
Stock Code: 020-0059 - Cap Ceramic 63V 3.9PF
Stock Code: 020-0060 - Cap Ceramic 63V 4.7PF
Stock Code: 020-0061 - Cap Ceramic 63V 5.6PF
Stock Code: 020-0062 - Cap Ceramic 63V 6.8PF
Stock Code: 020-0063 - Cap Ceramic 63V 8.2PF
Stock Code: 020-0064 - Cap Ceramic 63V 10PF
Stock Code: 020-0065 - Cap Ceramic 63V 12PF
Stock Code: 020-0066 - Cap Ceramic 63V 15PF
Stock Code: 020-0067 - Cap Ceramic 63V 18PF
Stock Code: 020-0068 - Cap Ceramic 63V 22PF
Stock Code: 020-0069 - Cap Ceramic 63V 27PF
Stock Code: 020-0070 - Cap Ceramic 63V 33PF
Stock Code: 020-0071 - Cap Ceramic 63V 39PF
Stock Code: 020-0072 - Cap Ceramic 63V 47PF
Stock Code: 020-0073 - Cap Ceramic 63V 56PF
Stock Code: 020-0074 - Cap Ceramic 63V 68PF
Stock Code: 020-0075 - Cap Ceramic 63V 82PF
Stock Code: 020-0076 - Cap Ceramic 63V 100PF
Stock Code: 020-0077 - Cap Ceramic 63V 120PF
Stock Code: 020-0078 - Cap Ceramic 63V 150PF
Stock Code: 020-0079 - Cap Ceramic 63V 180PF
Stock Code: 020-0080 - Cap Ceramic 63V 220PF
Stock Code: 020-0081 - Cap Ceramic 63V 270PF
Stock Code: 020-0082 - Cap Ceramic 63V 330PF
Stock Code: 020-0083 - Cap Ceramic 63V 390PF
Stock Code: 020-0084 - Cap Ceramic 63V 470PF
Stock Code: 020-0085 - Cap Ceramic 63V 560PF
Stock Code: 020-0086 - Cap Ceramic 63V 680PF
Stock Code: 020-0087 - Cap Ceramic 63V 820PF

NF



Stock Code: 020-0088 - Cap Ceramic 63V 1NF
Stock Code: 020-0089 - Cap Ceramic 63V 1.2NF
Stock Code: 020-0090 - Cap Ceramic 63V 1.5NF
Stock Code: 020-0091 - Cap Ceramic 63V 1.8NF
Stock Code: 020-0092 - Cap Ceramic 63V 2.2NF
Stock Code: 020-0093 - Cap Ceramic 63V 2.7NF
Stock Code: 020-0094 - Cap Ceramic 63V 3.3NF

Stock Code: 020-0095 - Cap Ceramic 63V 3.9NF
Stock Code: 020-0096 - Cap Ceramic 63V 4.7NF
Stock Code: 020-0097 - Cap Ceramic 63V 5.6NF
Stock Code: 020-0098 - Cap Ceramic 63V 6.8NF
Stock Code: 020-0099 - Cap Ceramic 63V 8.2NF
Stock Code: 020-0100 - Cap Ceramic 63V 10NF
Stock Code: 020-0101 - Cap Ceramic 63V 12NF
Stock Code: 020-0102 - Cap Ceramic 63V 15NF
Stock Code: 020-0103 - Cap Ceramic 63V 18NF
Stock Code: 020-0104 - Cap Ceramic 63V 22NF
Stock Code: 020-0105 - Cap Ceramic 63V 27NF
Stock Code: 020-0106 - Cap Ceramic 63V 33NF
Stock Code: 020-0107 - Cap Ceramic 63V 39NF
Stock Code: 020-0108 - Cap Ceramic 63V 47NF
Stock Code: 020-0109 - Cap Ceramic 63V 56NF
Stock Code: 020-0456 - Cap Ceramic 50V 68NF
Stock Code: 020-0110 - Cap Ceramic 63V 82NF
Stock Code: 020-0111 - Cap Ceramic 63V 100NF
Stock Code: 020-0112 - Cap Ceramic 63V 220NF
Stock Code: 020-0113 - Cap Ceramic 63V 330NF
Stock Code: 020-0114 - Cap Ceramic 63V 470NF
Stock Code: 020-0453 - Cap Ceramic 63V 560NF
Stock Code: 020-0454 - Cap Ceramic 63V 680NF
Stock Code: 020-0115 - Cap Ceramic 63V 1UF

Stock Code: 020-0486 - Cap Ceramic 50V 100NF 2.5mm

FAN CAPACITORS



Stock Code: 020-0117 - Cap Fan 250VAC 1.5UF
Stock Code: 020-0118 - Cap Fan 450VAC 1.5UF
Stock Code: 020-0119 - Cap Fan 250VAC 0.1UF
Stock Code: 020-0120 - Cap Fan 250VAC 0.15UF
Stock Code: 020-0121 - Cap Fan 450VAC 0.15UF + 1.25UF
Stock Code: 020-0122 - Cap Fan 450VAC 2.5UF
Stock Code: 020-0123 - Cap Fan 450VAC 4UF
Stock Code: 020-0124 - Cap Fan 450VAC 0.75UF + 1.25UF
Stock Code: 020-0492 - Cap Fan 450VAC 8UF
Stock Code: 020-0362 - Cap Fan 450VAC 6UF
Stock Code: 020-0479 - Cap Fan 450VAC 10UF
Stock Code: 020-0500 - Cap Fan 450VAC 12UF

LIGHTNING CAPACITOR



Stock Code: 020-0125 - Cap Lightning 250VAC 20UF

POLYESTER CAPACITOR

63VDC



Stock Code: 020-0126 - Cap Polyester 63V 1NF 1000PF
Stock Code: 020-0127 - Cap Polyester 63V 1.5NF 1500PF
Stock Code: 020-0128 - Cap Polyester 63V 2.2NF 2200PF
Stock Code: 020-0129 - Cap Polyester 63V 3.3NF 3300PF
Stock Code: 020-0130 - Cap Polyester 63V 4.7NF 4700PF
Stock Code: 020-0131 - Cap Polyester 63V 6.8NF 6800PF
Stock Code: 020-0132 - Cap Polyester 63V 10NF 0.01UF
Stock Code: 020-0133 - Cap Polyester 63V 15NF 0.15UF
Stock Code: 020-0134 - Cap Polyester 63V 22NF 0.022UF
Stock Code: 020-0135 - Cap Polyester 63V 33NF 0.033UF
Stock Code: 020-0136 - Cap Polyester 63V 47NF 0.047UF
Stock Code: 020-0137 - Cap Polyester 63V 68NF 0.068UF
Stock Code: 020-0138 - Cap Polyester 63V 100NF 0.1UF
Stock Code: 020-0139 - Cap Polyester 63V 150NF 0.15UF
Stock Code: 020-0140 - Cap Polyester 63V 220NF 0.22UF
Stock Code: 020-0141 - Cap Polyester 63V 330NF 0.33UF
Stock Code: 020-0142 - Cap Polyester 63V 470NF 0.47UF
Stock Code: 020-0143 - Cap Polyester 63V 680NF 0.68UF
Stock Code: 020-0144 - Cap Polyester 63V 1UF
Stock Code: 020-0145 - Cap Polyester 63V 2.2UF

100VAC




Stock Code: 020-0146 - Cap Polyester 100VAC 10NF
Stock Code: 020-0147 - Cap Polyester 100VAC 47NF
Stock Code: 020-0148 - Cap Polyester 100VAC 100NF
Stock Code: 020-0150 - Cap Polyester 100VAC 470NF
Stock Code: 020-0151 - Cap Polyester 100VAC 1UF
Stock Code: 020-0152 - Cap Polyester 100VAC 2.2UF
Stock Code: 020-0153 - Cap Polyester 100VAC 3.3UF

100VDC



Stock Code: 020-0154 - Cap Polyester 100VDC 10NF
Stock Code: 020-0155 - Cap Polyester 100VDC 47NF
Stock Code: 020-0156 - Cap Polyester 100VDC 68NF
Stock Code: 020-0157 - Cap Polyester 100VDC 100NF
Stock Code: 020-0158 - Cap Polyester 100VDC 220NF
Stock Code: 020-0159 - Cap Polyester 100VDC 470NF
Stock Code: 020-0160 - Cap Polyester 100VDC 1UF
Stock Code: 020-0161 - Cap Polyester 100VDC 2.2UF
Stock Code: 020-0162 - Cap Polyester 100VDC 3.3UF
Stock Code: 020-0493 - Cap Polyester 100VDC 4.7UF

250VAC



Stock Code: 020-0430 - Cap Polyprop 275VAC 1NF 10mm
Stock Code: 020-0164 - Cap Polyester 250VAC 10NF
Stock Code: 020-0165 - Cap Polyester 250VAC 15NF
Stock Code: 020-0166 - Cap Polyester 250VAC 22NF
Stock Code: 020-0167 - Cap Polyester 250VAC 33NF

Stock Code: 020-0168 - Cap Polyester 250VAC 47NF
Stock Code: 020-0169 - Cap Polyester 250VAC 68NF
Stock Code: 020-0170 - Cap Polyester 250VAC 100NF
Stock Code: 020-0171 - Cap Polyester 250VAC 150NF
Stock Code: 020-0172 - Cap Polyester 250VAC 220NF
Stock Code: 020-0173 - Cap Polyester 250VAC 330NF
Stock Code: 020-0174 - Cap Polyester 250VAC 470NF
Stock Code: 020-0175 - Cap Polyester 250VAC 680NF
Stock Code: 020-0176 - Cap Polyester 250VAC 1UF
Stock Code: 020-0177 - Cap Polyester 250VAC 2.2UF

250VDC



Stock Code: 020-0178 - Cap Polyester 250VDC 10NF
Stock Code: 020-0179 - Cap Polyester 250VDC 15NF
Stock Code: 020-0180 - Cap Polyester 250VDC 22NF
Stock Code: 020-0181 - Cap Polyester 250VDC 33NF
Stock Code: 020-0182 - Cap Polyester 250VDC 47NF
Stock Code: 020-0183 - Cap Polyester 250VDC 68NF
Stock Code: 020-0184 - Cap Polyester 250VDC 100NF
Stock Code: 020-0185 - Cap Polyester 250VDC 150NF
Stock Code: 020-0186 - Cap Polyester 250VDC 220NF
Stock Code: 020-0187 - Cap Polyester 250VDC 330NF
Stock Code: 020-0188 - Cap Polyester 250VDC 470NF
Stock Code: 020-0189 - Cap Polyester 250VDC 680NF
Stock Code: 020-0190 - Cap Polyester 250VDC 1UF
Stock Code: 020-0191 - Cap Polyester 250VDC 2.2UF

ELECTROLYTIC RADIAL CAPACITORS - 85°

6.3V



Stock Code: 020-0196 - Cap Electrolytic Radial 6.3V 4700UF 85C

16V

Stock Code: 020-0198 - Cap Electrolytic Radial 16V 10UF 85C
Stock Code: 020-0199 - Cap Electrolytic Radial 16V 22UF 85C
Stock Code: 020-0200 - Cap Electrolytic Radial 16V 47UF 85C
Stock Code: 020-0201 - Cap Electrolytic Radial 16V 100UF 85C
Stock Code: 020-0202 - Cap Electrolytic Radial 16V 220UF 85C
Stock Code: 020-0203 - Cap Electrolytic Radial 16V 470UF 85C
Stock Code: 020-0204 - Cap Electrolytic Radial 16V 1000UF 85C
Stock Code: 020-0205 - Cap Electrolytic Radial 16V 2200UF 85C
Stock Code: 020-0206 - Cap Electrolytic Radial 16V 3300UF 85C
Stock Code: 020-0207 - Cap Electrolytic Radial 16V 4700UF 85C
Stock Code: 020-0208 - Cap Electrolytic Radial 16V 22 000UF 85C

25V

Stock Code: 020-0209 - Cap Electrolytic Radial 25V 4.7UF 85C
Stock Code: 020-0210 - Cap Electrolytic Radial 25V 10UF 85C

Stock Code: 020-0211 - Cap Electrolytic Radial 25V 22UF 85C
Stock Code: 020-0212 - Cap Electrolytic Radial 25V 33UF 85C
Stock Code: 020-0213 - Cap Electrolytic Radial 25V 47UF 85C
Stock Code: 020-0214 - Cap Electrolytic Radial 25V 100UF 85C
Stock Code: 020-0215 - Cap Electrolytic Radial 25V 220UF 85C
Stock Code: 020-0216 - Cap Electrolytic Radial 25V 330UF 85C
Stock Code: 020-0217 - Cap Electrolytic Radial 25V 470UF 85C
Stock Code: 020-0218 - Cap Electrolytic Radial 25V 680UF 85C
Stock Code: 020-0219 - Cap Electrolytic Radial 25V 1000UF 85C
Stock Code: 020-0220 - Cap Electrolytic Radial 25V 2200UF 85C
Stock Code: 020-0221 - Cap Electrolytic Radial 25V 3300UF 85C
Stock Code: 020-0222 - Cap Electrolytic Radial 25V 4700UF 85C
Stock Code: 020-0223 - Cap Electrolytic Radial 25V 6800UF 85C
Stock Code: 020-0224 - Cap Electrolytic Radial 25V 10 000UF 85C
Stock Code: 020-0225 - Cap Electrolytic Radial 25V 22 000UF 85C

35V

Stock Code: 020-0226 - Cap Electrolytic Radial 35V 1UF 85C
Stock Code: 020-0227 - Cap Electrolytic Radial 35V 10UF 85C
Stock Code: 020-0228 - Cap Electrolytic Radial 35V 33UF 85C
Stock Code: 020-0229 - Cap Electrolytic Radial 35V 47UF 85C
Stock Code: 020-0230 - Cap Electrolytic Radial 35V 100UF 85C
Stock Code: 020-0231 - Cap Electrolytic Radial 35V 220UF 85C
Stock Code: 020-0232 - Cap Electrolytic Radial 35V 330UF 85C
Stock Code: 020-0233 - Cap Electrolytic Radial 35V 470UF 85C
Stock Code: 020-0234 - Cap Electrolytic Radial 35V 1000UF 85C
Stock Code: 020-0235 - Cap Electrolytic Radial 35V 2200UF 85C
Stock Code: 020-0236 - Cap Electrolytic Radial 35V 3300UF 85C
Stock Code: 020-0237 - Cap Electrolytic Radial 35V 4700UF 85C
Stock Code: 020-0238 - Cap Electrolytic Radial 35V 10 000UF 85C

50V

Stock Code: 020-0239 - Cap Electrolytic Radial 50V 1UF 85C
Stock Code: 020-0240 - Cap Electrolytic Radial 50V 2.2UF 85C
Stock Code: 020-0241 - Cap Electrolytic Radial 50V 4.7UF 85C
Stock Code: 020-0242 - Cap Electrolytic Radial 50V 10UF 85C
Stock Code: 020-0243 - Cap Electrolytic Radial 50V 22UF 85C
Stock Code: 020-0244 - Cap Electrolytic Radial 50V 47UF 85C
Stock Code: 020-0245 - Cap Electrolytic Radial 50V 100UF 85C
Stock Code: 020-0246 - Cap Electrolytic Radial 50V 220UF 85C
Stock Code: 020-0247 - Cap Electrolytic Radial 50V 330UF 85C
Stock Code: 020-0248 - Cap Electrolytic Radial 50V 470UF 85C
Stock Code: 020-0249 - Cap Electrolytic Radial 50V 1000UF 85C
Stock Code: 020-0250 - Cap Electrolytic Radial 50V 2200UF 85C
Stock Code: 020-0251 - Cap Electrolytic Radial 50V 3300UF 85C
Stock Code: 020-0252 - Cap Electrolytic Radial 50V 4700UF 85C
Stock Code: 020-0253 - Cap Electrolytic Radial 50V 6800UF 85C
Stock Code: 020-0254 - Cap Electrolytic Radial 50V 10 000UF 85C

63V

Stock Code: 020-0255 - Cap Electrolytic Radial 63V 0.47UF 85C
Stock Code: 020-0256 - Cap Electrolytic Radial 63V 1UF 85C
Stock Code: 020-0257 - Cap Electrolytic Radial 63V 2.2UF 85C
Stock Code: 020-0258 - Cap Electrolytic Radial 63V 3.3UF 85C
Stock Code: 020-0259 - Cap Electrolytic Radial 63V 4.7UF 85C
Stock Code: 020-0260 - Cap Electrolytic Radial 63V 10UF 85C
Stock Code: 020-0261 - Cap Electrolytic Radial 63V 22UF 85C
Stock Code: 020-0262 - Cap Electrolytic Radial 63V 33UF 85C
Stock Code: 020-0263 - Cap Electrolytic Radial 63V 47UF 85C
Stock Code: 020-0264 - Cap Electrolytic Radial 63V 100UF 85C
Stock Code: 020-0265 - Cap Electrolytic Radial 63V 150UF 85C
Stock Code: 020-0266 - Cap Electrolytic Radial 63V 220UF 85C
Stock Code: 020-0267 - Cap Electrolytic Radial 63V 330UF 85C
Stock Code: 020-0268 - Cap Electrolytic Radial 63V 470UF 85C
Stock Code: 020-0269 - Cap Electrolytic Radial 63V 1000UF 85C
Stock Code: 020-0270 - Cap Electrolytic Radial 63V 2200UF 85C
Stock Code: 020-0271 - Cap Electrolytic Radial 63V 3300UF 85C
Stock Code: 020-0272 - Cap Electrolytic Radial 63V 4700UF 85C
Stock Code: 020-0432 - Cap Electrolytic Radial 63V 10 000UF 85C

100V

Stock Code: 020-0273 - Cap Electrolytic Radial 100V 1UF 85C
Stock Code: 020-0274 - Cap Electrolytic Radial 100V 2.2UF 85C
Stock Code: 020-0275 - Cap Electrolytic Radial 100V 3.3UF 85C
Stock Code: 020-0276 - Cap Electrolytic Radial 100V 4.7UF 85C
Stock Code: 020-0277 - Cap Electrolytic Radial 100V 10UF 85C
Stock Code: 020-0278 - Cap Electrolytic Radial 100V 22UF 85C
Stock Code: 020-0279 - Cap Electrolytic Radial 100V 33UF 85C
Stock Code: 020-0280 - Cap Electrolytic Radial 100V 47UF 85C
Stock Code: 020-0281 - Cap Electrolytic Radial 100V 100UF 85C
Stock Code: 020-0282 - Cap Electrolytic Radial 100V 220UF 85C
Stock Code: 020-0283 - Cap Electrolytic Radial 100V 470UF 85C
Stock Code: 020-0284 - Cap Electrolytic Radial 100V 1000UF 85C
Stock Code: 020-0285 - Cap Electrolytic Radial 100V 2200UF 85C
Stock Code: 020-0286 - Cap Electrolytic Radial 100V 3300UF 85C
Stock Code: 020-0287 - Cap Electrolytic Radial 100V 4700UF 85C
Stock Code: 020-0451 - Cap Electrolytic Radial Can 100V 3300UF Screw Term (35x80mm)

250V

Stock Code: 020-0288 - Cap Electrolytic Radial 250V 1UF 85C
Stock Code: 020-0289 - Cap Electrolytic Radial 250V 2.2UF 85C
Stock Code: 020-0290 - Cap Electrolytic Radial 250V 4.7UF 85C
Stock Code: 020-0291 - Cap Electrolytic Radial 250V 10UF 85C
Stock Code: 020-0292 - Cap Electrolytic Radial 250V 22UF 85C
Stock Code: 020-0293 - Cap Electrolytic Radial 250V 33UF 85C
Stock Code: 020-0294 - Cap Electrolytic Radial 250V 47UF 85C
Stock Code: 020-0295 - Cap Electrolytic Radial 250V 100UF 85C
Stock Code: 020-0296 - Cap Electrolytic Radial 250V 150UF 85C
Stock Code: 020-0297 - Cap Electrolytic Radial 250V 220UF 85C
Stock Code: 020-0298 - Cap Electrolytic Radial 250V 330UF 85C

Stock Code: 020-0299 - Cap Electrolytic Radial 250V 470UF 85C

400V

Stock Code: 020-0300 - Cap Electrolytic Radial 400V 2.2UF 85C
Stock Code: 020-0301 - Cap Electrolytic Radial 400V 22UF 85C
Stock Code: 020-0302 - Cap Electrolytic Radial 400V 68UF 85C
Stock Code: 020-0303 - Cap Electrolytic Radial 400V 100UF 85C
Stock Code: 020-0304 - Cap Electrolytic Radial 400V 150UF 85C
Stock Code: 020-0305 - Cap Electrolytic Radial 400V 220UF 85C
Stock Code: 020-0306 - Cap Electrolytic Radial 400V 330UF 85C
Stock Code: 020-0307 - Cap Electrolytic Radial 400V 470UF 85C

450V

Stock Code: 020-0308 - Cap Electrolytic Radial 450V 1UF 85C
Stock Code: 020-0309 - Cap Electrolytic Radial 450V 2.2UF 85C
Stock Code: 020-0310 - Cap Electrolytic Radial 450V 4.7UF 85C
Stock Code: 020-0311 - Cap Electrolytic Radial 450V 10UF 85C
Stock Code: 020-0312 - Cap Electrolytic Radial 450V 22UF 85C
Stock Code: 020-0313 - Cap Electrolytic Radial 450V 33UF 85C
Stock Code: 020-0314 - Cap Electrolytic Radial 450V 47UF 85C
Stock Code: 020-0315 - Cap Electrolytic Radial 450V 100UF 85C
Stock Code: 020-0316 - Cap Electrolytic Radial 450V 220UF 85C
Stock Code: 020-0317 - Cap Electrolytic Radial 450V 330UF 85C

ELECTROLYTIC RADIAL CAPACITORS - 105°

6.3V

Stock Code: 020-0318 - Cap Electrolytic Radial 6.3V 1000UF 105C
Stock Code: 020-0319 - Cap Electrolytic Radial 6.3V 1500UF 105C
Stock Code: 020-0320 - Cap Electrolytic Radial 6.3V 3300UF 105C
Stock Code: 020-0321 - Cap Electrolytic Radial 6.3V 4700UF 105C



10V

Stock Code: 020-0433 - Cap Electrolytic Radial 10V 470UF 105C
Stock Code: 020-0322 - Cap Electrolytic Radial 10V 1000UF 105C
Stock Code: 020-0323 - Cap Electrolytic Radial 10V 2200UF 105C

16V

Stock Code: 020-0434 - Cap Electrolytic Radial 16V 47UF 105C
Stock Code: 020-0324 - Cap Electrolytic Radial 16V 100UF 105C
Stock Code: 020-0325 - Cap Electrolytic Radial 16V 330UF 105C
Stock Code: 020-0326 - Cap Electrolytic Radial 16V 470UF 105C
Stock Code: 020-0327 - Cap Electrolytic Radial 16V 1000UF 105C
Stock Code: 020-0228 - Cap Electrolytic Radial 16V 1500UF 105C
Stock Code: 020-0435 - Cap Electrolytic Radial 16V 2200UF 105C
Stock Code: 020-0329 - Cap Electrolytic Radial 16V 4700UF 105C

25V

Stock Code: 020-0495 - Cap Electrolytic Radial 25V 47UF 105C
Stock Code: 020-0330 - Cap Electrolytic Radial 25V 470UF 105C
Stock Code: 020-0331 - Cap Electrolytic Radial 25V 680UF 105C
Stock Code: 020-0332 - Cap Electrolytic Radial 25V 1000UF 105C
Stock Code: 020-0436 - Cap Electrolytic Radial 25V 820UF 105C
Stock Code: 020-0437 - Cap Electrolytic Radial 25V 2200UF 105C

35V

Stock Code: 020-0487 - Cap Electrolytic Radial 35V 22UF 105C
Stock Code: 020-0333 - Cap Electrolytic Radial 35V 100UF 105C
Stock Code: 020-0334 - Cap Electrolytic Radial 35V 150UF 105C
Stock Code: 020-0335 - Cap Electrolytic Radial 35V 220UF 105C
Stock Code: 020-0497 - Cap Electrolytic Radial 35V 330UF 105C
Stock Code: 020-0491 - Cap Electrolytic Radial 35V 470UF 105C
Stock Code: 020-0471 - Cap Electrolytic Radial 35V 1000UF 105C
Stock Code: 020-0336 - Cap Electrolytic Radial 35V 1800UF 105C

50V

Stock Code: 020-0337 - Cap Electrolytic Radial 50V 100UF 105C
Stock Code: 020-0338 - Cap Electrolytic Radial 50V 470UF 105C
Stock Code: 020-0339 - Cap Electrolytic Radial 50V 1500UF 105C
Stock Code: 020-0340 - Cap Electrolytic Radial 50V 3300UF 105C
Stock Code: 020-0490 - Cap Electrolytic Radial 50V 10 000UF 105C

63V

Stock Code: 020-0496 - Cap Electrolytic Radial 63V 1UF 105C
Stock Code: 020-0341 - Cap Electrolytic Radial 63V 15UF 105C
Stock Code: 020-0488 - Cap Electrolytic Radial 63V 33UF 105C
Stock Code: 020-0450 - Cap Electrolytic Radial 63V 220UF 105C
Stock Code: 020-0342 - Cap Electrolytic Radial 63V 470UF 105C
Stock Code: 020-0448 - Cap Electrolytic Radial 63V 1000UF 105C
Stock Code: 020-0498 - Cap Electrolytic Radial 63V 4700UF 105C
Stock Code: 020-0343 - Cap Electrolytic Radial 63V 6800UF 105C
Stock Code: 020-0344 - Cap Electrolytic Radial 63V 8200UF 105C

100V

Stock Code: 020-0345 - Cap Electrolytic Radial 100V 47UF 105C
Stock Code: 020-0438 - Cap Electrolytic Radial 100V 470UF 105C
Stock Code: 020-0346 - Cap Electrolytic Radial 100V 1000UF 105C

160V

Stock Code: 020-0439 - Cap Electrolytic Radial 160V 2.2UF 105C
Stock Code: 020-0347 - Cap Electrolytic Radial 160V 10UF 105C
Stock Code: 020-0440 - Cap Electrolytic Radial 160V 82UF 105C

200V

Stock Code: 020-0494- Cap Electrolytic Radial 200V 150UF 105C
Stock Code: 020-0348 - Cap Electrolytic Radial 200V 680UF 105C
Stock Code: 020-0349 - Cap Electrolytic Radial 200V 1000UF 105C

250V

Stock Code: 020-0350 - Cap Electrolytic Radial 250V 2.2UF 105C
Stock Code: 020-0452 - Cap Electrolytic Radial 250V 33UF 105C
Stock Code: 020-0447 - Cap Electrolytic Radial 250V 100UF 105C
Stock Code: 020-0351 - Cap Electrolytic Radial 250V 330UF 105C

400V

Stock Code: 020-0441 - Cap Electrolytic Radial 400V 4.7UF 105C
Stock Code: 020-0352 - Cap Electrolytic Radial 400V 6.8UF 105C
Stock Code: 020-0442 - Cap Electrolytic Radial 400V 47UF 105C
Stock Code: 020-0353 - Cap Electrolytic Radial 400V 68UF 105C
Stock Code: 020-0354 - Cap Electrolytic Radial 400V 120UF 105C
Stock Code: 020-0355 - Cap Electrolytic Radial 400V 220UF 105C
Stock Code: 020-0449 - Cap Electrolytic Radial 400V 470UF 105C

420V

Stock Code: 020-0443 - Cap Electrolytic Radial 420V 150UF 105C

450V

Stock Code: 020-0356 - Cap Electrolytic Radial 450V 1UF 105C
Stock Code: 020-0489 - Cap Electrolytic Radial 450V 2.2UF 105C
Stock Code: 020-0357 - Cap Electrolytic Radial 450V 3.3UF 105C
Stock Code: 020-0499- Cap Electrolytic Radial 450V 4.7UF 105C
Stock Code: 020-0358 - Cap Electrolytic Radial 450V 10UF 105C
Stock Code: 020-0444 - Cap Electrolytic Radial 450V 22UF 105C
Stock Code: 020-0457 - Cap Electrolytic Radial 450V 33UF 105C
Stock Code: 020-0445 - Cap Electrolytic Radial 450V 56UF 105C
Stock Code: 020-0359 - Cap Electrolytic Radial 450V 68UF 105C
Stock Code: 020-0360 - Cap Electrolytic Radial 450V 82UF 105C
Stock Code: 020-0446 - Cap Electrolytic Radial 450V 220UF 105C
Stock Code: 020-0485 - Cap Electrolytic Radial 450V 470UF 105C

MOTOR START CAPACITORS



Stock Code: 020-0362 - Cap Motor Start 330VAC 21 - 25UF
Stock Code: 020-0363 - Cap Motor Start 330VAC 36 - 43UF (85x36mm)
Stock Code: 020-0364 - Cap Motor Start 330VAC 43 - 52UF (35x85mm)
Stock Code: 020-0464 - Cap Motor Start 330VAC 53 - 64UF (35x85mm)
Stock Code: 020-0365 - Cap Motor Start 330VAC 64 - 77UF (36x85mm)
Stock Code: 020-0366 - Cap Motor Start 330VAC 88 - 106UF (46x85mm)
Stock Code: 020-0367 - Cap Motor Start 330VAC 108 - 130UF (46x85mm)
Stock Code: 020-0465 - Cap Motor Start 330VAC 130 - 156UF (46x85mm)
Stock Code: 020-0368 - Cap Motor Start 330VAC 145 - 174UF (46x85mm)
Stock Code: 020-0466 - Cap Motor Start 330VAC 161 - 193UF (46x85mm)
Stock Code: 020-0455 - Cap Motor Start 330VAC 189 - 227UF (46x111mm)
Stock Code: 020-0369 - Cap Motor Start 330VAC 216 - 259UF (46x111mm)
Stock Code: 020-0467 - Cap Motor Start 330VAC 233 - 280UF (46x111mm)
Stock Code: 020-0370 - Cap Motor Start 330VAC 270 - 324UF (52x111mm)
Stock Code: 020-0468 - Cap Motor Start 330VAC 324 - 389UF (46x111mm)

Stock Code: 020-0469 - Cap Motor Start 330VAC 400 - 480UF (46x100mm)
Stock Code: 020-0501 - Cap Motor Start 330VAC 460 - 552UF (46x111mm)
Stock Code: 020-0502 - Cap Motor Start 330VAC 540 - 648UF (46x111mm)
Stock Code: 020-0475 - Cap Motor Start 330VAC 708 - 890UF (65x111mm)
Stock Code: 020-0470 - Cap Motor Start 330VAC 850 - 950UF (65x111mm)

MOTOR RUNNING CAPACITORS



Stock Code: 020-0371 - Cap Motor Running 450VAC 1UF (32x58mm)
Stock Code: 020-0372 - Cap Motor Running 450VAC 2UF (30x57mm)
Stock Code: 020-0458 - Cap Motor Running 450VAC 3UF (30x57mm)
Stock Code: 020-0459 - Cap Motor Running 450VAC 4UF (30x57mm)
Stock Code: 020-0373 - Cap Motor Running 450VAC 5UF (71x30mm)
Stock Code: 020-0374 - Cap Motor Running 450VAC 6UF (30x57mm)
Stock Code: 020-0375 - Cap Motor Running 450VAC 8UF (35x60mm)
Stock Code: 020-0376 - Cap Motor Running 450VAC 10UF (35x65mm)
Stock Code: 020-0431 - Cap Motor Running 450VAC 12UF (40x70mm)
Stock Code: 020-0377 - Cap Motor Running 450VAC 14UF 15UF (40x70mm)
Stock Code: 020-0378 - Cap Motor Running 450VAC 16UF (40x70mm)
Stock Code: 020-0460 - Cap Motor Running 450VAC 18UF (40x70mm)
Stock Code: 020-0379 - Cap Motor Running 450VAC 20UF (40x70mm)
Stock Code: 020-0380 - Cap Motor Running 450VAC 25UF (42x95mm)
Stock Code: 020-0461 - Cap Motor Running 450VAC 30UF (42x90mm)
Stock Code: 020-0381 - Cap Motor Running 450VAC 35UF (45x93mm)
Stock Code: 020-0462 - Cap Motor Running 450VAC 40UF (45x95mm)
Stock Code: 020-0382 - Cap Motor Running 450VAC 45UF (50x107mm)
Stock Code: 020-0463 - Cap Motor Running 450VAC 50UF (50x92mm)
Stock Code: 020-0472 - Cap Motor Running 450VAC 55UF (50x106m)
Stock Code: 020-0383 - Cap Motor Running 450VAC 60UF (50x117mm)
Stock Code: 020-0384 - Cap Motor Running 450VAC 70UF (50x116mm)
Stock Code: 020-0429 - Cap Motor Running 450VAC 80UF (55x120mm)
Stock Code: 020-0473 - Cap Motor Running 450VAC 90UF (55x120mm)
Stock Code: 020-0474 - Cap Motor Running 450VAC 100UF (55x120mm)

TANTALUM CAPACITORS

6.3V

Stock Code: 020-0385 - Cap Tantalum 6.3V 6.8UF

10V

Stock Code: 020-0386 - Cap Tantalum 10V 6.8UF
Stock Code: 020-0387 - Cap Tantalum 10V 15UF
Stock Code: 020-0388 - Cap Tantalum 10V 22UF
Stock Code: 020-0389 - Cap Tantalum 10V 33UF
Stock Code: 020-0390 - Cap Tantalum 10V 47UF

16V

Stock Code: 020-0391 - Cap Tantalum 16V 2.2UF
Stock Code: 020-0392 - Cap Tantalum 16V 3.3UF
Stock Code: 020-0393 - Cap Tantalum 16V 4.7UF
Stock Code: 020-0394 - Cap Tantalum 16V 6.8UF
Stock Code: 020-0395 - Cap Tantalum 16V 10UF
Stock Code: 020-0396 - Cap Tantalum 16V 15UF
Stock Code: 020-0397 - Cap Tantalum 16V 22UF
Stock Code: 020-0398 - Cap Tantalum 16V 33UF
Stock Code: 020-0399 - Cap Tantalum 16V 100UF

25V

Stock Code: 020-0400 - Cap Tantalum 25V 2.2UF
Stock Code: 020-0401 - Cap Tantalum 25V 4.7UF
Stock Code: 020-0402 - Cap Tantalum 25V 6.8UF
Stock Code: 020-0403 - Cap Tantalum 25V 10UF
Stock Code: 020-0404 - Cap Tantalum 25V 15UF
Stock Code: 020-0405 - Cap Tantalum 25V 22UF
Stock Code: 020-0406 - Cap Tantalum 25V 33UF

35V

Stock Code: 020-0407 - Cap Tantalum 35V 100NF
Stock Code: 020-0408 - Cap Tantalum 35V 150NF
Stock Code: 020-0409 - Cap Tantalum 35V 220NF
Stock Code: 020-0410 - Cap Tantalum 35V 330NF
Stock Code: 020-0411 - Cap Tantalum 35V 470NF
Stock Code: 020-0412 - Cap Tantalum 35V 680NF
Stock Code: 020-0413 - Cap Tantalum 35V 1UF
Stock Code: 020-0414 - Cap Tantalum 35V 1.5UF
Stock Code: 020-0415 - Cap Tantalum 35V 2.2UF
Stock Code: 020-0416 - Cap Tantalum 35V 3.3UF
Stock Code: 020-0417 - Cap Tantalum 35V 4.7UF
Stock Code: 020-0418 - Cap Tantalum 35V 6.8UF
Stock Code: 020-0419 - Cap Tantalum 35V 10UF
Stock Code: 020-0420 - Cap Tantalum 35V 15UF
Stock Code: 020-0421 - Cap Tantalum 35V 22UF
Stock Code: 020-0422 - Cap Tantalum 35V 47UF

TRIMCAP



Stock Code: 020-0423 - Cap Trim 1.2 - 5PF
Stock Code: 020-0424 - Cap Trim 2 - 22PF
Stock Code: 020-0425 - Cap Trim 3 - 40PF
Stock Code: 020-0426 - Cap Trim 10 - 60PF
Stock Code: 020-0427 - Cap Trim 3 - 10PF
Stock Code: 020-0428 - Cap Trim 10 - 120PF

CIRCUIT BREAKERS - RESETTABLE

CIRCUIT BREAKERS – RESETTABLE M11



Stock Code: 025-0001 - Circuit Breaker Resettable P/Mount 220VAC 5A
Stock Code: 025-0002 - Circuit Breaker Resettable P/Mount 220VAC 10A
Stock Code: 025-0003 - Circuit Breaker Resettable P/Mount 220VAC 15A
Stock Code: 025-0004 - Circuit Breaker Resettable P/Mount 220VAC 20A
Stock Code: 025-0005 - Circuit Breaker Resettable P/Mount 220VAC 25A
Stock Code: 025-0007 - Circuit Breaker Resettable P/Mount 220VAC 40A
Stock Code: 025-0008 - Circuit Breaker Resettable P/Mount 220VAC 30A
Stock Code: 025-0009 - Circuit Breaker Resettable P/Mount 220VAC 12A
Stock Code: 025-0010 - Mini Circuit Breaker Resettable P/Mount 220VAC 10A



Stock Code: 025-0006 - Circuit Breaker Rocker Type 250V 15A
Cutout 13x29mm

COMPUTER ACCESSORIES

KEYBOARD & MOUSE



Stock Code: 030-0001 - Redragon BS-7094 Wireless Keyboard and Mouse Combo

The Redragon BS-7094 Wireless Keyboard and Mouse Combo is designed for comfort, efficiency, and a seamless user experience. Featuring an ergonomic keyboard layout and low-profile silent chocolate keycaps, it delivers a quiet and comfortable typing experience, ideal for both work and home environments. High-precision optical sensor, Adjustable DPI 800/1200/1600/2400/4000, Wireless connection with plug and play USB dongle

---

SWITCH DESKTOP TPLINK

Stock Code: 030-0003 - Switch Desktop TPLink SF1005D 5 Port 10-100Mbps

IEEE 802.3, IEEE 802.3u, IEEE 802.3x CSMA/CD, Interface : 8 10/100Mbps Ports, Auto-Negotiation, Auto-MDI/MDIX, Fan Quantity : Fan-less, Power Supply : External Power Adapter (Output: 5.0VDC / 0.6A), Power Consumption: Maximum: 2.2W (220V/50Hz), External Power Supply : 100-240VAC, 50/60Hz, Buffer Size : 2Mb, Data Rates : 10/100Mbps at Half Duplex; 20/200Mbps at Full Duplex, LED Indicator : Power, 1, 2, 3, 4, 5, 6, 7, 8, Dimensions:34.5 x 79 x 22.5mm



Stock Code: 030-0004 - Switch Desktop TPLink SF1008D 8 Port 10-100Mbps

Standards: IEEE 802.3, IEEE 802.3u, IEEE 802.3x, Transmission Method: Store and Forward, Advanced Functions: Green Technology, 802.3x Flow Control, Max Power Consumption (220V/50Hz): TL-SF1005D: 1.87W; TL-SF1008D: 2.3W, Power Supply: External Power Adapter (Output: 5VDC / 0.6A)



SWITCH DESKTOP TENDA

Stock Code: 030-0005 - Switch Desktop Tenda S105 5 Port 10-100Mbps

Ethernet Ports: 5x 10/100/1000, Hardware Button: None, Max. Power Consumption: 2.3W, Mounting: Desktop
Operating System: None, Operating Temperature: 0-40 Deg, PoE Input: None, PoE Output: None, Power Input: 5V 0.5A Power Supply (Included), Serial Interface: None, SFP Ports: None, Supported Voltage Range: 5V, Dimensions: 100 x 69 x 24 mm, Weight: 75g

Stock Code: 030-0006 - Switch Desktop Tenda S108 8 Port 10-100Mbps

Ethernet Ports: 8x 10/100/1000, Hardware Button: None, Max. Power Consumption: 2.3W, Mounting: Desktop, Operating System: None, Operating Temperature: 0 to 40 Deg, PoE Input: None, PoE Output: None, Power Input: 5V 1A Power Supply (Included), Serial Interface: None, SFP Ports: None, Supported Voltage Range: 5V, Dimensions: 143 x 72.7 x 26.9 mm, Weight: 215g



Stock Code: 030-0007 - Switch Desktop Tenda SG105 5 Port Gigabit
Stock Code: 030-0008 - Switch Desktop Tenda SG108 8 Port Gigabit



USB HUB



Stock Code: 030-0009 - USB Hub Orico 4 Port 2.0 Black **Discontinued when sold out**
Stock Code: 030-0010 - USB Hub Winx 4 Port 3.0 Black

Host interface: Type-C USB, Ports: 4x USB3.0 (Up to 5Gbps), Operating temperature: -30°C to 60°C Cable length: 20cm, OS compatibility: Windows, Linux, MacOS, iOS, & Android, Colour: Sandblasted anodized grey, Material: Aluminium alloy & ABS, Product dimensions: 8.3×2.8×1.0cm, Product weight: 45g

---

WIFI DONGLE

Stock Code: 030-0011 - WIFI Dongle Edimax AC600 Dual Band



POE SWITCH



Stock Code: 030-0013 - POE Switch Folksafe 4 Port 10-100Mbps 60W

Stock Code: 030-0014 - POE Switch Folksafe 8 Port 10-100Mbps 120W



Stock Code: 030-0015 - POE Switch Cudy 5 Port Gigabit 60W

Conforms to IEEE802.3, IEEE 802.3u, IEEE 802.3ab, IEEE802.3af, IEEE802.3at, provides 5 10/100/1000Base-TX ports, 60W PoE power output total, High back-plane bandwidth 10Gbps, IEEE802.3x Flow control, EMI standards comply with FCC, CE class B



Stock Code: 030-0016 - POE Switch Genata 8 Port Gigabit 120W

8 Port Gigabit POE + 2 Gbps RJ45 + 2 SFP Switch



Stock Code: 030-0017 - POE Switch Scoop AI 10 Port Fast Ethernet 96W

Ethernet Ports: 10x 10/100, Hardware Button: AI VLAN; AI, Extender; AI PoE; AI QOS, Max. Power Consumption: 3W, Mounting: Desktop, Operating System: None, Operating Temperature: 0 to 40°, PoE Input: None, PoE Output: 802.3af/at PoE on Ports 118, Power Input: 52V 1.85A, Power Supply (Included), Serial Interface: None, SFP Ports: None Supported Voltage Range: 52V, Dimensions: 184 x 94 x 27mm

ADAPTOR



Stock Code: 030-0018 - Cudy USB-A to Gigabit Ethernet Adaptor

Cudy's CD-UE10A is a plug and play, portable USB-A 3.0 to Gigabit RJ45 adapter.

CONNECTORS

HDMI CONNECTORS / ADAPTORS



Stock Code: 035-0001 - HDMI Socket to Socket Adaptor
Stock Code: 035-0002 - HDMI Socket to Socket Gold Adaptor

Stock Code: 035-0003 - HDMI Swivel Female to Male Adaptor



Stock Code: 035-0858- HDMI Plug to HDMI Mini Socket

MONO JACK MALE



2.5MM

Stock Code: 035-0005 - Jack Mono Plastic Inline Plug 2.5mm

3.5MM

Stock Code: 035-0006 - Jack Mono Plastic Inline Plug 3.5mm
Stock Code: 035-0007 - Jack Mono Metal Inline Plug 3.5mm

6.3MM

Stock Code: 035-0008 - Jack Mono Plastic Inline Plug 6.3mm
Stock Code: 035-0009 - Jack Mono Metal Inline Plug 6.3mm
Stock Code: 035-0010 - Jack Mono Gold Tip Plug 6.3mm
Stock Code: 035-0011 - Jack Mono Metal Right Angle Plug 6.3mm

---

MONO JACK FEMALE



2.5MM

Stock Code: 035-0012 - Jack Mono Panel Mount Socket 2.5mm
Stock Code: 035-0013 - Jack Mono Panel Mount Socket Box Type Socket 2.5mm

3.5MM



Stock Code: 035-0014 - Jack Mono Inline Socket 3.5mm
Stock Code: 035-0015 - Jack Mono Panel Mount Open Socket 3.5mm
Stock Code: 035-0016 - Jack Mono Panel Mount Box Socket 3.5mm

6.3MM



Stock Code: 035-0017 - Jack Mono Plastic Inline Socket 6.3mm
Stock Code: 035-0018 - Jack Mono Panel Mount Metal Socket 6.3mm
Stock Code: 035-0019 - Jack Mono PCB Mount Black Socket 6.3mm
Stock Code: 035-0020 - Jack Mono Back - Back Socket 6.3mm

STEREO JACK MALE

2.5MM



Stock Code: 035-0022 - Jack Stereo Plastic Inline Plug 2.5mm

3.5MM



Stock Code: 035-0023 - Jack Stereo Plastic Inline Plug 3.5mm
Stock Code: 035-0024 - Jack Stereo Metal Inline Plug 3.5mm
Stock Code: 035-0025 - Jack Stereo Gold Inline Plug 3.5mm
Stock Code: 035-0924 - Roxtone Stereo Nickel-Plated Inline Socket 3.5mm (43.6mm Long)
Stock Code: 035-0925 - Roxtone Stereo Nickel-Plated Inline Plug 3.5mm

6.3MM



Stock Code: 035-0026 - Jack Stereo Plastic Inline Plug 6.3mm
Stock Code: 035-0027 - Jack Stereo Metal Inline Plug 6.3mm
Stock Code: 035-0028 - Jack Stereo Gold Tip Plug 6.3mm

STEREO JACK FEMALE

2.5MM



Stock Code: 035-0031 - Jack Stereo Panel Mount Socket 2.5mm
Stock Code: 035-0030 - Jack Stereo Plastic Inline Socket 2.5mm

3.5MM



Stock Code: 035-0033 - Jack Stereo Plastic Inline Socket 3.5mm
Stock Code: 035-0036 - Jack Stereo PCB Socket 3.5mm
Stock Code: 035-0037 - Jack Stereo Panel Mount Box Socket 3.5mm
Stock Code: 035-0038 - Jack Stereo Socket - Socket Metal 3.5mm

6.3MM



Stock Code: 035-0040 - Jack Stereo Plastic Inline Socket 6.3mm
Stock Code: 035-0041 - Jack Stereo PCB Mount Black Socket 6.3mm
Stock Code: 035-0042 - Jack Stereo Metal Panel Mount Socket 6.3mm
Stock Code: 035-0043 - Jack Stereo Back - Back Socket 6.3mm
Stock Code: 035-0923 - Roxtone Stereo Inline Socket 6.3mm (72.4mm Long)

---

4 POLE JACK

3.5MM



Stock Code: 035-0045 - Jack 4 Pole Plastic Plug 3.5mm
Stock Code: 035-0046 - Jack 4 Pole Panel Mount Socket 3.5mm

JACK ADAPTORS



Stock Code: 035-0048 - Jack Stereo Plug 2.5mm - Stereo Socket 3.5mm Adaptor
Stock Code: 035-0049 - Jack Mono Plug 3.5mm - Mono Socket 6.3mm Adaptor



Stock Code: 035-0051 - Jack Mono Plug 3.5mm - 2 x RCA Socket Adaptor
Stock Code: 035-0054 - Jack Stereo Plug 3.5mm - Stereo Socket 6.3mm Adaptor



Stock Code: 035-0055 - Jack Stereo Plug 3.5mm-2 x Stereo Socket 3.5mm Adaptor
Stock Code: 035-0056 - Jack Stereo Plug 3.5mm - 2 x RCA Socket Adaptor



Stock Code: 035-0057 - Jack Mono Plug 6.3mm - Mono Socket 3.5mm Adaptor
Stock Code: 035-0058 - Jack Mono Plug 6.3mm-2 x Jack Socket 6.3mm Adaptor
Stock Code: 035-0059 - Jack Mono Plug 6.3mm - 2 x RCA Socket Adaptor
Stock Code: 035-0060 - Jack Mono Plug 6.3mm - RCA Socket Adaptor




Stock Code: 035-0061 - Jack Stereo Plug 6.3mm - RCA Socket Adaptor
Stock Code: 035-0062 - Jack Stereo Plug 6.3mm - Stereo Socket 3.5mm Adaptor
Stock Code: 035-1008 - Roxtone Jack Stereo Plug 6.3mm - Socket 3.5mm Adaptor (76.7x14mm)



Stock Code: 035-0063 - Jack Stereo Plug 6.3mm-2 x Stereo Socket 6.3mm Adaptor
Stock Code: 035-0064 - Jack Stereo Plug 6.3mm - 2 x RCA Socket Adaptor

MIC CONNECTORS (M16 125V 5A)

2 PIN






Stock Code: 035-0065 - Mic Connector 2 Pin Panel Mount Plug
Stock Code: 035-0066 - Mic Connector 2 Pin Inline Plug
Stock Code: 035-0067 - Mic Connector 2 Pin Inline Socket

3 PIN

Stock Code: 035-0068 - Mic Connector 3 Pin Panel Mount Plug
Stock Code: 035-0069 - Mic Connector 3 Pin Inline Plug
Stock Code: 035-0070 - Mic Connector 3 Pin Inline Socket
Stock Code: 035-0071 - Mic Connector 3 Pin Inline Right-Angle Socket

4 PIN





Stock Code: 035-0072 - Mic Connector 4 Pin Panel Mount Plug
Stock Code: 035-0073 - Mic Connector 4 Pin Inline Plug
Stock Code: 035-0074 - Mic Connector 4 Pin Inline Socket

5 PIN

Stock Code: 035-0075 - Mic Connector 5 Pin Panel Mount Plug
Stock Code: 035-0076 - Mic Connector 5 Pin Inline Plug
Stock Code: 035-0077 - Mic Connector 5 Pin Inline Socket

6 PIN


Stock Code: 035-0078 - Mic Connector 6 Pin Panel Mount Plug
Stock Code: 035-0079 - Mic Connector 6 Pin Inline Plug
Stock Code: 035-0080 - Mic Connector 6 Pin Inline Socket



7 PIN

Stock Code: 035-0081 - Mic Connector 7 Pin Panel Mount Plug
Stock Code: 035-0082 - Mic Connector 7 Pin Inline Plug
Stock Code: 035-0083 - Mic Connector 7 Pin Inline Socket

8 PIN




Stock Code: 035-0084 - Mic Connector 8 Pin Panel Mount Plug
Stock Code: 035-0085 - Mic Connector 8 Pin Inline Plug
Stock Code: 035-0086 - Mic Connector 8 Pin Inline Socket

GX CONNECTOR (PLUG & SOCKET SET)

Circular metal connector set pair. Panel mount male with flange. In-Line female with cable clamp. M25 x1.25mm Thread



Stock Code: 035-0900 - GX25 2 Pin Mic Plug + Socket Set 25mm 300V 20A
Stock Code: 035-0901 - GX25 3 Pin Mic Plug + Socket Set 25mm 300V 20A
Stock Code: 035-0902 - GX25 4 Pin Mic Plug + Socket Set 25mm 250V 15A
Stock Code: 035-0903 - GX25 5 Pin Mic Plug + Socket Set 25mm 250V 15A
Stock Code: 035-0904 - GX25 6 Pin Mic Plug + Socket Set 25mm 250V 12A
Stock Code: 035-0905 - GX25 7 Pin Mic Plug + Socket Set 25mm 250V 12A
Stock Code: 035-0906 - GX25 8 Pin Mic Plug + Socket Set 25mm 250V 7A
Stock Code: 035-0907 - GX25 9 Pin Mic Plug + Socket Set 25mm 150V 7A
Stock Code: 035-0908 - GX25 10 Pin Mic Plug + Socket Set 25mm 150V 7A
Stock Code: 035-0909 - GX25 10 Pin Mic Plug + Socket Set 25mm 150V 7A



NUTRIX CONNECTORS

Ruggedized, high-reliability electrical and electronic interconnect products for proAV, lighting, broadcasting, and industrial use.



Stock Code: 035-0087 - Nutrix Inline Plug
Signal Connector Only (NOT FOR CURRENT)



Stock Code: 035-0088 - Nutrix Square Panel Mount Socket
19mm Cutout ROXTONE Brand - 30A RMS For the Operation of High Power Speakers and Amplifiers
Stock Code: 035-0089 - Nutrix Round Panel Mount Socket

RCA INLINE PLUG PLASTIC

A type of electrical plug and socket used to transmit analog or digital audio and composite/component video signals between devices like TVs, DVD players, amplifiers, and speakers



Stock Code: 035-0090 - RCA Plug Plastic Inline Red
Stock Code: 035-0091 - RCA Plug Plastic Inline Black
Stock Code: 035-0092 - RCA Plug Plastic Inline White
Stock Code: 035-0093 - RCA Plug Plastic Inline Green
Stock Code: 035-0094 - RCA Plug Plastic Inline Yellow
Stock Code: 035-0095 - RCA Plug Plastic Inline Blue
Stock Code: 035-0096 - RCA Plug Plastic Inline Grey

RCA INLINE PLUG GOLD



Stock Code: 035-0097 - RCA Plug Gold Inline Red
Stock Code: 035-0098 - RCA Plug Gold Inline Black

RCA INLINE SOCKET PLASTIC



Stock Code: 035-0099 - RCA Socket Plastic Inline Red
Stock Code: 035-0100 - RCA Socket Plastic Inline Black
Stock Code: 035-0101 - RCA Socket Plastic Inline White
Stock Code: 035-0102 - RCA Socket Plastic Inline Green
Stock Code: 035-0103 - RCA Socket Plastic Inline Yellow
Stock Code: 035-0104 - RCA Socket Plastic Inline Blue

RCA INLINE SOCKET GOLD



Stock Code: 035-0106 - RCA Socket Gold Inline Red
Stock Code: 035-0107 - RCA Socket Gold Inline Black

RCA SOCKETS PANEL MOUNT (M6 Cutout)



Stock Code: 035-0108 - RCA Socket Panel Mount Red
Stock Code: 035-0109 - RCA Socket Panel Mount Black
Stock Code: 035-0110 - RCA Socket Panel Mount White
Stock Code: 035-0111 - RCA Socket Panel Mount Green
Stock Code: 035-0112 - RCA Socket Panel Mount Yellow
Stock Code: 035-0113 - RCA Socket Panel Mount Blue



Stock Code: 035-0114 - RCA Socket Gold Panel Mount Red
Stock Code: 035-0115 - RCA Socket Gold Panel Mount Black

RCA PLATES



Stock Code: 035-0116 - RCA Plate 2 Way
Stock Code: 035-0117 - RCA Plate 4 Way

RCA PLUG NICKEL PLATED



Stock Code: 035-0830 - RCA Plug Nickel Plated Shell Gold Red
Stock Code: 035-0831 - RCA Plug Nickel Plated Shell Gold Black

RCA PLUG HIGH QUALITY



Stock Code: 035-0832 - RCA Plug High-Quality Black
Stock Code: 035-0840 - RCA Plug High-Quality Red

RCA PLUG WITH TERMINAL BLOCK



Stock Code: 035-0118 - Plug RCA with 2 Way Terminal Block

RCA ADAPTORS



Stock Code: 035-0119 - RCA Adaptor 1 x RCA Socket - 1 x RCA Socket
Stock Code: 035-0120 - RCA Adaptor 1 x RCA Plug - 1 x RCA Plug

Stock Code: 035-0121 - RCA Adaptor 2 x RCA Socket - 2 x RCA Socket
Stock Code: 035-0122 - RCA Adaptor 3 x RCA Socket - 3 x RCA Socket



Stock Code: 035-0123 - RCA Adaptor 1 x RCA Plug - 1 x RCA Socket RA Gold
Stock Code: 035-0124 - RCA Adaptor 1 x RCA Socket - 2 x RCA Plug



Stock Code: 035-0125 - RCA Adaptor 1 x RCA Plug - 2 x RCA Socket
Stock Code: 035-0126 - RCA Adaptor 1 x RCA Plug - 1 x 6.3mm Mono Socket

Stock Code: 035-0127 - RCA Adaptor 1 x RCA Plug - 1 x TV Socket

SPEAKER PLUG (OLD TYPE)



Stock Code: 035-0128 - Speaker 2 Way Old Inline Plug
Stock Code: 035-0129 - Speaker 2 Way Old Inline Socket



Stock Code: 035-0851 - Speaker 2 Way Old Panel Mount Socket

SPEAKER TERMINALS



Stock Code: 035-0130 - Speaker Terminal 2 Way
Stock Code: 035-0131 - Speaker Terminal 4 Way



Stock Code: 035-0134 - Speaker Terminal Square 2 Way + Banana Socket

XLR ADAPTORS



Stock Code: 035-0135 - XLR 3 Pin Socket To 6.3mm Mono Plug Adaptor
Stock Code: 035-0136 - XLR 3 Pin Socket To 6.3mm Stereo Plug Adaptor

---

XLR CONNECTORS

Circular electrical connector used mainly for professional audio, video, and stage lighting equipment.



3 PIN

Stock Code: 035-0137 - XLR 3 Pin Inline Plug
Stock Code: 035-0138 - XLR 3 Pin Inline Socket



Stock Code: 035-0139 - XLR 3 Pin Inline Right-Angle Plug
Stock Code: 035-0140 - XLR 3 Pin Inline Right-Angle Socket
Stock Code: 035-0141 - XLR 3 Pin Panel Mount Plug (M19 Cutout)



Stock Code: 035-0142 - XLR 3 Pin Panel Mount Socket (M19 Cutout)

4 PIN

Stock Code: 035-0143 - XLR 4 Pin Inline Plug
Stock Code: 035-0144 - XLR 4 Pin Inline Socket



Stock Code: 035-0145 - XLR 4 Pin Panel Mount Plug
Stock Code: 035-0146 - XLR 4 Pin Panel Mount Socket

DEUTSCH CONNECTORS IP68

A rugged, environmentally sealed electrical connector for harsh environments like automotive, agriculture, motorsport, and heavy industry.

14-16 GUAGE (1.2 - 1.6mm Wire Current Rating: 13A Current Voltage: 250V IP68)



Stock Code: 035-0878 - Deutsch Connector 2 Way Plug 14-16 Guage Kit
Stock Code: 035-0879 - Deutsch Connector 2 Way Socket 14-16 Guage Kit
Stock Code: 035-0891 - Deutsch Connector 3 Way Plug 14-16 Guage Kit
Stock Code: 035-0892 - Deutsch Connector 3 Way Socket 14-16 Guage Kit
Stock Code: 035-0880 - Deutsch Connector 4 Way Plug 14-16 Guage Kit
Stock Code: 035-0881 - Deutsch Connector 4 Way Socket 14-16 Guage Kit
Stock Code: 035-0882 - Deutsch Connector 6 Way Plug 14-16 Guage Kit
Stock Code: 035-0883 - Deutsch Connector 6 Way Socket 14-16 Guage Kit
Stock Code: 035-1031 - Deutsch Connector 8 Way Plug 14-16 Guage Kit
Stock Code: 035-1032 - Deutsch Connector 8 Way Socket 14-16 Guage Kit
Stock Code: 035-1035 - Deutsch Connector 12 Way Plug 14-16 Guage Kit
Stock Code: 035-1036 - Deutsch Connector 12 Way Socket 14-16 Guage Kit

16-20 GUAGE (0.8 - 1.2mm Wire Current Rating: 13A Current Voltage: 250V IP68)



Stock Code: 035-0884 - Deutsch Connector 2 Way Plug 20-16 Guage Kit
Stock Code: 035-0885 - Deutsch Connector 2 Way Socket 20-16 Guage Kit
Stock Code: 035-0886 - Deutsch Connector 4 Way Plug 20-16 Guage Kit
Stock Code: 035-0887 - Deutsch Connector 4 Way Socket 20-16 Guage Kit
Stock Code: 035-0888 - Deutsch Connector 6 Way Plug 20-16 Guage Kit
Stock Code: 035-0889 - Deutsch Connector 6 Way Socket 20-16 Guage Kit
Stock Code: 035-1033 - Deutsch Connector 8 Way Plug 14-16 Guage Kit

Stock Code: 035-1034 - Deutsch Connector 8 Way Socket 14-16 Guage Kit
Stock Code: 035-1037 - Deutsch Connector 12 Way Plug 14-16 Guage Kit
Stock Code: 035-1038 - Deutsch Connector 12 Way Socket 14-16 Guage Kit

PINS (1.2 - 1.6mm Wire Current Rating: 13A)



Stock Code: 035-0910 - Deutsch Male Crimp Terminal 14-16 Guage
Stock Code: 035-0911 - Deutsch Female Crimp Terminal 14-16 Guage

---

DIN CONNECTORS

A multi-pin electrical connector.

5 PIN



Stock Code: 035-0150 - Din 5 Pin Inline Plug
Stock Code: 035-0151 - Din 5 Pin Inline Socket
Stock Code: 035-0152 - Din 5 Pin C/Mount Socket

6 PIN



Stock Code: 035-0153 - Din 6 Pin Inline Plug
Stock Code: 035-0154 - Din 6 Pin Panel Mount Socket
Stock Code: 035-0954 - Din 6 Pin Inline Socket

7 PIN

Stock Code: 035-0155 - Din 7 Pin Inline Plug
Stock Code: 035-0156 - Din 7 Pin Din Inline Socket
Stock Code: 035-0157 - Din 7 Pin Panel Mount Socket

8 PIN



Stock Code: 035-0158 - Din 8 Pin Inline Plug
Stock Code: 035-0159 - Din 8 Pin Inline Socket
Stock Code: 035-0160 - Din 8 Pin Panel Mount Socket

MINI DIN CONNECTORS

Compact 9.5 mm-diameter multi-pin electrical connectors. They serve as smaller replacements for standard larger DIN connectors and feature keyed physical patterns to prevent cross-mating between different pin counts.

4 PIN



Stock Code: 035-0161 - Mini Din 4 Pin Inline Plug
Stock Code: 035-0162 - Mini Din 4 Pin Inline Socket

6 PIN



Stock Code: 035-0163 - Mini Din 6 Pin Inline Plug
Stock Code: 035-0164 - Mini Din 6 Pin Inline Socket

8 PIN

Stock Code: 035-0165 - Mini Din 8 Pin Inline Plug
Stock Code: 035-0877 - Mini Din 8 Pin Inline Socket

POWER CONNECTOR



M30



Stock Code: 035-0166 - Power Connector M30 12 Way Inline Socket 250VAC 10A

Stock Code: 035-0167 - Power Connector M30 12 Way Panel Mount Plug 250VAC 10A



Stock Code: 035-0834 - Power Connector M30 12 Way Panel Mount Socket 250VAC 10A

Stock Code: 035-0835 - Power Connector M30 12 Way Inline Plug 250VAC 10A

M22



Stock Code: 035-0828 - Power Connector M22 4 Way Inline Socket 250VAC 10A

Stock Code: 035-0829 - Power Connector M22 4 Way Panel Mount Plug 250VAC 10A

BULGIN CONNECTOR IP68

A rugged, environmentally sealed electrical, data, or fiber-optic connector designed to operate in harsh, wet, dusty, or high-vibration conditions.



Stock Code: 035-0168 - Bulgin 25W Cable Mount Circular Socket + Terminals IP68 50VDC 1A, Includes 25 Female Terminals



Stock Code: 035-0169 - Bulgin 25W Jam Nut Chassis Mount Plug + Terminals IP68 50VDC 1A, Includes 25 Male Terminals

Stock Code: 035-0171 - Bulgin SA3179-1 Female Crimp Solder Terminal 10Pcs

Stock Code: 035-0172 - Bulgin SA3180-1 Male Crimp Solder Terminal 10Pcs

---

CHARGER PLUG IP44



Stock Code: 035-0912 - Charger Plug Red 5 Pin Male 415V 32A IP44



Stock Code: 035-0945- Charger Socket Wall Mount Red 5 Pin Male 380V 32A IP44

DB ADAPTORS





Stock Code: 035-0173 - DB9 Male - DB9 Male Adaptor

Stock Code: 035-0174 - DB9 Female - DB9 Female Adaptor

Stock Code: 035-0175 - DB9 Male - DB9 Female Adaptor

Stock Code: 035-0176 - DB9 Male - DB25 Male Adaptor



Stock Code: 035-0177 - DB15 Male - DB15 Male Adaptor

Stock Code: 035-0178 - DB15 Female - DB15 Female Adaptor

Stock Code: 035-0179 - DB15 Male - DB15 Female Adaptor



Stock Code: 035-0180 - DB15 Male - DB15 Male High-Density Adaptor

Stock Code: 035-0181 - DB15 Female - DB15 Female High-Density Adaptor

Stock Code: 035-0182 - DB15 Male - DB15 Female High-Density Adaptor



Stock Code: 035-0183 - DB25 Male - DB25 Male Adaptor

Stock Code: 035-0184 - DB25 Female - DB25 Female Adaptor

Stock Code: 035-0185 - DB25 Male - DB25 Female Adaptor

DB COVERS





Stock Code: 035-0186 - DB9 Cover (Also for DB15 High Density Plugs)
Stock Code: 035-0187 - DB15 Cover
Stock Code: 035-0188 - DB25 Cover
Stock Code: 035-0189 - DB37 Cover
Stock Code: 035-0190 - DB50 Cover

DB CONNECTORS (SOLDER TYPE)

D-subminiature (D-sub) connectors are electrical connectors featuring a distinct D-shaped metal shell that protects the internal pins and blocks electromagnetic interference (EMI/RFI).



Stock Code: 035-0192 - DB9 High Density Male (15 Pin) (FOR USE WITH DB9 COVERS)
Stock Code: 035-0193 - DB9 High Density Female (15 Pin) (FOR USE WITH DB9 COVERS)
Stock Code: 035-0216 - DB9 Solder Type Male
Stock Code: 035-0217 - DB9 Solder Type Female
Stock Code: 035-0218 - DB15 Solder Type Male
Stock Code: 035-0219 - DB15 Solder Type Female
Stock Code: 035-0220 - DB25 Solder Type Male
Stock Code: 035-0221 - DB25 Solder Type Female
Stock Code: 035-0222 - DB37 Solder Type Male
Stock Code: 035-0223 - DB37 Solder Type Female
Stock Code: 035-0224 - DB50 Solder Type Male
Stock Code: 035-0225 - DB50 Solder Type Female

DB CONNECTORS (IDC TYPE)



Stock Code: 035-0194 - DB9 IDC Crimp Blue Male
Stock Code: 035-0195 - DB9 IDC Crimp Blue Female
Stock Code: 035-0196 - DB15 IDC Crimp Blue Male
Stock Code: 035-0197 - DB15 IDC Crimp Blue Female
Stock Code: 035-0198 - DB25 IDC Crimp Blue Male
Stock Code: 035-0199 - DB25 IDC Crimp Blue Female
Stock Code: 035-0200 - DB37 IDC Crimp Blue Male
Stock Code: 035-0201 - DB37 IDC Crimp Blue Female

DB CONNECTORS (PCB MOUNT STRAIGHT)



Stock Code: 035-0202 - DB9 PCB Mount Male
Stock Code: 035-0203 - DB9 PCB Mount Female
Stock Code: 035-0204 - DB15 PCB Mount Male
Stock Code: 035-0205 - DB15 PCB Mount Female
Stock Code: 035-0206 - DB25 PCB Mount Male
Stock Code: 035-0207 - DB25 PCB Mount Female

DB CONNECTORS (PCB RIGHT ANGLE)



Stock Code: 035-0208 - DB9 Right Angle Male
Stock Code: 035-0209 - DB9 Right Angle Female
Stock Code: 035-0210 - DB15 Right Angle Male
Stock Code: 035-0211 - DB15 Right Angle Female
Stock Code: 035-0212 - DB25 Right Angle Male
Stock Code: 035-0213 - DB25 Right Angle Female
Stock Code: 035-0214 - DB37 Right Angle Male
Stock Code: 035-0215 - DB37 Right Angle Female

DC PLUGS

A cylindrical electrical connector that delivers direct current (DC) power from an external power supply to a small or medium electronic device.



Stock Code: 035-0226 - DC Plug Inline 0.7mm (ID: 0.7mm OD: 2.35mm Length: 9mm)
Stock Code: 035-0227 - DC Plug Inline 1.1mm (ID: 1.1mm OD: 3mm Length: 9mm)
Stock Code: 035-0228 - DC Plug Inline 1.3mm (ID: 1.35mm OD: 3.8mm Length: 9mm)
Stock Code: 035-0229 - DC Plug Inline 1.7mm (ID: 1.75mm OD: 4mm Length: 9mm)
Stock Code: 035-0230 - DC Plug Inline 3mm (ID: 3mm OD: 5.5mm Length: 9mm)

2.1MM



Stock Code: 035-0231 - DC Plug Plastic Short Inline 2.1mm (ID: 2.1mm OD: 5.5mm Length: 9mm)
Stock Code: 035-0232 - DC Plug Plastic Long Inline 2.1mm (ID: 2.1mm OD: 5.5mm Length: 14mm)
Stock Code: 035-0233 - DC Plug Bakelite Short Inline 2.1mm (ID: 2.1mm OD: 5.5mm Length: 9mm)
Stock Code: 035-0234 - DC Plug Bakelite Long Inline 2.1mm (ID: 2.1mm OD: 5.5mm Length: 14mm)
Stock Code: 035-0235 - DC Plug Metal Short 2.1mm (ID: 2.1mm OD: 5.5mm Length: 9mm)
Stock Code: 035-0241 - DC Socket with Terminal Block 2.1mm

2.5MM



Stock Code: 035-0242 - DC Plug Plastic Short Inline 2.5mm (ID: 2.5mm OD: 5.5mm Length: 9mm)
Stock Code: 035-0243 - DC Plug Plastic Long Inline 2.5mm (ID: 2.5mm OD: 5.5mm Length: 14mm)
Stock Code: 035-0244 - DC Plug Bakelite Short Inline 2.5mm (ID: 2.5mm OD: 5.5m Length: 9mm)
Stock Code: 035-0245 - DC Plug Bakelite Long Inline 2.5mm (ID: 2.5mm OD: 5.5mm Length: 14mm)

DC SOCKETS

A DC socket (or DC jack) is a female electrical connector that receives a direct current (DC) plug to supply low-voltage power to devices like routers, modems, and small electronics.

1.3MM



Stock Code: 035-0996 - DC Socket Panel Mount 1.3mm (Contact Rating: 4A 20V Pin: 1.3mm Total Length: 18mm ID: 3.5mm OD: 10mm)

2.1MM



Stock Code: 035-0236 - DC Plug with Terminal Block 2.1mm
Stock Code: 035-0237 - DC Socket Inline 2.1mm (Inner Pin: 2.1mm ID: 5.5mm OD: 10.5mm Total Length: 40mm)
Stock Code: 035-0238 - DC Socket Panel Mount with Nut 2.1mm (M8 Pin: 2.1mm Total Length 21mm)
Stock Code: 035-0239 - DC Socket Right Angle PCB 2.1mm (Pin: 2.1mm Total Length: 14.5mm)
Stock Code: 035-0240 - DC Socket Panel Mount Oval 2.1mm (Pin: 2.1mm Total Length: 20.5mm)

2.5MM



Stock Code: 035-0246 - DC Socket Inline 2.5mm (Pin: 2.5mm Total Length: 60mm)
Stock Code: 035-0247 - DC Socket Panel Mount with Nut 2.5mm (M8 Pin: 2.5mm Total Length 21mm)
Stock Code: 035-0248 - DC Socket Right Angle PCB 2.5mm (Pin: 2.5mm Total Length: 14.5mm)
Stock Code: 035-0249 - DC Socket Panel Mount Oval 2.5mm (Pin: 2.5mm Total Length: 20.5mm)

DC PLUGS WITH CENTRE PIN



Stock Code: 035-0250 - DC Plug Inline 3.4mm + 1mm Centre Pin (Pin: 1mm ID: 3.4mm OD: 5mm Length:9.5mm)
Stock Code: 035-0251 - DC Plug Inline 4.2mm + 1.3mm Centre Pin (Pin: 1.4mm ID: 2.4mm OD: 6mm Length:9.5mm)
Stock Code: 035-0252 - DC Plug Inline 6.3mm + 3.1mm Centre Pin (ID: 3.1mm OD: 6.3mm Length:9.5mm)

DC ADAPTORS



Stock Code: 035-0254 - DC Plug 2.1mm - DC Socket 2.5mm Adaptor
Converter 2.1mm DC Male (Pin Side) To 2.5mm DC Female (Silver Hole Sides) OD: 5.5mm
Stock Code: 035-0255 - DC Plug 2.5mm - DC Socket 2.1mm Adaptor
Converter From 2.5MM DC Male Pin To 2.1mm DC Female Silver Tube OD: 5.5MM

DEANS CONNECTOR

A Deans connector (also known as a T-plug or Ultra Plug) is a compact, high-current electrical connector commonly used in radio-controlled (RC) models, airsoft guns, and battery-powered hobby projects.



Stock Code: 035-0253 - Deans New T Connector 2 Pole 50A Male Female Set
Cable End Polarized Male/Female - Gold Flash Flat Terminals W/Snap-On Insulator Maximum Continuous Current: 36A Max Burst Current: 60A



Stock Code: 035-0913 - RC-XT60H Connector 2 Pole 60A Male Female Set
Cable End Polarized Male and Female 3,5mm Gold Plated Bullet Terminals with cover/boot



Stock Code: 035-0963 - XT60 Connector 2 Pole 60A Panel Mount Male
These are high-current XT60 connectors commonly used in the RC hobby industry. These uniquely designed connectors make it a snap to install a female XT60 port in any panel. Designed by: hexTronik. Max Current: 60A. Rated Voltage: DC 500V. Rated Current: 30A. Contact Resistance: 0.55mO. Temperature Range: -20 - 120C. Material: High-temp Nylon. Contacts: Gold plated spring connectors. Weight: 4g

---

ANDERSON PLUGS

A rugged, genderless, quick-disconnect DC power connector used widely in solar setups, 12V dual-battery systems, caravans, 4x4s, and forklifts.



Stock Code: 035-0256 - Anderson Plug SR50 50A Grey AWG6 13.3mm
50A 600V AC/DC 2 Pole Connector 2 Contacts for Wire 8 AWG (10MM) 48x36.5x15.9MM
Stock Code: 035-1014 - Anderson Plug SB120 120A Grey AWG1 42.4mm
120A 600V AC/DC 2 pole Connector 2 Contacts for Wire AWG1 42.4mm. 64x47x21mm
Stock Code: 035-0257 - Anderson Plug SR175 175A Grey AWG10 53.5mm
175A 600V AC/DC 2 pole Connector 2 Contacts for Wire 4AWG (25mm) 79.4x55.6x25.4MM
Stock Code: 035-1055 - Anderson Plug SR175 350A Grey AWG10 53.5mm
600VAC/DC. 2/0 AWG to 300 mcm (67.4 to 152mm2)
Stock Code: 035-1022 - Anderson Plug 50A Grey with Mounting Flange
(50A 600V AC/DC 2 Pole Connector 2 Contacts for Wire 8 AWG (10MM). 48x36.5x15.9MM)

Stock Code: 035-0863 - Anderson Plug 30A Red 2.5mm 4mm 1P (41.3x7.9x7.9mm 12 AWG (2.5 - 4mm))
Stock Code: 035-0864 - Anderson Plug 30A Black 2.5mm 4mm 1P (41.3x7.9x7.9mm 12 AWG (2.5 - 4mm))
Stock Code: 035-0865 - Anderson Plug 30A White 2.5mm 4mm 1P (41.3x7.9x7.9mm 12 AWG (2.5 - 4mm))
Stock Code: 035-0866 - Anderson Plug 30A Blue 2.5mm 4mm 1P (41.3x7.9x7.9mm 12 AWG (2.5 - 4mm))



Stock Code: 035-0895 - Square Connector Panel Mount for Anderson 50A
Single panel to fit 50A square connector, Connector, lugs and screws are NOT included, Dimensions: 60mm x 42mm



Stock Code: 035-1050 - Square Connector Holder + Lid Anderson Single 50A
Single panel to fit 50A square connector, Connector and lugs are NOT included, Screws included.



Stock Code: 035-1051 - Square Connector Holder + Lid Anderson Double 50A
Double panel to fit 50A square connector, Connector and lugs are NOT included, Screws included.
Stock Code: 035-1052 - Square Connector Holder + Lid Anderson Single 120A
Single panel to fit 120A square connector, Connector and lugs are NOT included, Screws included.
Stock Code: 035-1053 - Square Connector Holder + Lid Anderson Single 175A
Single panel to fit 175A square connector, Connector and lugs are NOT included, Screws included.

IC SOCKETS

An electromechanical connector that acts as a removable placeholder between an integrated circuit (IC) chip and a printed circuit board (PCB).

TIN



Stock Code: 035-0258 - IC Socket Tin 6 Pin
Stock Code: 035-0259 - IC Socket Tin 8 Pin
Stock Code: 035-0260 - IC Socket Tin 14 Pin
Stock Code: 035-0261 - IC Socket Tin 16 Pin
Stock Code: 035-0262 - IC Socket Tin 18 Pin
Stock Code: 035-0263 - IC Socket Tin 20 Pin
Stock Code: 035-0264 - IC Socket Tin Narrow 24 Pin
Stock Code: 035-0265 - IC Socket Tin Wide 24 Pin
Stock Code: 035-0266 - IC Socket Tin Narrow 28 Pin
Stock Code: 035-0267 - IC Socket Tin Wide 28 Pin
Stock Code: 035-0268 - IC Socket Tin 40 Pin

GOLD



Stock Code: 035-0269 - IC Socket Gold 6 Pin
Stock Code: 035-0270 - IC Socket Gold 8 Pin
Stock Code: 035-0271 - IC Socket Gold 14 Pin
Stock Code: 035-0272 - IC Socket Gold 16 Pin
Stock Code: 035-0273 - IC Socket Gold 18 Pin
Stock Code: 035-0274 - IC Socket Gold 20 Pin
Stock Code: 035-0275 - IC Socket Gold Narrow 24 Pin
Stock Code: 035-0276 - IC Socket Gold Wide 24 Pin
Stock Code: 035-0277 - IC Socket Gold Narrow 28 Pin
Stock Code: 035-0278 - IC Socket Gold Wide 28 Pin
Stock Code: 035-0279 - IC Socket Gold 40 Pin

ZIF SOCKET

An integrated circuit (IC) connector or processor base that allows a chip to be inserted or removed with little to no physical force.



Stock Code: 035-0280 - ZIF Socket 40 PIN

FIGURE 8 CONNECTORS

Electrical power connectors shaped like a figure eight.



Stock Code: 035-0281 - Figure 8 Panel Mount Socket with Mount Ears
35x15x16mm (Excluding Terminals)
Stock Code: 035-0282 - Figure 8 Panel Mount Socket Clip In
28x16x16mm (Excluding Pins)

IEC CONNECTORS

These connectors supply mains electricity (up to 250V AC and 16A) to household devices, office hardware, and industrial equipment.

C14









Stock Code: 035-0283 - IEC Kettle C14 Panel Mount Plug Clip In (32x24mm)
Stock Code: 035-0284 - IEC Kettle C14 Panel Mount Plug with Mount Ears(50x22.7mm)
Stock Code: 035-0285 - IEC Kettle C14 Panel Mount Socket Clip In (35.5x28mm)
Stock Code: 035-0286 - IEC Kettle C14 Panel Mount Socket Mount Ears (50x29mm)
Stock Code: 035-0287 - IEC Kettle C14 Panel Mount Plug & Fuse Holder (Clip In / Press Fit 33x30.2mm)
Stock Code: 035-0288 - IEC Kettle C14 Panel Mount Plug Switch & Fuse (Clip In / Press Fit 50x30.5mm)
Stock Code: 035-0289 - IEC Kettle C14 Inline Plug (10A 250VAC 82x28mm)
Stock Code: 035-0290 - IEC Kettle C14 Inline Socket (10A 250VAC 76.8x22.9mm)
Stock Code: 035-0291 - IEC Kettle C14 Right Angle Inline Plug (10A 250VAC 38.1x38.1x25.4mm)
Stock Code: 035-0292 - IEC Kettle C14 Side Right Angle Inline Plug (10A 250VAC 65x40x21mm)
Stock Code: 035-0293 - IEC Kettle C14 Right Angle Inline Socket (10A 250VAC 66x43x27.5mm)
Stock Code: 035-0846 - IEC Kettle C14 Side Right Angle Inline Socket (6A 250VAC 62.6x38x17mm)

C19



Stock Code: 035-0294 - IEC Kettle C19 Inline Socket (16/20A 250VAC 78.3x29.8x22.3mm)

C20



Stock Code: 035-1021 - IEC Kettle C20 Inline Plug (16A 250VAC)

MAINS PLUGS



Stock Code: 035-0295 - Mains 3 Pin Inline Plug Top White 15A
Stock Code: 035-0296 - Mains 3 Pin Inline Plug Top Black 15A
Stock Code: 035-0297 - Mains 3 Pin Dedicated Inline Plug Top Red 15A



Stock Code: 035-0298 - Mains 3 Pin Inline Plug White 16A New ZA Standard
Stock Code: 035-0299 - Mains 3 Pin Inline Plug Red Dedicated 16A New ZA Stand



Stock Code: 035-0300 - Mains 3 Pin Rubber Socket Black 15A Janus Adapter

Stock Code: 035-0301 - Mains 3 Flat Pin 15A British Standard Plug + Fuse



Stock Code: 035-0964 - Mains 2 Pin Inline Plug Black 220V 2.5A
These are your standard household 2 Pin connectors capable of 220V (250V max.) at 2.5A. Material: ABS + Copper. Colour: Black. Rated Voltage: 250V. Rated Current: 2.5A. Insulated Resistance: >100MO. Dielectric Intensity: >2000V AC/min. Insertion and Extraction Force: 5-30N. Suitable Cable Diameter: 0.5cm/0.2in. Dimensions: 68 x 35mm

Stock Code: 035-1024 - Mains 2 Pin Inline Plug White 220V 2.5A
Stock Code: 035-1025 - Mains 2 Pin Inline Socket White 220V 2.5A

MULTIPLUG



Stock Code: 035-0302 - Multi Plug 3 x 15A Horizontal Extension Socket
Stock Code: 035-0303 - Multi Plug 3 Way Extension 400mm Cable
Stock Code: 035-1057 - Multi Plug 5x16A 5x2 Pin 1xSchuko Extension Cable
Stock Code: 035-1058 - Multi Plug 10 Way + Surge Protection
6A High Surge Protection. 5 x 16A 3 Pin, 4 x 5A 2 Pin Euro, 1 x 5A Schuko. 3500W Max Connected Load.

TRAVEL ADAPTOR





Stock Code: 035-0304 - Travel Adaptor 2Pin Round Plug - 2Pin Flat Socket
Stock Code: 035-0305 - Travel Adaptor 3 Pin SA Plug - Universal Socket
Stock Code: 035-0306 - Travel Adaptor 3 Pin SA Plug - Univ Socket (Fused)
Stock Code: 035-0307 - Travel Adaptor 2 Pin Round Euro - 3 Pin SA
Stock Code: 035-0308 - Travel Adaptor 3 Pin SA - 2 Pin SA
Stock Code: 035-1023 - Travel Adaptor HQ 3 Pin SA Plug - Universal Socket

SCHUKO CONNECTORS



Stock Code: 035-0309 - Schuko Plug (10/16A 250VAC)
Stock Code: 035-0310 - Schuko Socket (10/16A 250VAC)

YANKEE CONNECTORS





Stock Code: 035-0311 - Yankee American 2 Pin Inline Plug (5A 250VAC)
Stock Code: 035-0312 - Yankee American 2 Pin Inline Socket (10A 250VAC)
Stock Code: 035-0313 - Yankee American 2 Pin Panel Mount Socket
(10A 250VAC 33.5x32.7x16.8mm (Including Terminals)

RJ45 BOOTS



Stock Code: 035-0314 - RJ45 Grey Boot
Stock Code: 035-0315 - RJ45 Black Boot
Stock Code: 035-0316 - RJ45 Red Boot
Stock Code: 035-0317 - RJ45 Yellow Boot
Stock Code: 035-0318 - RJ45 Green Boot
Stock Code: 035-0897 - RJ45 Blue Boot

RJ45 CONNECTORS







Stock Code: 035-0319 - RJ45 CAT5E UTP Plug
Stock Code: 035-0320 - RJ45 CAT5E FTP Shielded Plug
Stock Code: 035-0321 - RJ45 CAT6 UTP Plug
Stock Code: 035-0322 - RJ45 CAT6 FTP Shielded Plug
Stock Code: 035-0323 - RJ45 CAT6 Plug and Boot
Stock Code: 035-0324 - RJ45 10 Pin Plug
Stock Code: 035-0898 - RJ45 EZ CAT5e UTP Plug Pass-Through (23-26AWG (0.4 - 0.5mm) Polycarbonate)
Stock Code: 035-0899 - RJ45 EZ CAT6 UTP Plug Pass-Through (23-26AWG (0.4 - 0.5mm) Polycarbonate)
Stock Code: 035-1001 - RJ45 CAT5E Plug with Protective Boot
Stock Code: 035-1005 - RJ45 CAT5E Plug Housing XLR Type (NO PLUG INCL)

RJ45 BREAKOUT ADAPTORS



Stock Code: 035-0325 - RJ45 Breakout Adaptor Plug
Stock Code: 035-0326 - RJ45 Breakout Adaptor Socket

RJ45 SOCKET / ADAPTORS







Stock Code: 035-0327 - RJ45 RA PCB Mount Socket (17.8x20.7mm 2.54mm Spacing)
Stock Code: 035-0328 - RJ45 Coupler
Stock Code: 035-0329 - RJ45 Venus Splitter
Stock Code: 035-0330 - RJ45 Single CAT5E Surface Box
Stock Code: 035-0331 - RJ45 Dual CAT5E Surface Box
Stock Code: 035-0962 - RJ45 Single CAT6E Surface Box
Stock Code: 035-1002 - RJ45 CAT5E Panel Mount Socket Nickel Plated
Stock Code: 035-1003 - RJ45 CAT6 Panel Mount Socket Nickel Plated
Stock Code: 035-1004 - RJ45 CAT6 Shielded Panel Mount Socket Nickel Plate
Stock Code: 035-1006 - RJ45 CAT5E Panel Mount Socket Nickel Plat XLR Type

TELEPHONE CONNECTORS



Stock Code: 035-0332 - RJ9 Plug
Stock Code: 035-0333 - RJ11 Plug
Stock Code: 035-0334 - RJ12 Plug

TELEPHONE SOCKETS (PCB MOUNT)



Stock Code: 035-0335 - RJ9 RA PCB Mount Socket (11.18x20.57mm 2.54mm Spacing)
Stock Code: 035-0336 - RJ11 RA PCB Mount Socket (13x20.4mm)
Stock Code: 035-0337 - RJ12 RA PCB Mount Socket (13.21x20.57mm 2.54mm Spacing)

TELEPHONE ADAPTORS





Stock Code: 035-0338 - RJ11 Coupler
Stock Code: 035-0339 - RJ12 Coupler

Stock Code: 035-0340 - RJ11 Venus Splitter
Stock Code: 035-0341 - RJ12 Venus Splitter




Stock Code: 035-0342 - RJ11 Single Surface Box (42x58x25mm)
Stock Code: 035-0343 - RJ11 Dual Surface Box (42x58x25mm)
Stock Code: 035-0344 - RJ12 Single Surface Box (42x58x25mm)
Stock Code: 035-0345 - RJ12 Dual Surface Box (42x58x25mm)


EDGE CONNECTORS SOCKETS (5.08MM) (15A 300V Wire Range 12-28AWG (0.08-4mm)




Stock Code: 035-0354 - Edge Connector Inline Socket 2 Way
Stock Code: 035-0355 - Edge Connector Inline Socket 3 Way
Stock Code: 035-0356 - Edge Connector Inline Socket 4 Way
Stock Code: 035-0357 - Edge Connector Inline Socket 5 Way
Stock Code: 035-0358 - Edge Connector Inline Socket 6 Way
Stock Code: 035-0359 - Edge Connector Inline Socket 7 Way
Stock Code: 035-0360 - Edge Connector Inline Socket 8 Way
Stock Code: 035-0361 - Edge Connector Inline Socket 9 Way
Stock Code: 035-0362 - Edge Connector Inline Socket 10 Way
Stock Code: 035-0363 - Edge Connector Inline Socket 12 Way
Stock Code: 035-0364 - Edge Connector Inline Socket 13 Way
Stock Code: 035-0365 - Edge Connector Inline Socket 14 Way
Stock Code: 035-0366 - Edge Connector Inline Socket 16 Way



EDGE CONNECTOR RIGHT ANGLE PCB OPEN PLUG (5.08MM) 15A 300V



Stock Code: 035-0367 - Edge Connector Right Angle PCB Open Plug 2 Way
Stock Code: 035-0368 - Edge Connector Right Angle PCB Open Plug 3 Way
Stock Code: 035-0369 - Edge Connector Right Angle PCB Open Plug 4 Way
Stock Code: 035-0370 - Edge Connector Right Angle PCB Open Plug 5 Way
Stock Code: 035-0371 - Edge Connector Right Angle PCB Open Plug 6 Way
Stock Code: 035-0372 - Edge Connector Right Angle PCB Open Plug 8 Way
Stock Code: 035-0373 - Edge Connector Right Angle PCB Open Plug 10 Way




EDGE CONNECTOR RIGHT ANGLE PCB PLUG CLOSED (5.08MM) 15A 300V

Stock Code: 035-0374 - Edge Connector Right Angle PCB Closed Plug 2 Way
Stock Code: 035-0375 - Edge Connector Right Angle PCB Closed Plug 3 Way
Stock Code: 035-0376 - Edge Connector Right Angle PCB Closed Plug 4 Way
Stock Code: 035-0377 - Edge Connector Right Angle PCB Closed Plug 5 Way




Stock Code: 035-0378 - Edge Connector Right Angle PCB Closed Plug 6 Way
Stock Code: 035-0379 - Edge Connector Right Angle PCB Closed Plug 7 Way
Stock Code: 035-0380 - Edge Connector Right Angle PCB Closed Plug 8 Way
Stock Code: 035-0381 - Edge Connector Right Angle PCB Closed Plug 10 Way
Stock Code: 035-0382 - Edge Connector Right Angle PCB Closed Plug 12 Way
Stock Code: 035-0383 - Edge Connector Right Angle PCB Closed Plug 13 Way
Stock Code: 035-0384 - Edge Connector Right Angle PCB Closed Plug 14 Way
Stock Code: 035-0385 - Edge Connector Right Angle PCB Closed Plug 16 Way



EDGE CONNECTOR STRAIGHT PCB OPEN PLUG (5.08MM) 15A 300V

Stock Code: 035-0386 - Edge Connector Straight PCB Open Plug 2 Way
Stock Code: 035-0387 - Edge Connector Straight PCB Open Plug 3 Way
Stock Code: 035-0388 - Edge Connector Straight PCB Open Plug 4 Way
Stock Code: 035-0854 - Edge Connector Straight PCB Open Plug 5 Way
Stock Code: 035-0389 - Edge Connector Straight PCB Open Plug 6 Way
Stock Code: 035-0390 - Edge Connector Straight PCB Open Plug 8 Way
Stock Code: 035-0391 - Edge Connector Straight PCB Open Plug 10 Way






EDGE CONNECTOR STRAIGHT PCB CLOSED PLUG (5.08MM) 15A 300V

Stock Code: 035-0392 - Edge Connector Straight PCB Closed Plug 2 Way
Stock Code: 035-0393 - Edge Connector Straight PCB Closed Plug 3 Way
Stock Code: 035-0394 - Edge Connector Straight PCB Closed Plug 4 Way
Stock Code: 035-0395 - Edge Connector Straight PCB Closed Plug 5 Way
Stock Code: 035-0396 - Edge Connector Straight PCB Closed Plug 6 Way
Stock Code: 035-0397 - Edge Connector Straight PCB Closed Plug 7 Way
Stock Code: 035-0398 - Edge Connector Straight PCB Closed Plug 8 Way
Stock Code: 035-0399 - Edge Connector Straight PCB Closed Plug 9 Way
Stock Code: 035-0400 - Edge Connector Straight PCB Closed Plug 10 Way
Stock Code: 035-0401 - Edge Connector Straight PCB Closed Plug 12 Way
Stock Code: 035-0402 - Edge Connector Straight PCB Closed Plug 13 Way
Stock Code: 035-0403 - Edge Connector Straight PCB Closed Plug 14 Way






IDC SOCKET

Current Rating: 1A Dielectric Withstanding Voltage: 500VAC Pin Spacing: 2.54mm

Stock Code: 035-0404 - IDC Socket 10 Way
Stock Code: 035-0405 - IDC Socket 14 Way
Stock Code: 035-0406 - IDC Socket 16 Way
Stock Code: 035-0407 - IDC Socket 20 Way
Stock Code: 035-0408 - IDC Socket 26 Way
Stock Code: 035-0409 - IDC Socket 34 Way
Stock Code: 035-0410 - IDC Socket 40 Way
Stock Code: 035-0411 - IDC Socket 50 Way
Stock Code: 035-0412 - IDC Socket 64 Way






IDC HEADER AND LATCH STRAIGHT

Current Rating: 2A Dielectric Withstanding Voltage: 1000VAC Pin Spacing: 2.54mm



Stock Code: 035-0413 - IDC Header & Latch 10 Way
Stock Code: 035-0414 - IDC Header & Latch 14 Way
Stock Code: 035-0415 - IDC Header & Latch 16 Way
Stock Code: 035-0416 - IDC Header & Latch 20 Way
Stock Code: 035-0417 - IDC Header & Latch 26 Way
Stock Code: 035-0418 - IDC Header & Latch 34 Way
Stock Code: 035-0419 - IDC Header & Latch 40 Way
Stock Code: 035-0420 - IDC Header & Latch 50 Way
Stock Code: 035-0421 - IDC Header & Latch 64 Way




IDC STRAIGHT BOX HEADER

Current Rating: 2A Dielectric Withstanding Voltage: 1000VAC Pin Spacing: 2.54mm



Stock Code: 035-0422 - IDC Straight Header Box 10 Way
Stock Code: 035-0423 - IDC Straight Header Box 14 Way
Stock Code: 035-0424 - IDC Straight Header Box 16 Way
Stock Code: 035-0425 - IDC Straight Header Box 20 Way
Stock Code: 035-0426 - IDC Straight Header Box 26 Way
Stock Code: 035-0427 - IDC Straight Header Box 34 Way
Stock Code: 035-0428 - IDC Straight Header Box 40 Way
Stock Code: 035-0429 - IDC Straight Header Box 50 Way




PCB TERMINAL (5.08MM)

Voltage Rating: 250VAC Current Rating: 16A Pin Spacing: 5mm Wire Guage: 14-22AWG (0.34-2.5mm)



Stock Code: 035-0430 - PCB Terminal 2 Way Green 5mm
Stock Code: 035-0431 - PCB Terminal 3 Way Green 5mm



Stock Code: 035-1012- PCB Terminal 2 Way Blue 5mm
Stock Code: 035-1013 - PCB Terminal 3 Way Blue 5mm

PCB TERMINAL SLIDE ON (5.08MM)

Voltage Rating: 250VAC Current Rating: 12A Pin Spacing: 5mm Wire Guage: 16-28AWG (0.08-1.5mm)



Stock Code: 035-0433 - PCB Terminal 2 Way Slide on Pin
Stock Code: 035-0434 - PCB Terminal 3 Way Slide on Pin

PCB PIN

Stock Code: 035-0432 - PCB Pin (1.33x5.20x8.15x1.25mm)




PCB TERMINAL



Stock Code: 035-0435 - PCB Terminal RA PCB Terminal 6.35mm
Stock Code: 035-0436 - PCB Terminal Straight Spade PCB Terminal 4.8mm

HEAVY DUTY TERMINAL BLOCK

Rated Voltage: 300V Rated Current: 52A Wire Range: 6-20AWG (0.5-16mm)



Stock Code: 035-0437 - Heavy Duty Terminal Block PCB Mount 2 Way 52A
Stock Code: 035-0438 - Heavy Duty Terminal Block PCB Mount 3 Way 52A


SHORTENING LINKS




Stock Code: 035-0439 - Shortening Link 2 Way 2mm Small (4.5x4mm)
Stock Code: 035-0440 - Shortening Link 2 Way 4mm (4x6mm 2.54mm Spacing)

SIL SOCKET (2.54MM)

Current Rating: 3A AC/DC Withstanding Voltage: 1000VAC / Minute Height: 8.5mm Pin Spacing: 2.54mm



Stock Code: 035-0441 - 2 Way SIL Socket
Stock Code: 035-0442 - 3 Way SIL Socket
Stock Code: 035-0443 - 4 Way SIL Socket
Stock Code: 035-0444 - 5 Way SIL Socket
Stock Code: 035-0445 - 6 Way SIL Socket
Stock Code: 035-0446 - 10 Way SIL Socket
Stock Code: 035-0841 - 16 Way SIL Socket
Stock Code: 035-0447 - 20 Way SIL Socket
Stock Code: 035-0448 - 40 Way SIL Socket



Stock Code: 035-0449 - 32 Way SIL Socket Gold
Current Rating: 1A Current Voltage: 500VAC / Minute Pin Spacing: 2.54mm


DIL SOCKET (2.54MM)



Stock Code: 035-0450 - 20 Way DIL Socket
Current Rating: 1A Current Voltage: 500VAC / Minute Pin Spacing: 2.54mm

SIL STRIP HEADER (2.54MM)

Current Rating: 1A Current Voltage: 500VAC / Minute Pin Spacing: 2.54mm



Stock Code: 035-0451 - 16 Way SIL Strip Header
Stock Code: 035-0452 - 20 Way SIL Strip Header


Stock Code: 035-0453 - 40 Way SIL Strip Header



Stock Code: 035-0460 - 32 Way SIL Header Round Gold

DIL STRIP HEADER (2.54MM)


Current Rating: 3A AC/DC Withstanding Voltage: 1000VAC / Minute Pin Spacing: 2.54mm



Stock Code: 035-0842 - 40 Way DIL Strip Header

Stock Code: 035-0454 - 80 Way DIL Strip Header

SIL HEADER FOR SLIDE ON TERMINAL



Stock Code: 035-0455 - 24 Way SIL for Slide on Terminal

Rated Voltage: 300V Rated Current: 10A Pin Spacing: 5mm

SIL / DIL HEADER RIGHT ANGLE (2.54MM)



Stock Code: 035-0456 - 40 Way SIL Right Angle Strip Header

Current Rating: 1A Current Voltage: 500VAC / Minute Pin Spacing: 2.54mm

Stock Code: 035-0457 - 80 Way DIL Right Angle Strip Header

Current Rating: 3A Voltage: 250VAC Pin Spacing: 2.54mm

Stock Code: 035-0833 - 80 Way SIL Right Angle Strip Header

Current Rating: 3A Current Voltage: 500VAC / Minute Pin Spacing: 2.54mm

SIL HEADER PIGGY BACK (2.54MM)



Stock Code: 035-0458 - 40 Way SIL Strip Header Piggy Back Short

3A Voltage: 250VAC Pin Spacing: 2.54mm Total Height: 24mm

Stock Code: 035-0459 - 40 Way SIL Strip Header Piggy Back Long

3A Voltage: 250VAC Pin Spacing: 2.54mm Total Height: 38mm

Stock Code: 035-0461 - 40 Way SIL 20mm Pins Strip Header

3A AC/DC Withstanding Voltage: 500VAC / Minute Pin Spacing: 2.54mm Total Height: 19mm Total Height: 19mm

BOSCH CONNECTOR



Stock Code: 035-0950 - Bosch Connector 2 Way Male

Stock Code: 035-0951 - Bosch Connector 2 Way Female

Stock Code: 035-0952 - Bosch Connector 4 Way Male

Stock Code: 035-0953 - Bosch Connector 4 Way Female



Stock Code: 035-0918 - Bosch Connector 6 Way Male

Stock Code: 035-0919 - Bosch Connector 6 Way Female

Stock Code: 035-0920 - Bosch Connector Terminal 6.3mm Male

Stock Code: 035-0921 - Bosch Connector Terminal 6.3mm Female

YY01 CONNECTORS (2MM) Current Rating: 2A Max Voltage Rating: 250VAC

HOUSING

Stock Code: 035-0499 - Crimp Style Connector YY01C02 Housing P=2mm 2 Way
Stock Code: 035-0500 - Crimp Style Connector YY01C03 Housing P=2mm 3 Way
Stock Code: 035-0501 - Crimp Style Connector YY01C04 Housing P=2mm 4 Way
Stock Code: 035-0502 - Crimp Style Connector YY01C06 Housing P=2mm 6 Way
Stock Code: 035-0896 - Crimp Style Connector YY01C10 Housing P=2mm 10 Way



INSERTS

Stock Code: 035-0351 - Crimp Style Connector YY01CT Terminal P=2mm



PCB HEADER PLUG STRAIGHT

Stock Code: 035-0979 - PCB Header Plug Straight YY01N02 P=2mm 2 Way
Stock Code: 035-0980 - PCB Header Plug Straight YY01N03 P=2mm 3 Way
Stock Code: 035-0981 - PCB Header Plug Straight YY01N04 P=2mm 4 Way
Stock Code: 035-0982 - PCB Header Plug Straight YY01N06 P=2mm 6 Way
Stock Code: 035-0983 - PCB Header Plug Straight YY01N10 P=2mm 10 Way



YY05 CONNECTORS (2.5MM) Current Rating: 3A AC/DC Max Voltage Rating: 250V AC/DC

HOUSING

Stock Code: 035-0503 - Crimp Style Connector YY05C02 Housing P=2.5mm 2Way
Stock Code: 035-0504 - Crimp Style Connector YY05C03 Housing P=2.5mm 3Way
Stock Code: 035-0505 - Crimp Style Connector YY05C04 Housing P=2.5mm 4Way
Stock Code: 035-0995 - Crimp Style Connector YY05C05 Housing P=2.5mm 5Way
Stock Code: 035-0506 - Crimp Style Connector YY05C06 Housing P=2.5mm 6Way



INSERTS

Stock Code: 035-0352 - Crimp Style Connector YY05CT Terminal P=2.5mm



PCB HEADER PLUG STRAIGHT

Stock Code: 035-0970 - PCB Header Plug Straight YY05N02 P=2.5mm 2 Way
Stock Code: 035-0971 - PCB Header Plug Straight YY05N03 P=2.5mm 3 Way
Stock Code: 035-0972 - PCB Header Plug Straight YY05N04 P=2.5mm 4 Way
Stock Code: 035-0973 - PCB Header Plug Straight YY05N06 P=2.5mm 6 Way




SMALL MOLEX PLUG (2.54MM) Current Rating: 3A AC/DC Voltage Rating: 250VAC Max Pin Spacing: 2.54mm

Stock Code: 035-0462 - Molex Connector Small Plug 2 Way
Stock Code: 035-0463 - Molex Connector Small Plug 3 Way
Stock Code: 035-0464 - Molex Connector Small Plug 4 Way
Stock Code: 035-0465 - Molex Connector Small Plug 5 Way



Stock Code: 035-0466 - Molex Connector Small Plug 6 Way
Stock Code: 035-0467 - Molex Connector Small Plug 7 Way
Stock Code: 035-0468 - Molex Connector Small Plug 8 Way
Stock Code: 035-0469 - Molex Connector Small Plug 10 Way
Stock Code: 035-0470 - Molex Connector Small Plug 12 Way
Stock Code: 035-0471 - Molex Connector Small Plug 13 Way
Stock Code: 035-0472 - Molex Connector Small Plug 14 Way
Stock Code: 035-0473 - Molex Connector Small Plug 20 Way




SMALL MOLEX SOCKET (2.54MM)

Current Rating: 4A AC/DC Voltage Rating: 250VAC Max Pin Spacing: 2.54mm



Stock Code: 035-0474 - Molex Connector Small Plug 2 Way
Stock Code: 035-0475 - Molex Connector Small Plug 3 Way
Stock Code: 035-0476 - Molex Connector Small Plug 4 Way
Stock Code: 035-0477 - Molex Connector Small Plug 5 Way
Stock Code: 035-0478 - Molex Connector Small Plug 6 Way
Stock Code: 035-0479 - Molex Connector Small Plug 7 Way
Stock Code: 035-0480 - Molex Connector Small Plug 8 Way
Stock Code: 035-0481 - Molex Connector Small Plug 10 Way
Stock Code: 035-0482 - Molex Connector Small Plug 12 Way
Stock Code: 035-0483 - Molex Connector Small Plug 13 Way
Stock Code: 035-0484 - Molex Connector Small Plug 14 Way
Stock Code: 035-0473 - Molex Connector Small Plug 20 Way





Stock Code: 035-0348 - Molex Insert Small (24-28AWG (0.08 - 0.25mm)

MOLEX CONNECTOR 1625 SERIES (1.57MM)



Stock Code: 035-0485 - Molex Connector 1625 Series 2 Way Socket 1.57mm (Current Rating: 5A)
Stock Code: 035-0486 - Molex Connector 1625 Series 2 Way Plug 1.57mm (Current Rating: 5A)

INSERTS



Stock Code: 035-0346 - Molex Connector 1625 Series Male Insert Each (18-24AWG (0.25-0.75mm))
Stock Code: 035-0347 - Molex Connector 1625 Series Female Insert Each (18-24AWG (0.25-0.75mm))

LARGE MOLX PLUGS (5.03MM)



Stock Code: 035-0487 - Molex Connector Large Plug 2 Way
Current Rating: 14A Per Contact Max Voltage Rating: 250VAC
Stock Code: 035-0488 - Molex Connector Large Plug 3 Way
Current Rating: 14A Per Contact Max Voltage Rating: 250VAC
Stock Code: 035-0489 - Molex Connector Large Plug 4 Way Square
Current Rating: 11A Per Contact Max Voltage Rating: 250VAC
Stock Code: 035-0855 - Molex Connector Large Plug 4 Way Flat 2.36mm
Stock Code: 035-0490 - Molex Connector Large Plug 6 Way
Current Rating: 11A Per Contact Max Voltage Rating: 250VAC
Stock Code: 035-0491 - Molex Connector Large Plug 9 Way
Current Rating: 11A Per Contact Max Voltage Rating: 250VAC

Stock Code: 035-0492 - Molex Connector Large Plug 12 Way
Current Rating: 11A Per Contact Max Voltage Rating: 250VAC

LARGE MOLEX SOCKET (5.03MM)

Stock Code: 035-0493 - Molex Connector Large Socket 2 Way
Current Rating: 14A Per Contact Max Voltage Rating: 250VAC
Stock Code: 035-0494 - Molex Connector Large Socket 3 Way
Current Rating: 14A Per Contact Max Voltage Rating: 250VAC
Stock Code: 035-0495 - Molex Connector Large Socket 4 Way Square
Current Rating: 11A Per Contact Max Voltage Rating: 250VAC
Stock Code: 035-0856 - Molex Connector Large Socket 4 Way Flat 2.36mm
Stock Code: 035-0496 - Molex Connector Large Socket 6 Way
Current Rating: 11A Per Contact Max Voltage Rating: 250VAC
Stock Code: 035-0497 - Molex Connector Large Socket 9 Way
Current Rating: 11A Per Contact Max Voltage Rating: 250VAC
Stock Code: 035-0498 - Molex Connector Large Socket 12 Way
Current Rating: 11A Per Contact Max Voltage Rating: 250VAC

INSERTS 18-22AWG 0.34-0.75mm




Stock Code: 035-0349 - Molex Insert Large Female
Stock Code: 035-0350 - Molex Insert Large Male

SIL CRIMP HOSUING YY09 (2.54MM) Current Rating: 3A Voltage Rating: 250V AC/DC



Stock Code: 035-0507 - SIL Crimp Housing YY09C02 Housing P=2.54mm 2 Way
Stock Code: 035-0508 - SIL Crimp Housing YY09C03 Housing P=2.54mm 3 Way
Stock Code: 035-0509 - SIL Crimp Housing YY09C04 Housing P=2.54mm 4 Way
Stock Code: 035-0510 - SIL Crimp Housing YY09C05 Housing P=2.54mm 5 Way
Stock Code: 035-0511 - SIL Crimp Housing YY09C06 Housing P=2.54mm 6 Way
Stock Code: 035-0512 - SIL Crimp Housing YY09C07 Housing P=2.54mm 7 Way




INSERTS - 22-28AWG (0.08-0.34mm



Stock Code: 035-0353 - SIL Crimp Housing Terminal YY09 P=2.54mm

---


JST CONNECTORS 2.5MM Current rating: 3A AC, DC max. Voltage rating: 250V AC, DC max. Applicable wire: AWG #28 to #22 0.08 to 0.33mm2.



Stock Code: 035-0914 - JST Housing 2W P=2.5mm Male
Stock Code: 035-0915 - JST Housing 2W P=2.5mm Female
Stock Code: 035-0916 - JST Crimp Terminal Male
Stock Code: 035-0917 - JST Crimp Terminal Female



Stock Code: 035-1007 - JST RCY Connector Leads Male Female Set 14cm



JST SM CONNECTORS



Stock Code: 035-0955 - JST SM 2 Way Inline Male
Stock Code: 035-0956 - JST SM 2 Way Inline Female
Stock Code: 035-0957 - JST SM 3 Way Inline Male
Stock Code: 035-0958 - JST SM 3 Way Inline Female
Stock Code: 035-0959 - JST SM Crimp Terminal Male
Stock Code: 035-0960 - JST SM Crimp Terminal Female

SNAP CONNECTOR




Stock Code: 035-1056 - 2 Pin Electrical Snap Connector (Set of 2)
A simple, reliable non-waterproof 2-Pin Power Connector Plug designed for low-voltage LED systems. Ideal for indoor use, it provides a secure connection for your lights while keeping installation straightforward and hassle-free.
Voltage: 5 Volt, 12 Volt, 24 Volt. Dimensions: 22mm × 10mm. Wire Size: 0.2mm OD – 0.75mm OD. Waterproof: No.
Nominal voltage: <300V. Nominal amps: <10A. Minimum cross-sectional area: 0.34-0.75 mm2. Processable cable type: solid wire / stranded wire.

YY8CRA HOUSING SOCKET Current Rating: 13A Pitch: 4.2mm




Stock Code: 035-0984 - YY8CRA02 Housing Socket Dual Row 2 Way 5557
Stock Code: 035-0985 - YY8CRA04 Housing Socket Dual Row 4 Way 5557
Stock Code: 035-0986 - YY8CRA06 Housing Socket Dual Row 6 Way 5557
Stock Code: 035-0987 - YY8CRA08 Housing Socket Dual Row 8 Way 5557
Stock Code: 035-0988 - YY8CRA10 Housing Socket Dual Row 10 Way 5557
Stock Code: 035-0989 - YY8CRA12 Housing Socket Dual Row 12 Way 5557
Stock Code: 035-1060 - YY8CRA16 Housing Socket Dual Row 14 Way 5557
Stock Code: 035-0990 - YY8CRA16 Housing Socket Dual Row 16 Way 5557
Stock Code: 035-0991 - YY8CRA18 Housing Socket Dual Row 18 Way 5557
Stock Code: 035-0992 - YY8CRA20 Housing Socket Dual Row 20 Way 5557



YY8CRA HOUSING PLUG Current Rating: 13A Pitch: 4.2mm



Stock Code: 035-1040 - YY8CPA02 Housing Plug Dual Row 2 Way 5559
Stock Code: 035-1041 - YY8CPA04 Housing Plug Dual Row 4 Way 5559
Stock Code: 035-1042 - YY8CPA06 Housing Plug Dual Row 6 Way 5559
Stock Code: 035-1043 - YY8CPA08 Housing Plug Dual Row 8 Way 5559
Stock Code: 035-1044 - YY8CPA10 Housing Plug Dual Row 10 Way 5559
Stock Code: 035-1045 - YY8CPA12 Housing Plug Dual Row 12 Way 5559
Stock Code: 035-1059 - YY8CPA16 Housing Plug Dual Row 14 Way 5559
Stock Code: 035-1046 - YY8CPA16 Housing Plug Dual Row 16 Way 5559
Stock Code: 035-1047 - YY8CPA18 Housing Plug Dual Row 18 Way 5559
Stock Code: 035-1048 - YY8CPA20 Housing Plug Dual Row 20 Way 5559



INSERTS



Stock Code: 035-0993 - YY8 Crimp Terminal Female for 5557
Stock Code: 035-1049 - YY8 Crimp Terminal Male for 5559
Current Rating: 9A Wire Size: 0.2 - 0.8mm

BNC BOOTS



Stock Code: 035-0513 - BNC RG58 Boot Black 5mm
Stock Code: 035-0514 - BNC RG59 Boot Black 6mm

BNC ADAPTORS







Stock Code: 035-0021 - BNC Socket - 2 x Banana Socket Adaptor
Stock Code: 035-0515 - BNC Plug - BNC Plug Adaptor (14.5x31.5mm)
Stock Code: 035-0516 - BNC Socket - BNC Socket Adaptor (11x35.2mm)
Stock Code: 035-0517 - BNC Socket - Socket Bulk Head Panel Mount Adaptor (M16 Nut 15.5x32.5mm)
Stock Code: 035-0518 - BNC Socket - Socket Bulk Head Panel Mount Ins. Adaptor (M16 Nut 15.5x32.5mm)
Stock Code: 035-0519 - BNC Plug - RCA Socket Adaptor (14.5x27.8mm)
Stock Code: 035-0520 - BNC Plug - F Socket Adaptor (14.5x32.2mm)
Stock Code: 035-0521 - BNC Plug - BNC Socket Right Angle Adaptor (26.7x26.4mm)
Stock Code: 035-0522 - BNC Plug - 2 x Banana Socket Adaptor (30x60.3mm)
Stock Code: 035-0523 - BNC Socket - F Plug Adaptor (11 Hex x 36.1mm)
Stock Code: 035-0524 - BNC Socket - RCA Socket Adaptor (11x30mm)
Stock Code: 035-0525 - RCA Adaptor 1 x RCA Plug - 1x BNC Socket (11x34.8mm)

BNC CONNECTOR RG174



Stock Code: 035-0526 - BNC RG174 Inline Crimp Socket (11x25mm)
Stock Code: 035-0527 - BNC RG174 Inline Crimp Plug (14.5x24.5mm)

BNC CONNECTOR RG58 (5MM)



Stock Code: 035-0528 - BNC RG58 Inline Solder Plug (14.5x27mm)
Stock Code: 035-0529 - BNC RG58 Inline Crimp Plug (14.5x27.5mm)
Stock Code: 035-0530 - BNC RG58 Inline Twist on Plug (14.5x35.8mm)
Stock Code: 035-0531 - BNC RG58 Inline Crimp Socket (11x25m)

BNC CONNECTORS RG59 (6MM)



Stock Code: 035-0532 - BNC RG59 Inline Solder Plug (14.5x27mm)
Stock Code: 035-0533 - BNC RG59 Inline Crimp Plug (14.5x27.5mm)
Stock Code: 035-0534 - BNC RG59 Inline Twist on Plug (14.5x35.8mm)
Stock Code: 035-0535 - BNC RG59 Inline Crimp Socket (11x25mm)

BNC CONNECTORS



Stock Code: 035-0536 - BNC Panel Mount Socket (12.7x33mm)
Stock Code: 035-0537 - BNC 4 Hole Square Socket (17.5x26mm)
Stock Code: 035-0538 - BNC Socket with 2 Way Terminal Block (15x15x42mm)



Stock Code: 035-0539 - BNC Plug with 2 Way Terminal Block (14x14x42.2mm)
Stock Code: 035-0540 - BNC Panel Mount Plug (14.5x26.5mm)
Stock Code: 035-0541 - BNC T-Piece 1 x Plug - 2 x Socket (27.6x32.5mm)



Stock Code: 035-0542 - BNC T-Piece 3 x Socket (22.8x32.5mm)

CAR AERIAL CONNECTORS



Stock Code: 035-0543 - Car Aerial Plug (Pin: 3.2mm 15.5x57mm)

F CONNECTORS ADAPTORS



Stock Code: 035-0545 - F Connector Socket - TV Plug Adaptor (11x30mm)
Stock Code: 035-0546 - F Connector Socket - TV Socket Adaptor (12x29.6mm)
Stock Code: 035-0547 - F Connector Socket - F Connector Socket Adaptor



Stock Code: 035-0548 - F Connector Plug - F Connector Socket Adaptor (Pin: 0.9mm 11x25.6mm)
Stock Code: 035-0549 - F Connector Plug - PAL TV Socket Adaptor (12x31mm)
Stock Code: 035-0550 - F Connector Plug - TV Plug Adaptor (12x31mm)



Stock Code: 035-0551 - 1 x RCA Plug - 1 x F Connector Socket Adaptor (10x35.3mm)
Stock Code: 035-0946 - F Connector Plug - F Connector Socket R/A Adaptor (27.3x18.6mm)

F CONNECTOR PLUGS



Stock Code: 035-0552 - F Connector Normal Inline Plug (Hex 11mm OD:9 Length: 19.4mm)
Stock Code: 035-0553 - F Connector SAT500 Inline Plug

F CONNECTOR SOCKETS



Stock Code: 035-0554 - F Connector Panel Mount Socket (12.5x21mm)
Stock Code: 035-0555 - F Connector 3 Way Socket (22.2x40.4mm)

N TYPE ADAPTORS



Stock Code: 035-0561 - N Socket Back - Back Adaptor (17x36.8mm)



Stock Code: 035-0562 - N Plug - BNC Socket Adaptor (20x34mm)
Stock Code: 035-0563 - N Socket - BNC Socket Adaptor (15.5x37mm)
Stock Code: 035-0564 - N Plug - PL259 UHF Plug Adaptor (20x42mm)
Stock Code: 035-0565 - N Plug - BNC Plug Adaptor (20x39mm)



Stock Code: 035-0566 - N Plug - UHF Socket Adaptor (20x35mm)
Stock Code: 035-0567 - N Plug - N Plug Adaptor (20x35.8mm)

N TYPE PLUGS



Stock Code: 035-0568 - N RG58 Inline Crimp Plug (20x29mm)
Stock Code: 035-0569 - N RG213 Inline Crimp Plug (10MM)
Stock Code: 035-0570 - N LMR400 Inline Crimp Plug (10MM)

N TYPE SOCKETS



Stock Code: 035-0571 - N Bulkhead Socket (18x27.7mm)
Stock Code: 035-0572 - N Panel Mount Square Socket (28.7mm Long)

PL259 ADAPTORS



Stock Code: 035-0573 - PL259 UHF Barrel Socket - Socket Adaptor (15.5x27mm)



Stock Code: 035-0574 - PL259 UHF Socket - BNC Plug Adaptor (15x34mm)
Stock Code: 035-0575 - PL259 UHF Plug - BNC Socket Adaptor (18x29.7mm)
Stock Code: 035-0576 - PL259 UHF Plug - PL259 UHF Plug Adaptor (18x27.3mm)



Stock Code: 035-0577 - PL259 UHF Plug - TNC Socket Adaptor (18x29.7mm)

PL259 PLUGS



Stock Code: 035-0578 - PL259 UHF RG58 Inline Crimp Plug (18x28.9mm)
Stock Code: 035-0579 - PL259 UHF Inline Crimp Plug 10mm
Stock Code: 035-0580 - PL259 UHF Inline Twist-On Plug 10mm (18x37.8mm)

PL259 CONNECTORS



Stock Code: 035-0581 - PL259 UHF T-Piece 1 x Plug - 2 x Socket (31.2x41.2mm Plug Side: 18mm)
Stock Code: 035-0582 - PL259 UHF Reducer (11x21mm)

PL259 SOCKETS



Stock Code: 035-0583 - PL259 UHF Panel Mount Socket (18x23.6mm)
Stock Code: 035-0584 - PL259 UHF Flange Socket (24.2mm Long)

SMA ADAPTORS



Stock Code: 035-0585 - SMA Socket - SMA Socket Adaptor (14.3mm Long)
Stock Code: 035-0586 - SMA Plug - SMA Plug Adaptor (22.6mm Long Hex 8mm)



Stock Code: 035-0587 - SMA Plug - BNC Plug Adaptor (SMA Side: 8mm Hex BNC Side: 14.5mm Length: 28.1mm)
Stock Code: 035-0588 - SMA Socket - BNC Plug Adaptor (14.5x24.5mm)
Stock Code: 035-0589 - SMA Socket - BNC Socket Adaptor (12x22mm)



Stock Code: 035-0590 - SMA Plug - BNC Socket Adaptor (SMA Side: 8mm Hex BNC Side: 12mm Length: 25.6mm)
Stock Code: 035-0857 - SMA Plug - SMA Socket Right Angle Adaptor (16.5x14.8mm Hex 8)
Stock Code: 035-1028 - SMA Plug Body to SMA Socket Body with Pins Adaptor



Stock Code: 035-1029 - SMA Plug Body to SMA Socket Body No Pins Adaptor

SMA PLUGS





Stock Code: 035-0591 - SMA RG174 Inline Crimp Socket (19.6mm Length)
Stock Code: 035-0592 - SMA RG174 Inline Crimp Plug (8mm Hex 18.2mm Length)
Stock Code: 035-0593 - SMA RG58 Inline Crimp Plug (8mm Hex 18.2mm Length)
Stock Code: 035-0594 - SMA RG58 Inline Crimp Socket (19.6mm Length)
Stock Code: 035-0852 - SMA RG58 Right Angle Crimp Plug 5mm Silver (16.65x12.9mm)

SMA SOCKETS



Stock Code: 035-0595 - SMA Panel Mount 4 Hole Socket (14.5mm Length 12.7mm Square)
Stock Code: 035-0596 - SMA Bulkhead Socket (12.7x23.4mm)
Stock Code: 035-0597 - SMA Socket Bulkhead 8mm Hole (17mm Length)

TERMINATORS



Stock Code: 035-0598 - Terminator 50R (14.5x26.7mm)
Stock Code: 035-0599 - Terminator 75R (14.5x26.7mm)

TNC CONNECTORS

ADAPTORS



Stock Code: 035-0600 - TNC Socket - TNC Socket Adaptor (32.5mm Length)
Stock Code: 035-0601 - TNC Socket - BNC Plug Adaptor (14.5x31mm)

TNC PLUGS



Stock Code: 035-0602 - TNC RG58 Inline Crimp Plug (14.5x25.5mm)
Stock Code: 035-0603 - TNC RG58 Inline Crimp Socket (12x30.5mm)

TNC SOCKET



Stock Code: 035-0604 - TNC Panel Mount Bulkhead Socket (12x27.4mm)

TV (PAL) ADAPTORS



Stock Code: 035-0605 - TV Plug - TV Plug Adaptor (11x33mm)
Stock Code: 035-0608 - TV Cable Joiner (18.8x50mm)
Stock Code: 035-0609 - TV Y Splitter 1 x Plug - 2 x Socket

TV (PAL) PLUGS



Stock Code: 035-0610 - TV Plastic Plug (9.5x34mm)
Stock Code: 035-0611 - TV Metal Plug (12x32.2mm)
Stock Code: 035-0614 - TV Right Angle Plug (14x30mm OD: 9.5mm)

TV (PAL) SOCKETS



Stock Code: 035-0612 - TV Plastic Socket (10.5x34.5mm)
Stock Code: 035-0613 - TV Metal Socket (12x31.2mm)
Stock Code: 035-0615 - TV Panel Mount Socket (OD: 12mm Length: 28.3mm Nut: 12.7mm)
Stock Code: 035-0616 - TV Bullfrog Outlet Surface Box

BANANA PLUGS PLASTIC (2MM) 10A 30VAC/60VDC



Stock Code: 035-0630 - Banana Plug Gold Plated Lantern 2mm Red
Stock Code: 035-0631 - Banana Plug Gold Plated Lantern 2mm Black

BANANA PLUGS PLASTIC (4MM) 32A 30VAC/60VDC



Stock Code: 035-0617 - Banana Plug Plastic 4mm Red
Stock Code: 035-0618 - Banana Plug Plastic 4mm Black
Stock Code: 035-0619 - Banana Plug Plastic 4mm Green
Stock Code: 035-0620 - Banana Plug Plastic 4mm Yellow
Stock Code: 035-0621 - Banana Plug Plastic 4mm Blue

GOLD BANANA PLUG NAKAMICHI (4MM)



Stock Code: 035-0838 - Banana Plug Gold Nakamichi 4mm Red (12-18 AWG Cable Size (0.6 - 1mm))
Stock Code: 035-0839 - Banana Plug Gold Nakamichi 4mm Black (12-18 AWG Cable Size (0.6 - 1mm))

BANANA PLUGS RUBBER(4MM) 24A 30VAC/60VDC



Stock Code: 035-0622 - Banana Plug Rubber 4mm Red
Stock Code: 035-0623 - Banana Plug Rubber 4mm Black
Stock Code: 035-0624 - Banana Plug Rubber 4mm White
Stock Code: 035-0625 - Banana Plug Rubber 4mm Green
Stock Code: 035-0626 - Banana Plug Rubber 4mm Yellow
Stock Code: 035-0627 - Banana Plug Rubber 4mm Blue

BANANA SOCKET K2074 - 19A 30VAC/60VDC



Stock Code: 035-0632 - Banana Socket K2074 Low Profile Panel Mount Red
Stock Code: 035-0633 - Banana Socket K2074 Low Profile Panel Mount Black
Stock Code: 035-0634 - Banana Socket K2074 Low Profile Panel Mount White
Stock Code: 035-0635 - Banana Socket K2074 Low Profile Panel Mount Green
Stock Code: 035-0636 - Banana Socket K2074 Low Profile Panel Mount Yellow
Stock Code: 035-0637 - Banana Socket K2074 Low Profile Panel Mount Blue

BANANA SOCKETS K200 BINDING POST - 10A 125VAC



Stock Code: 035-0638 - Banana Socket K200 Binding Post Red
Stock Code: 035-0639 - Banana Socket K200 Binding Post Black
Stock Code: 035-0640 - Banana Socket K200 Binding Post Green
Stock Code: 035-0641 - Banana Socket K200 Binding Post Yellow
Stock Code: 035-0642 - Banana Socket K200 Binding Post Blue

BANANA SOCKETS K201 LONG REACH BINDING POST - 15A 250VAC



Stock Code: 035-0643 - Banana Socket K201 Long Reach Binding Post Red
Stock Code: 035-0644 - Banana Socket K201 Long Reach Binding Post Black
Stock Code: 035-0645 - Banana Socket K201 Long Reach Binding Post Green
Stock Code: 035-0646 - Banana Socket K201 Long Reach Binding Post Yellow
Stock Code: 035-0647 - Banana Socket K201 Long Reach Binding Post Blue

BANANA SOCKETS K2076 BINDING POST - 15A 250VAC



Stock Code: 035-0648 - Banana Socket K2076 Binding Post 47mm Red
Stock Code: 035-0649 - Banana Socket K2076 Binding Post 47mm Black
Stock Code: 035-0650 - Banana Socket K2076 Binding Post 47mm Green
Stock Code: 035-0651 - Banana Socket K2076 Binding Post 47mm Blue

---

TERMINAL POSTS

80A



Stock Code: 035-0653 - Terminal Post Red 80A
Stock Code: 035-0654 - Terminal Post Black 80A

200A

Stock Code: 035-0655 - Terminal Post Red 200A
Stock Code: 035-0656 - Terminal Post Black 200A

USB SOCKETS



Stock Code: 035-0657 - USB A PCB Socket (1.5A 250VAC 12.5x14.5mm (Body Size))
Stock Code: 035-0658 - USB 3.0 A PCB Straight Socket (Length: 13mm)
Stock Code: 035-0659 - USB B PCB Socket (1.5A 250VAC 12x16.5mm (Body Size))



Stock Code: 035-0660 - USB A Panel Mount Socket (30V 1A IP67)
Stock Code: 035-0661 - USB Micro SMD Socket (3x8.1mm (Body Size))
Stock Code: 035-0662 - USB Mini B-Type SMD Socket (7.8x9.2mm (Body Size))



Stock Code: 035-0664 - USB A Rewireable Socket
Stock Code: 035-0667 - USB A Socket - USB A Socket Adaptor
Stock Code: 035-0893 - USB QC3 With C-Type Charging Panel Mount Socket (12/24VDC)



Stock Code: 035-0894 - Dual USB 4.8A Panel Mount Socket (Input Voltage: 12/24V Output: 5V 4.8A IP66)
Stock Code: 035-0994 - USB Type C SMD Socket (Current Rating: 5A Voltage Rating: 30V)



Stock Code: 035-0999 - USB A 3.0 Panel Mount Socket Nickel Plated
Stock Code: 035-1000- USB C Panel Mount Socket Nickel Plated
Stock Code: 035-1039 - USB2.0 A-Socket to A-Socket Panel Mount 22mm
Stock Code: 035-1054 - Dual C-Type QC3 + PD Charger Panel Mount



USB PLUGS



Stock Code: 035-0663 - USB A Rewireable Plug (5V 0.5A 46.9x15.8x8.8mm)
Stock Code: 035-0665 - USB Micro Rewireable Plug
Stock Code: 035-0666 - USB Mini Rewireable Plug



Stock Code: 035-0943 - USB Micro to Type C Adaptor
Stock Code: 035-0947 - USB QC3 Charger - Volt Meter With C-Type
12/24V USB Type C Port: 5V 3.1A / 7V 2.4A / 9V 2A / 12V 1.5A / 18 Max USB Type A Port: 3.6 - 6V 3A / 6 - 9V 2A / 9 - 12V 1.5A

WIELAND INLINE CONNECTOR IP67



Stock Code: 035-0968 - Wieland Inline Male Connector IP69 600V 16A 3 Pin
Stock Code: 035-0969 - Wieland Inline Female Connector IP69 600V 16A 3Pin
Cable: 5mm to 10.6mm. Cross Section: 0.25mm^2 to 2.5mm^2.

CIGARETTE LIGHTER CONNECTORS



Stock Code: 035-0147 - Cig Lighter Plug + Fuse
Stock Code: 035-0148 - Cig Lighter Inline Socket
Stock Code: 035-0149 - Cig Lighter Panel Mount Socket (M21 Cutout)



Stock Code: 035-0965 - Lumeno Cig Lighter Panel Mount Socket
Voltage Rating:12-24V Current Rating: 8A

HELLA CONNECTORS



Stock Code: 035-0847 - Hella Plug Cable Mount 12-24V 20A
Stock Code: 035-0848 - Hella Socket Panel Mount 12mm 12-24V 20A
Stock Code: 035-0849 - Hella Socket Panel Mount 28mm 12-24V 8A

RING LUGS

RED

Wire Size: 0.5 - 1.5mm Maximum Voltage Rating: 600V



Stock Code: 035-0668 - Ring Lugs Red 3mm (10s)
Stock Code: 035-0669 - Ring Lugs Red 3mm (100s)
Stock Code: 035-0670 - Ring Lugs Red 4mm (10s)
Stock Code: 035-0671 - Ring Lugs Red 4mm (100s)
Stock Code: 035-0672 - Ring Lugs Red 5mm (10s)
Stock Code: 035-0673 - Ring Lugs Red 5mm (100s)
Stock Code: 035-0674 - Ring Lugs Red 6mm (10s)
Stock Code: 035-0675 - Ring Lugs Red 6mm (100s)
Stock Code: 035-0676 - Ring Lugs Red 8mm (10s)
Stock Code: 035-0677 - Ring Lugs Red 8mm (100s

BLUE

Wire Size: 1.5 - 2.5mm Maximum Voltage Rating: 600V



Stock Code: 035-0678 - Ring Lugs Blue 4mm (10s)
Stock Code: 035-0679 - Ring Lugs Blue 4mm (100s)
Stock Code: 035-0680 - Ring Lugs Blue 5mm (10s)
Stock Code: 035-0681 - Ring Lugs Blue 5mm (100s)
Stock Code: 035-0682 - Ring Lugs Blue 6mm (10s)
Stock Code: 035-0683 - Ring Lugs Blue 6mm (100s)
Stock Code: 035-0684 - Ring Lugs Blue 8mm (10s)
Stock Code: 035-0685 - Ring Lugs Blue 8mm (100s)

YELLOW

Wire Size: 4 - 6mm Maximum Voltage Rating: 600V



Stock Code: 035-0686 - Ring Lugs Yellow 4mm (10s)
Stock Code: 035-0687 - Ring Lugs Yellow 4mm (100s)
Stock Code: 035-0688 - Ring Lugs Yellow 5mm (10s)
Stock Code: 035-0689 - Ring Lugs Yellow 5mm (100s)
Stock Code: 035-0690 - Ring Lugs Yellow 6mm (10s)
Stock Code: 035-0691 - Ring Lugs Yellow 6mm (100s)
Stock Code: 035-0692 - Ring Lugs Yellow 8mm (10s)
Stock Code: 035-0693 - Ring Lugs Yellow 8mm (50s)
Stock Code: 035-0694 - Ring Lugs Yellow 10mm (10s)
Stock Code: 035-0695 - Ring Lugs Yellow 10mm (100s)

FORK LUGS

RED

Wire Size: 0.5 - 1.5mm Maximum Voltage Rating: 600V



Stock Code: 035-0696 - Fork Lugs Red 3mm (10s)
Stock Code: 035-0697 - Fork Lugs Red 3mm (100s)
Stock Code: 035-0698 - Fork Lugs Red 4mm (10s)
Stock Code: 035-0699 - Fork Lugs Red 4mm (100s)
Stock Code: 035-0700 - Fork Lugs Red 5mm (10s)
Stock Code: 035-0701 - Fork Lugs Red 5mm (100s)
Stock Code: 035-0702 - Fork Lugs Red 6mm (10s)
Stock Code: 035-0703 - Fork Lugs Red 6mm (100s)

BLUE

Wire Size: 1.5 - 2.5mm Maximum Voltage Rating: 600V



Stock Code: 035-0704 - Fork Lugs Blue 4mm (10s)
Stock Code: 035-0705 - Fork Lugs Blue 4mm (100s)
Stock Code: 035-0706 - Fork Lugs Blue 5mm (10s)
Stock Code: 035-0707 - Fork Lugs Blue 5mm (100s)
Stock Code: 035-0708 - Fork Lugs Blue 6mm (10s)
Stock Code: 035-0709 - Fork Lugs Blue 6mm (100s)

YELLOW

Wire Size: 4 - 6mm Maximum Voltage Rating: 600V



Stock Code: 035-0710 - Fork Lugs Yellow 4mm (10s)
Stock Code: 035-0711 - Fork Lugs Yellow 4mm (50s)
Stock Code: 035-0712 - Fork Lugs Yellow 5mm (10s)
Stock Code: 035-0713 - Fork Lugs Yellow 5mm (50s)
Stock Code: 035-0714 - Fork Lugs Yellow 6mm (10s)
Stock Code: 035-0715 - Fork Lugs Yellow 6mm (50s)

PIN LUGS

RED

Wire Size: 0.5 - 1.5mm Maximum Voltage Rating: 600V



Stock Code: 035-0716 - Pin Lugs Red 10mm (10s)
Stock Code: 035-0717 - Pin Lugs Red 10mm (100s)

BLUE

Wire Size: 1.5 - 2.5mm Maximum Voltage Rating: 600V

Stock Code: 035-0718 - Pin Lugs Blue 10mm (10s)
Stock Code: 035-0719 - Pin Lugs Blue 10mm (100s)

YELLOW

Wire Size: 4 - 6mm Maximum Voltage Rating: 600V

Stock Code: 035-0720 - Pin Lugs Yellow 13mm (10s)
Stock Code: 035-0721 - Pin Lugs Yellow 13mm (50s)

SPADE LUGS MALE DISCONNECT

RED

Wire Size: 0.5 - 1.5mm Maximum Voltage Rating: 600V



Stock Code: 035-0728 - Spade Lugs Male Disconnect Red 2.8mm (10s)
Stock Code: 035-0729 - Spade Lugs Male Disconnect Red 2.8mm (100s)
Stock Code: 035-0730 - Spade Lugs Male Disconnect Red 4.8mm (10s)
Stock Code: 035-0731 - Spade Lugs Male Disconnect Red 4.8mm (100s)
Stock Code: 035-0732 - Spade Lugs Male Disconnect Red 6.3mm (10s)
Stock Code: 035-0733 - Spade Lugs Male Disconnect Red 6.3mm (100s)

BLUE

Wire Size: 1.5 - 2.5mm Maximum Voltage Rating: 600V

Stock Code: 035-0734 - Spade Lugs Male Disconnect Blue 2.8mm (10s)
Stock Code: 035-0735 - Spade Lugs Male Disconnect Blue 2.8mm (100s)
Stock Code: 035-0736 - Spade Lugs Male Disconnect Blue 4.8mm (10s)
Stock Code: 035-0737 - Spade Lugs Male Disconnect Blue 4.8mm (100s)
Stock Code: 035-0738 - Spade Lugs Male Disconnect Blue 6.4mm (10s)
Stock Code: 035-0739 - Spade Lugs Male Disconnect Blue 6.4mm (100s)

YELLOW

Wire Size: 4 - 6mm Maximum Voltage Rating: 600V

Stock Code: 035-0740 - Spade Lugs Male Disconnect Yellow 6.3mm (10s)
Stock Code: 035-0741 - Spade Lugs Male Disconnect Yellow 6.3mm (50s)

SPADE LUG FEMALE DISCONNECT INSULATED

RED

Wire Size: 0.5 - 1.5mm Maximum Voltage Rating: 600V



Stock Code: 035-0742 - Spade Lugs Female Disc Red Insulated 6.4mm (10s)
Stock Code: 035-0743- Spade Lugs Female Disc Red Insulated 6.4mm (100s)

BLUE

Wire Size: 1.5 - 2.5mm Maximum Voltage Rating: 600V

Stock Code: 035-0744 - Spade Lugs Female Disc Blue Insulated 6.4mm (10s)
Stock Code: 035-0745 - Spade Lugs Female Disc Blue Insulated 6.4mm (100s)

YELLOW

Wire Size: 4 - 6mm Maximum Voltage Rating: 600V

Stock Code: 035-0746 - Spade Lugs Female Disc Yellow Insulated 6.3mm (10s)
Stock Code: 035-0747 - Spade Lugs Female Disc Yellow Insulated 6.3mm (100s)

SPADE LUG FEMALE DISCONNECT

RED

Wire Size: 0.5 - 1.5mm Maximum Voltage Rating: 600V



Stock Code: 035-0748 - Spade Lugs Female Disconnect Red 2.8mm (10s)
Stock Code: 035-0749 - Spade Lugs Female Disconnect Red 2.8mm (100s)
Stock Code: 035-0750 - Spade Lugs Female Disconnect Red 4.8mm (10s)
Stock Code: 035-0751 - Spade Lugs Female Disconnect Red 4.8mm (100s)
Stock Code: 035-0752 - Spade Lugs Female Disconnect Red 6.3mm (10s)
Stock Code: 035-0753 - Spade Lugs Female Disconnect Red 6.3mm (100s)

BLUE

Wire Size: 1.5 - 2.5mm Maximum Voltage Rating: 600V

Stock Code: 035-0754 - Spade Lugs Female Disconnect Blue 2.8mm (10s)
Stock Code: 035-0755 - Spade Lugs Female Disconnect Blue 2.8mm (100s)
Stock Code: 035-0756 - Spade Lugs Female Disconnect Blue 4.8mm (10s)
Stock Code: 035-0757 - Spade Lugs Female Disconnect Blue 4.8mm (100s)
Stock Code: 035-0758 - Spade Lugs Female Disconnect Blue 6.3mm (10s)
Stock Code: 035-0759 - Spade Lugs Female Disconnect Blue 6.3mm (100s)

YELLOW

Wire Size: 4 - 6mm Maximum Voltage Rating: 600V

Stock Code: 035-0844 - Spade Lugs Female Disconnect Yellow 6.3mm (10s)
Stock Code: 035-0845 - Spade Lugs Female Disconnect Yellow 6.3mm (100s)
Stock Code - 035-0760 - Spade Lugs Female Disconnect Yellow 9.5mm (10s)
Stock Code: 035-0761 - Spade Lugs Female Disconnect Yellow 9.5mm (50s)

PIGGY BACK LUGS

RED

Wire Size: 0.5 - 1.5mm Maximum Voltage Rating: 600V

Stock Code: 035-0762 - Piggy Back Lugs Red 6.4mm (10s)
Stock Code: 035-0763 - Piggy Back Lugs Red 6.4mm (100s)



BLUE

Wire Size: 1.5 - 2.5mm Maximum Voltage Rating: 600V

Stock Code: 035-0764 - Piggy Back Lugs Blue 6.4mm (10s)
Stock Code: 035-0765 - Piggy Back Lugs Blue 6.4mm (50s)

YELLOW

Wire Size: 4 - 6mm Maximum Voltage Rating: 600V

Stock Code: 035 -0766 - Piggy Back Lugs Yellow 6.4mm (10s)
Stock Code: 035-0767 - Piggy Back Lugs Yellow 6.4mm (100s)

BULLET LUGS MALE

RED

Wire Size: 0.5 - 1.5mm Maximum Voltage Rating: 600V

Stock Code: 035-0768 - Bullet Lugs Male Red (10s)
Stock Code: 035-0769 - Bullet Lugs Male Red (100s)



BLUE

Wire Size: 1.5 - 2.5mm Maximum Voltage Rating: 600V

Stock Code: 035-0770 - Bullet Lugs Male Blue (10s)
Stock Code: 035-0771 - Bullet Lugs Male Blue (100s)

YELLOW

Wire Size: 4 - 6mm Maximum Voltage Rating: 600V

Stock Code: 035-0772 - Bullet Lugs Male Yellow (10s)
Stock Code: 035-0773 - Bullet Lugs Male Yellow (100s)

BULLET LUG FEMALE



RED

Wire Size: 0.5 - 1.5mm Maximum Voltage Rating: 600V

Stock Code: 035-0774 - Ferrules Barrels Inline Splice Red (10s)

Stock Code: 035-0775 - Ferrules Barrels Inline Splice Red (100s)

BLUE

Wire Size: 1.5 - 2.5mm Maximum Voltage Rating: 600V

Stock Code: 035-0776 - Ferrules Barrels Inline Splice Blue (10s)

Stock Code: 035-0777 - Ferrules Barrels Inline Splice Blue (50s)

YELLOW

Wire Size: 4 - 6mm Maximum Voltage Rating: 600V

Stock Code: 035-0778 - Ferrules Barrels Inline Splice Yellow (10s)

Stock Code: 035-0779 - Ferrules Barrels Inline Splice Yellow (50s)

BLADE LUGS



RED

Wire Size: 0.5 - 1.5mm Maximum Voltage Rating: 600V

Stock Code: 035-0796 - Blade Lugs Red 10mm (10s)

Stock Code: 035-0797- Blade Lugs Red 10mm (100s)

BLUE

Wire Size: 1.5 - 2.5mm Maximum Voltage Rating: 600V

Stock Code: 035-0798 - Blade Lugs Blue 10mm (10s)

Stock Code: 035-0799 - Blade Lugs Blue 10mm (100s)

YELLOW

Wire Size: 4 - 6mm Maximum Voltage Rating: 600V

Stock Code: 035-0800 - Blade Lugs Yellow 10mm (10s)

Stock Code: 035-0801 - Blade Lugs Yellow 10mm (50s)

BOOTLACE FERRULES SINGLE



Stock Code: 035-0780 - Bootlace Ferrules White 0.5mm (10s)

Stock Code: 035-0781 - Bootlace Ferrules White 0.5mm (100s)

Stock Code: 035-0782 - Bootlace Ferrules Blue 0.75mm (10s)

Stock Code: 035-0783 - Bootlace Ferrules Blue 0.75mm (100s)

Stock Code: 035-0784 - Bootlace Ferrules Red 1mm (10s)

Stock Code: 035-0785 - Bootlace Ferrules Red 1mm (100s)

Stock Code: 035-0786 - Bootlace Ferrules Black 1.5mm (10s)

Stock Code: 035-0787 - Bootlace Ferrules Black 1.5mm (100s)

Stock Code: 035-0788 - Bootlace Ferrules Grey 2.5mm (10s)

Stock Code: 035-0789 - Bootlace Ferrules Grey 2.5mm (100s)

Stock Code: 035-0790 - Bootlace Ferrules Orange 4mm (10s)

Stock Code: 035-0791 - Bootlace Ferrules Orange 4mm (100s)

Stock Code: 035-0792 - Bootlace Ferrules Blue 0.2mm (10s)

Stock Code: 035-0793 - Bootlace Ferrules Blue 0.2mm (100s)

Stock Code: 035-0794 - Bootlace Ferrules Turquoise 0.3mm (10s)

Stock Code: 035-0795 - Bootlace Ferrules Turquoise 0.3mm (100s)
Stock Code: 035-0966 - Bootlace Ferrules Violet 0.25mm (10s)
Stock Code: 035-0967 - Bootlace Ferrules Violet 0.25mm (100s)
Stock Code: 035-0859 - Bootlace Ferrules Green 6mm (10s)
Stock Code: 035-0860 - Bootlace Ferrules Brown 10mm (10s)
Stock Code: 035-0861 - Bootlace Ferrules White 16mm (10s)
Stock Code: 035-0862 - Bootlace Ferrules Black 25mm (10s)
Stock Code: 035-0926 - Bootlace Ferrules Beige 35mm (10s)
Stock Code: 035-1030 - Bootlace Ferrules Olive 50mm (10s)

BOOTLACE FERRULES DOUBLE



Stock Code: 035-0868 - Bootlace Ferrules Double White 2x0.5mm (10s)
Stock Code: 035-0869 - Bootlace Ferrules Double Blue 2x0.75mm (10s)
Stock Code: 035-0870 - Bootlace Ferrules Double Red 2x1mm (10s)
Stock Code: 035-0871 - Bootlace Ferrules Double Black 2x1.5mm (10s)
Stock Code: 035-0872 - Bootlace Ferrules Double Grey 2x2.5mm (10s)
Stock Code: 035-1061 - Bootlace Ferrules Double Grey 2x4mm(10s)
Stock Code: 035-0873 - Bootlace Ferrules Double Green 2x6mm (10s)
Stock Code: 035-0874 - Bootlace Ferrules Double Brown 2x10mm (10s)
Stock Code: 035-0875 - Bootlace Ferrules Double White 2x16mm (10s)

LUG KIT



Stock Code: 035-0853 - Insulated Crimp Terminal Lug Kit 750 Piece
Stock Code: 035-0961 - Bootlace Ferrule Kit 1000 Piece
Stock Code: 035-1027 - Insulated Crimp Terminal Lug Kit 660 Piece

NON-INSULATED FERRULES



Stock Code: 035-0802 - Non-Insulated Ferrules 1.5mm (10s)
Stock Code: 035-0803 - Non-Insulated Ferrules 1.5mm (100s)
Stock Code: 035-0804 - Non-Insulated Ferrules 2.5mm (10s)
Stock Code: 035-0805 - Non-Insulated Ferrules 2.5mm (100s)
Stock Code: 035-0806 - Non-Insulated Ferrules 4mm (10s)
Stock Code: 035-0807 - Non-Insulated Ferrules 4mm (100s)
Stock Code: 035-0808 - Non-Insulated Ferrules 6mm (10s)
Stock Code: 035-0809 - Non-Insulated Ferrules 6mm (100s)
Stock Code: 035-0810 - Non-Insulated Ferrules 10mm (10s)
Stock Code: 035-0811 - Non-Insulated Ferrules 10mm (100s)
Stock Code: 035-0812 - Non-Insulated Ferrules 16mm (10s)
Stock Code: 035-0813 - Non-Insulated Ferrules 16mm (100s)
Stock Code: 035-0814 - Non-Insulated Ferrules 25mm (10s)
Stock Code: 035-0815 - Non-Insulated Ferrules 25mm (100s)
Stock Code: 035-0843 - Non-Insulated Ferrules 35mm (Each)

NON-INSULATED COPPER LUGS



Stock Code: 035-0816 - Non-Insulated Copper Lug 2.5x4mm
Stock Code: 035-0817 - Non-Insulated Copper Lug 4x5mm
Stock Code: 035-0818 - Non-Insulated Copper Lug 4x6mm
Stock Code: 035-0819 - Non-Insulated Copper Lug 6x6mm
Stock Code: 035-0949 - Non-Insulated Copper Lug 6x12mm
Stock Code: 035-0948 - Non-Insulated Copper Lug 10x5mm
Stock Code: 035-0820 - Non-Insulated Copper Lug 10x8mm
Stock Code: 035-0821 - Non-Insulated Copper Lug 16x8mm
Stock Code: 035-1009- Non-Insulated Copper Lug 16x5mm
Stock Code: 035-0822 - Non-Insulated Copper Lug 16x10mm
Stock Code: 035-0876 - Non-Insulated Copper Lug 25x6mm
Stock Code: 035-0823 - Non-Insulated Copper Lug 25x8mm
Stock Code: 035-0824 - Non-Insulated Copper Lug 25x10mm
Stock Code: 035-0836 - Non-Insulated Copper Lug 35x6mm
Stock Code: 035-0837 - Non-Insulated Copper Lug 35x8mm
Stock Code: 035-0825 - Non-Insulated Copper Lug 35x10mm
Stock Code: 035-0944 - Non-Insulated Copper Lug 50x6mm
Stock Code: 035-0170 - Non-Insulated Copper Lug 50x8mm
Stock Code: 035-0826 - Non-Insulated Copper Lug 50x10mm
Stock Code: 035-0827 - Non-Insulated Copper Lug 50x12mm
Stock Code: 035-0890 - Non-Insulated Copper Lug 70x8mm
Stock Code: 035-0867 - Non-Insulated Copper Lug 70x10mm
Stock Code: 035-0922 - Non-Insulated Copper Lug 70x12mm

SOLDER BUTT CONNECTORS



Stock Code: 035-1026 - Solder Butt Connector White 0.25 - 0.43mm (Wire Size: 0.25 - 0.43mm)
Stock Code: 035-0935 - Solder Butt Connector Red 1 - 2.7mm (Wire Size: 0.5 - 1mm)
Stock Code: 035-0936 - Solder Butt Connector Blue 2 - 4.5mm (Wire Size: 1.5 - 2.5mm)
Stock Code: 035-0937 - Solder Butt Connector Yellow 4 - 6mm (Wire Size: 4 - 6mm)

M12 CIRCULAR CONNECTORS IP67

A standardized industrial connector featuring a 12 mm metric locking thread. It is widely used for sensors, actuators, fieldbus systems, robotics, and industrial Ethernet networks.

PG7 (Current Rating: 4A Voltage Rating: 250V Cable Diameter Range: 3 - 6.5mm)



Stock Code: 035-0940 - M12 Male Straight A Code 3 Pin PG7
Stock Code: 035-0941 - M12 Female Straight A Code 3 Pin PG7
Stock Code: 035-0927 - M12 Female Straight A Code 4 Pin PG7
Stock Code: 035-0928 - M12 Male Straight A Code 4 Pin PG7
Stock Code: 035-0929 - M12 Female Straight A Code 5 Pin PG7
Stock Code: 035-0930 - M12 Male Straight A Code 5 Pin PG7

PG9 (Current Rating: 4A Voltage Rating: 250V Cable Diameter Range: 4 - 8mm) IP67



Stock Code: 035-0938 - M12 Male Straight A Code 3 Pin PG9
Stock Code: 035-0939 - M12 Female Straight A Code 3 Pin PG9
Stock Code: 035-0931 - M12 Female Straight A Code 4 Pin PG9
Stock Code: 035-0932 - M12 Male Straight A Code 4 Pin PG9
Stock Code: 035-0933 - M12 Female Straight A Code 5 Pin PG9
Stock Code: 035-0934 - M12 Male Straight A Code 5 Pin PG9

REAR MOUNT CONNECTORS (Current Rating: 4A. Voltage Rating: 250VAC/DC) IP67



Stock Code: 035-1015 - M12 Male Rear Mount A Code 4 Pin
Stock Code: 035-1016 - M12 Male Rear Mount A Code 5 Pin
Stock Code: 035-1017 - M12 Male Rear Mount A Code 8 Pin
Stock Code: 035-1018 - M12 Female Rear Mount A Code 4 Pin
Stock Code: 035-1019 - M12 Female Rear Mount A Code 5 Pin
Stock Code: 035-1020 - M12 Female Rear Mount A Code 8 Pin

BATTERY TERMINAL ADAPTOR



Stock Code: 035-0850 - Battery Terminal Adapter 6.3 Female to 4.8 Male
F2 6.3mm Female to F1 4.8mm Male

POWERCON CONNECTORS

A powerCON connector is a locking, high-current AC mains electrical connector designed for professional audio, video, and stage lighting equipment.



Stock Code: 035-0974 - Powercon Input Inline Plug 250VAC 20A
Stock Code: 035-0975 - Powercon Output Inline Plug 250VAC 20A
Current Rating Per Contact: 20A RMS Voltage Rating: 250VAC Cable OD Range: 6 - 12mm



Stock Code: 035-0997 - Powercon Input Panel Mount Plug 250VAC 20A

Stock Code: 035-0998 - Powercon Output Panel Mount Socket 250VAC 20A
Current Rating Per Contact: 20A RMS Voltage Rating: 250VAC

TRUECON CONNECTORS (IP67)



Stock Code: 035-0976 - Powercon Input Panel Mount Socket 250VAC 20A IP65
Stock Code: 035-0977 - Powercon Output Panel Mount Socket 250VAC 20A IP65
Stock Code: 035-0978 - Powercon Output Inline Connector 250VAC 20A IP65



Stock Code: 035-0191 - Powercon Input Inline Socket 250VAC 20A IP65

CIRCULAR CONNECTORS IP40



INLINE FEMALE

Stock Code: 035-1011 - Circular Connector 6 Pin Inline Female Screw Lock
IP40 Current Rating: 5A Voltage Rating: 250VACCable Size: 4 - 6mm

---

CONTROLLERS

TIMER INTERMITTENT/ LOOP



Stock Code: 040-0022 - Timer Intermittent or Loop 12VDC

Endless Loop Time Switch Controller 12V., Delay time range: minimum 0.1 seconds to 999 minutes adjustable., P-1: after power on, the relay does not act at first. After a period of time delay, the relay is closed and the power is cut off., P-2: the relay will pull in immediately after power on, and will automatically disconnect after a period of delay., P-3: Recycling: turn on T1 for a period of time, T2 for a period of time, and infinite (or fixed cycle) cycle. The time ofT1 and T2 is adj.

TIMER ADJ TIME DELAY TRIGGER



Stock Code: 040-0023 - Timer Adj. Time Delay Trigger 12VDC

12V Relay Module External Trigger Delay Switch Time Adjustable, P-1: Delay ON after trigger, counts down the delay period set, P-2: Delays OFF after trigger, then delays ON, P-3: Flip Flop Mode, continuance counts time Off and ON from Power UP., P-4: Same as P-1 but is retrigger able. If trigger is high during the count down the timer will be reset and start the countdown again without deactivating the relay.

TIMER MULTI FUNCTION



Stock Code: 040-0024 - Timer Multi-Function 0.1s to 999min

Relay Timer Module with Display Count Up or Down

ORBIS DATA LOGGER



Stock Code: 040-0026 - Orbis Data Log 24Hrs 7Day Digital Timer 1Ch

Daily, weekly or pulse programming, Connection port for programming through Bluetooth Dongle accessory, Easy programming guided by text menus in different languages, Large backlit display with contrast setting and operation schedule on screen, 4 Annual periods for special programming. Able to program cycles and pulses from 1 second, Manual switching, temporary or permanent, Keypad lock by password, Replaceable backup battery, Sealable clear window to avoid unauthorized changes

TIMER MULTI FUNCTION RANGE VOLTAGE TIMER



Stock Code: 040-0031 - Timer Multi-Function-Range-Voltage Timer 12-260V

Modular 35.5mm DIN Rail Mountable Time Range: 0.6 - 6s, 6 - 60s, 0.6 - 6m, 6 - 60m, 0.6 - 6h, 6 - 60h, On, Off Contact: 10A SPDT, Rated Current: 10A, Voltage Supply: 12-260V AC/DC, Mechanical Life: 10x106 Cycles, Protection Index IP: IP20, Operating Temp: -10 to +50C, Dimensions: (H)92 x (W)36 x (D)64mm

DIGITAL TIMER RHOMBERG



Stock Code: 040-0001 - Digital Timer Rhomberg 230VAC 24Hr 7Day 20A

DIN Rail Installation, Advanced Pre-setting one week in advance, Digital electronic general purpose time switch, Daily and weekly programs, Latest technology CMOS quartz micro controller, repeat programs with 8 On/Off settings, To the minute setting accuracy, LCD display real time to hour/minute, On / Auto /Off functions

WEEKLY TIMER SINOMETER



Stock Code: 040-0002 - Digital Weekly Timer Sinotimer 12VDC

60x60x32mm Timer range: 1min - 168hr Programs:16 On/Off Each Day Mini interval: 1min Recharge battery: 1.2V

Stock Code: 040-0003 - Digital Weekly Timer Sinotimer 220VAC

60x60x32mm Timer range: 1min - 168hrPrograms:16 On/Off Each Day Mini interval: 1min Recharge battery: 1.2V

INTERVAL TIMERS



Stock Code: 040-0004 - Interval Timer 1CO 12VDC 0.5 - 30s

IP1 SPDT Relay, IP2 DPDT Relay, IP3 SPDT + INST Relay, Failsafe Operation, Extensive Supply Voltage Ranges, Time Adjustment on Calibrated Scale, High Repetitive Accuracy, 10A single pole relays (IP1 & IP3) / 5 Amp double pole relay (IP2) • External Timing Potentiometer Possible (Pins 5 & 6)

Stock Code: 040-0005 - Interval Timer 1CO 230VAC 0.5 - 30s

IP1 SPDT Relay, IP2 DPDT Relay, IP3 SPDT + INST Relay, Failsafe Operation, Extensive Supply Voltage Ranges, Time Adjustment on Calibrated Scale, High Repetitive Accuracy, 10A Single Pole Relays (IP1 & IP3) / 5 Amp Double Pole Relay (IP2), External Timing Potentiometer Possible (Pins 5 & 6)

Stock Code: 040-0006 - Interval Timer 1CO 230VAC 1 - 60Min

IP1 SPDT Relay, IP2 DPDT Relay, IP3 SPDT + INST Relay, Failsafe Operation, Extensive Supply Voltage Ranges, Time Adjustment on Calibrated Scale, High Repetitive Accuracy, 10A Single Pole Relays (IP1 & IP3) / 5 Amp Double Pole Relay (IP2), External Timing Potentiometer Possible (Pins 5 & 6)

KLEMSAM TIMERS



Stock Code: 040-0034 - Klemsan Multimode Timer with Pulse Trigger Input

Auxiliary Contacts: Type 1C/O (SPDT) Max. Ratings - AC (for NO side): 5A/250V 1250VA Max. Ratings - DC (for NO side): 5A/30VDC 150W
Time Range: 0.1sec -> 10days Mode: a, b, c, d, e, f, g, h, i, k Supply Voltage: 24-300VDC 24-300VAC

Stock Code: 040-0035 - Klemsan Multimode Timer

Auxiliary Contacts: Type 1C/O (SPDT) Max. Ratings - AC (for NO side): 5A/250V 1250VA Max. Ratings - DC (for NO side): 5A/30VDC 150W
Time Range: 0.1sec -> 10days Mode: ND, FD, NFD, Fon, Foff Supply Voltage: 24-300VDC 24-300VAC


LIQUID LEVEL CONTROLLER / SWITCH RELAY



Stock Code: 040-0041 - Liquid Level Controller/Switch Relay 9-12VAC/DC

Ensure your water management is effortless with the BMT 12V Water Level Controller/Switch. This reliable liquid level detection sensor automatically regulates your water pump, preventing overflows and ensuring optimal levels in tanks, ponds, and basements. With easy wiring, low power consumption, and high stability, it's the perfect solution for hassle-free water control.

SPEED CONTROLLERS PWM DC



Stock Code: 040-0033 - Speed Control 5-30VDC 90W PWM (Check Amps!)

6V@15A, 9V@10A, 12V@7.5A, 15V@6A, 18V@5A, 24V@3.75A, 30V@3A

Stock Code: 040-0007 - Speed Control 12-24VDC 3A PWM

Potentiometer: Resistance B100K, Length of wire 200mm, Hole diameter 8mm, Operating voltage: 6V - 28VDC, Size: Length 50mm, width 28mm, height 17mm Net weight: 20g



Stock Code: 040-0010 - Speed Control 6-90VDC 10A PWM

Working Voltage: DC6V-DC90V, PWM Duty Cycle: 0% -100%, PWM Frequency: 15KHZ, Control Power: 0.01-1000W, Control Voltage: 0-5V, Voltage – Breakdown:3.3V - 14.5V, Board Type: DC Motor controller

Stock Code: 040-0039 - Speed Control 6-90VDC 20A PWM

Operating voltage: 9V-60V Max current: 20A / 40A Continuous current: 18A

PRODUCTS MAY VARY FROM PICTURES & SPECIFICATIONS

Stock Code: 040-0012 - Speed Control 9-60VDC 40A PWM Forw. & Rev.

Input voltage: DC9-60V Output voltage: linear under load Output limit current: 40A (use 20A for a long time, pay attention to keep the module unobstructed heat dissipation conditions), Speed regulation type: current regulation,



Stock Code: 040-0013 - Speed Control 9-60VDC 60A PWM

Input Voltage: DC6-60V, Output Voltage: Linearity under load (voltage drop at 2- ends of motor), Max Current: 0-60A, Continuous current: within 50A

Stock Code: 040-0021 - Speed Control 10-55VDC 100A PWM Forw. & Rev.

Power (Max): 300W, Continuous current: 60A, Maximum current: 100A

SPEED CONTROLLERS PWM AC

Stock Code: 040-0014 - Speed Control 220VAC 2000W 9A

Voltage Regulation: 90-220V Current: 25A Power: 2000W



Stock Code: 040-0015 - Speed Control 220VAC 4000W 18A

Working voltage: AC 220V Regulation voltage: AC 10-220V Max power: 4000W (resistive load)

Stock Code: 040-0032 - Speed Control 220VAC 6000W 25A

Work Voltage: AC 220V Max Power: 6KW (max resistive load, 3KW power for normal use recommended)



Stock Code: 040-0016 - Speed Control 220VAC 10 000W 45A

Voltage: 220V AC Maximum power: 10000W resistive load limit power, recommended for long-term use at room temperature within 5000W

Stock Code: 040-0017 - Speed Control 220VAC 10 000W 45A + Display

TEMPERATURE CONTROLLERS

12VDC

Stock Code: 040-0018 - Temperature Controller 12V P/Mount -50C to +110C

Temperature measurement range: -50 Degree C - 110 Degree C Input voltage: 12V DC Temperature Sensor: 10k NTC Thermistor (waterproof) Cutout size: 46 x 26.5mm



Stock Code: 040-0019 - Temperature Controller 12V PCB -50C to +110C

10K NTC Thermistor

220VAC

Stock Code: 040-0025 - Temperature and Humidity Controller 220V STC-3028

Be able to control temperature and humidity at the same time., Be able to connect with humidifier and dehumidifier equipment at the same time., Be able to connect with refrigeration/ heating and humidifier/dehumidifier equipment at the same time., Heating/Cooling function could be set separately for refrigeration and heating to protect temperature controller from violent change. Same as humidity Control. Supporting Temp and Humidity Calibration, Dual Display Window



Stock Code: 040-0027 - PID Universal Temperature Controller 48x48 230VAC

Voltage: 230VAC, 10-30VDC, 115VAC, Control: On/Off, P, PI, PD, PID, Sensor: J, K, R, S, T, PT100, Outputs: 2 x NO Relays 5A 250VAC and 1 x SSR 10mA 12VDC



Stock Code: 040-0009 - Delta DTK Temperature Controller 48x48 230VAC

Voltage: 100-230VAC, Control: PID, ON/OFF, Manual control modes, Sensor: K-J-T-E-N-R-S-B-L-U-TXK - Platinum RTD: Pt100, JPt100, Outputs: 1 alarm output with 9 selectable alarm modes, Output 2 Relay



Stock Code: 040-0020 - Temperature Controller 220V STC-1000 -50 to +99C

NTC Sensor, Cool Relay: 10A 220VAC Heat Relay: 10A 220VAC, Mounting: 71x29mm, Sensor 1m



TEMPERATURE PROBES

Stock Code: 040-0028 - Temperature Probe PT100 400C Steel Braided

Thermocouple Wire Colors - J: Red and Blue, K: Red and Green, PT100:2 x White 1 x Red Probe size: 100mm x 5Ø, Cable: 1.5m



Stock Code: 040-0029 - Temperature Probe PT100 400C 1/4" Threaded

Thermocouple Wire Colors - J: Red and Blue, K: Red and Green, PT100:2 x White 1 x Red Probe size: 100mm x 5Ø, Cable: 1.5m



Stock Code: 040-0036 - Temperature Probe PT100 80C Wire 1m Red

Cable Length=1M, Probe L=40mm, Diameter=5mm



Stock Code: 040-0037 - Temperature Probe PT100 80C Wire 1m Black

Cable Length=1M, Probe L=40mm, Diameter=5mm

THERMOCOUPLE CONNECTOR

Stock Code: 040-0030 - Thermocouple Connector Type K

Features and Benefits: All contacts are polarized to ensure the correct connection. Connectors accept thermocouple cable to 4 mm in diameter. Cable clamp available for securing cable to connectors. Color coded in accordance with IEC specification. Operating temperature +220°C max. The thermocouple plug has a Nickel Chromium positive pin and a Nickel Alloy negative pin.



LIQUID LEVEL CONTROL

Stock Code: 040-0040 - Liquid Level Controller Relay 1C/O

Fail safe operation, TE101 SPDT 10A / 250VAC, 1s response time to limit effect of ripple, long distance emptying 150 - 200m only 230 / 400VAC, Probe voltage 5VAC / 1.5mA, Sensitivity adjustable 0 - 50kO



TIMER

Stock Code: 040-0042 - Reletek Digital Timer 7Day 1Sec 2Ch 24-264VAC/DC

Digital time switches (dual channel). Used for programming time functions for various applications such as lighting control, heating, household appliances, shop windows and many other devices.
The pulse program can be used for school or factory bell ringing. An internal battery maintains clock time and all program settings in the event of power failure.
Features: 90 program steps. Back-lit LCD display. Double channel (each channel programmable independently). Sealable front cover, easy setting



CRYSTALS & RESONATORS

CRYSTALS




Stock Code: 045-0001 - Crystal 32.7678KHZ
Stock Code: 045-0002 - Crystal 1.8432MHZ
Stock Code: 045-0003 - Crystal 2.4579MHZ
Stock Code: 045-0004 - Crystal 3.2768MHZ
Stock Code: 045-0005 - Crystal 3.5795MHZ
Stock Code: 045-0006 - Crystal 4 MHZ (Low Profile)
Stock Code: 045-0007 - Crystal 4.1943MHZ
Stock Code: 045-0008 - Crystal 5MHZ
Stock Code: 045-0009 - Crystal 6MHZ
Stock Code: 045-0010 - Crystal 8MHZ
Stock Code: 045-0011 - Crystal 10MHZ
Stock Code: 045-0012 - Crystal 11.0592MHZ
Stock Code: 045-0013 - Crystal 12MHZ
Stock Code: 045-0014 - Crystal 16MHZ
Stock Code: 045-0015 - Crystal 20MHZ
Stock Code: 045-0016 - Crystal 24MHZ

RESONATORS



Stock Code: 045-0017 - Resonator 400KHZ
Stock Code: 045-0018 - Resonator 450KHZ
Stock Code: 045-0019 - Resonator 455KHZ
Stock Code: 045-0020 - Resonator 456KHZ
Stock Code: 045-0021 - Resonator 6MHZ

RESONATOR SENSOR



Stock Code: 045-0022 - Resonator Sensor IR Receiver

DEVELOPMENT

ARDUINO & ACCESSORIES

Stock Code: 050-0001 - Arduino IC ATMega328P-PU



Microcontroller: IC MEGA 328P, Program Memory Size: 32KB, EEPROM: 1K Bytes, SRAM: 2K BYTES, VDC: 1.8V TO 5.5v, NO. OF PINS: 28, MCU Case Style: DIP, CPU Speed: 20MHZ C. Two 8-bit Timer/Counters With Separate Prescaler And Compare Mode, One 16-bit Timer/Counter With Separate Prescaler, Compare Mode And Capture Mode, Real Time Clock With Separate Oscillator, Six PWM Channels, ON-Chip Analog Comparator, 6-Channel 10-Bit ADC, Programmable Serial USART. Master/slave SPI Interface, I2C Compatible

Stock Code: 050-0002 - Node MCU Lua ESP8266 WIFI



Microcontroller: ESP8266-12F, Operating Voltage: DC5V, Input Current: 2A, Main Frequency Supports 80 MHz and 160 MHz, Analog Input Pins: 1(A0), Micro USB cable: 1m, Dimensions: 32x60x16mm

Stock Code: 050-0003 - Arduino Pro Mini ATMega328P 3.3V 8Mhz OR 5V 16Mhz (Please check voltage: 3.3V 8Mhz OR 5V 16Mhz)



Choose the 3.3V 8MHz Arduino Pro Mini for battery-powered projects, portable devices, or when interfacing with 3.3V sensors. Choose the 5V 16MHz version when you need faster processing speed (twice as fast), higher PWM frequency, or direct compatibility with standard 5V components like older sensors and displays

Stock Code: 050-0004 - Arduino Pro Micro ATMega32U4



14 Digital Input / Output Ports RX, TX, D2 - D13, 8 Analog Input Ports A0 - A7, 1 TTL Level Serial Port Transceiver Port RX / TX
6 PWM Ports: D3, D5, D6, D9, D10, D11, Using Atmel Atmega328P-AU Microcontroller, Supports Serial Download,
Supports External 3.3V - 12V DC Power Supply, supports 9V Battery Powered, Clock Frequency 16MHz, Size:33.3 x 18.0mm

Stock Code: 050-0005 - Arduino Nano ATMega328P



The NANO is a small and breadboard-friendly version of the Arduino Uno. The compatible use an original ATMEGA328 chip and is 100% compatible with the original Nano. The Arduino NANO 3 is based on the 32kB Atmega328P-AU with 16MHz and a USB-C port. The ATmega328 has 32 KB (2 KB used for the bootloader).

Stock Code: 050-0006 - Arduino Uno R3 ATMega328P



Microcontroller: ATmega328P, Operating Voltage: 5V, Input Voltage (recommended) :7-12V, Input Voltage (limits): 6-20V, Digital I/O Pins: 14 (of which 6 provide PWM output), Analog Input Pins: 6, DC Current per I/O Pin: 40 mA, DC Current for 3.3V Pin: 50 mA, Flash Memory: 32 KB (ATmega328) Of Which 0.5 KB Used By Bootloader, SRAM: 2 KB (ATmega328), EEPROM: 1 KB (ATmega328), Clock Speed: 16 MHz

Stock Code: 050-0007 - Arduino Mega 2560 R3 ATMega2560



CH340G Replace ATMEGA16U2, Microcontroller: ATmega2560, Operating Voltage: 5V, Input Voltage (recommended):7-12V, Input Voltage (limits): 6-20V, Digital I/O Pins: 54 (of which 15 provide PWM output), Analog Input Pins:16, DC Current per I/O Pin: 40 mA, DC Current for 3.3V Pin: 50 mA, Flash Memory: 256 KB Of Which 8 KB Used by Bootloader, SRAM: 8 KB, EEPROM: 4 KB, Clock Speed: 16 MHz, Size: 53.3 x 101.2mm

Stock Code: 050-0011 - Arduino Keyestudio W5500 Ethernet Dev Board



Main Chip: ATMEGA328 microcontroller, USB power supply:5v, external power:7-12v, (9v recommended), digital input/output pins: 14(of which 6 pins support PWM), analog input pin: 6, built-in flash memory:32K, SRAM: 2k, EEPROM:1K, clock frequency:16MH, TCP/IP Ethernet controller W5500? MicroSD card mount (TF card) Micro USB

Stock Code: 050-0014 - Arduino Uno Expansion Board WIFI Module



An Arduino Uno WiFi Module Expansion Board (often a shield based on the ESP8266 or ESP32) adds wireless connectivity to an older Arduino Uno

Stock Code: 050-0025 - Arduino Expansion Board Multifunction Learning



Four LEDs, three pushbuttons, A reset button, A piezo-buzzer,
An LED display module (four-digit, seven-segment), Two serial LED display driver ICs(74HC595), A multi-turn trim pot (10K), A port for DS18B20 temperature sensor, A port for TSOP1838 infrared receiver module, A APC220 wireless module interface (serial/UART interface)

Stock Code: 050-0086 - ESP32-Wroom Core Development Board



Microcontroller: ESP-WROOM-32 module, USB to Serial Port Chip: CP2102-GMR, Operating Voltage: DC 5V, Operating Current: 80mA (average), Current Supply: 500mA (Minimum), Operating Temperature Range: -40 - +85C, WIFI mode: Station/SoftAP/SoftAP+Station/P2P, WIFI protocol:
802.11 b/g/n/e/i (802.11n, speed up to 150 Mbps, WIFI frequency range: 2.4 GHz ~ 2.5 GHz, Bluetooth protocol: conform to Bluetooth v4.2 BR/EDR and BLE standards, Dimensions: 55mmx26mmx13mm, Weight: 9.3g

Stock Code: 050-0015 - Arduino Sensor Ultrasonic Distance Ping



Operating Voltage: 5VDC, Operating Current: 15mA, Max Range: 4m, Nearest Range: 2m, Measuring Angle: 15 Deg

Stock Code: 050-0016 - Arduino Module Real Time Clock Module RTC



Operating Voltage: 3.3 - 5.5VDC, Battery: CR2032, Size: 38x22x14mm. Tracks precise time and date even when the main board powers. Powered by a CR2032 coin cell, it communicates with the Arduino using an I2C interface (SDA/SCL pins) to log data, schedule events, or build clocks.

Stock Code: 050-0017 - Arduino Converter Mini USB to TTL Serial Adapter



USB Power Supply: 5V Or 3.3V, Set by Jumper, Size: 36x18mm. Its primary function is to serve as a bridge, converting data between a computer's USB port and a device's TTL (Transistor-Transistor Logic) serial communication pins.

Stock Code: 050-0018 - Arduino Converter RS232 to TTL Serial Port



Operating Voltage: 3.3 - 5.5VDC, Size:30 x 28mm. An Arduino RS232 to TTL Serial Converter bridges the gap between the high-voltage signals used by industrial RS232 equipment (±12V) and the low-voltage logic levels (5V or 3.3V) safe for Arduino microcontrollers. Most standard converters utilize the MAX3232 transceiver IC and come equipped with a female DB9 serial connector.

Stock Code: 050-0019 - Arduino Module Gyroscope Accelerometer



Operating Voltage: 3 - 5VDC. MPU-6050 incorporates 3 axis gyroscope, 3 axis accelerator, and can be connected by i2c ports of other accelerator, magnetic sensors, or other digital motion sensor processing (dmp: digital motion processor) hardware acceleration, engine by the i2c port mainly in the form of a single data flow, output to the application of the complete calculus 9 shaft fusion technology.

Stock Code: 050-0020 - Arduino Module PIR Motion Sensor HC-SR501



Operating Voltage: 5 - 20VDC, Power Consumption: 65mA, Delay time: Adjustable (.3 - 5min), Lock time: 0.2 sec, Trigger Methods: L – Disable Repeat Trigger, H Enable Repeat Trigger, Sensing Range: Less Than 120 Degree, Within 7 Meters

Stock Code: 050-0021 - Arduino Module MicroSD Card



The module (MicroSD Card Adapter) is a Micro SD card reader module, and the SPI interface via the file system driver, micro controller system to complete the Micro SD card read and write files. Users can directly use the Arduino IDE comes with an SD card to complete the library card initialization and read-write

Stock Code: 050-0022 - Arduino Module IR Remote Control Kit 38KHZ.



Operating Voltage: 2.7 - 5.5VDC, Frequency: 37.9KHz, Receiving Range: 18m, Receiving Angle: 90 Deg. Light resistance, strong electromagnetic interference, built-in infrared dedicated IC, can work under 500 lux light intensity Widely used in: stereo, TV, video machine, disc machine, set-top boxes, digital photo frame, car stereo, remote control toys, satellite receivers, hard disk player, air conditioner, heater, electric fan, lighting and other home appliances

Stock Code: 050-0023 - Arduino Module GPS with Antenna SD Slot



Operating Voltage: 2.7 - 3.6VDC, Operating Current: 45mA, Horizon Position Accuracy: 2.5m. An Arduino GPS module with an integrated SD slot is ideal for creating standalone data loggers that record coordinates, altitude, and timestamps

Stock Code: 050-0024 - Arduino Sensor DHT11 Temperature & Humidity



3-5V 2.5mA, Humidity: 20-80%, Temperature: 0-50C, 1Hz Sampling Rate, Size: 15.5mm x 12mm x 5.5mm. Experience precise climate control with the HKD TEMP+HUMD DHT11 sensor. This reliable PCB-mounted temperature and humidity sensor delivers accurate readings, ensuring optimal conditions for your indoor environment. Easy to install and perfect for DIY projects, it helps maintain comfort and efficiency effortlessly.

Stock Code: 050-0027 - Arduino Module HC-06 Bluetooth



Compatible With Any USB Bluetooth Adapters, With LED Indicator Light, Use 150mA and 3.3V Regulation Chip, Operating Voltage: 3.3V, Signal Coverage: 30ft, Input Voltage: 3.3 - 6V

Stock Code: 050-0082 - RF Transmitter & Receiver 433Mhz 100m Line of Site



Receiver: XD-RF-5V, 5VDC, 4mA, 433.92Mhz, -105Db 30x14x7mm
Transmitter: XD-FST 20-200m (Diff Volts, Diff Result), 3.5-12VDC,19x19mm, AM, 4Kb/s, 10mW, 433Mhz, Pinout Data->VCC->GND

Stock Code: 050-0085 - Arduino Joystick Module



Input Voltage: DC 3.3V to 5V, Size: 4 x 2.6 x 3.4cm, 2 Potentiometers for 2 Axes, 1 Switch. By simply connecting to two analog inputs, the robot is at your commands with X, Y control. It also has a switch that is connected to a digital pin. This joystick module can be easily connected to Arduino by IO Shield.

Stock Code: 050-0012 - Arduino Sensor Kit 37 in 1



PS2 game Joystick module, Infrared sensor receiving module, Laser sensor module, Temperature and humidity sensor module, Infrared sensor module, 5v relay module, Obstacle avoidance sensor module, Finger detecting heartbeat module, Sound sensor module, Metal touch sensor module, Flame sensor module, 3 colour LED module, Line sensor module, Linear magnetic hall sensor, Rotary encoder module, vActive buzzer module, Magic cup light module, Small passive buzzer module, Digital temperature sensor module, Broken light module, The temperature sensor module, Double colour LED module, Mercury medallion module, Hall magnetic sensor module, 3 colour LED module mini reed module, Tilt switch module, 7 colour flashing LED module, Button switch module, Photosensitive resistance module, Vibration switch module, The knock sensor module, The temperature sensor module, Analogy hall magnetic sensors, The microphone sound sensor module Big reed module Double

Stock Code: 050-0013 - Arduino Sensor Kit 45 in 1

Arduino PS2 Joystick game controller module, Infrared sensor receiver module, Laser head sensor module, Temperature and humidity sensor module, Infrared emission sensor module, 5V relay module, Smart car avoid obstacle sensor infrared sensor photoelectric switch, ARDUINO finger detect heartbeat module, Microphone sensitivity sensor module, Metal touch sensor module, Flame sensor module, 3-color LED module, Hunt sensor module, Linear magnetic Hall sensors, Rotary encoder modules, Active buzzer module, Magic Light Cup modules, Small passive buzzer module, Digital temperature sensor module, Optical breaking module, Temperature sensor module, Bicolor LED common cathode module 3MM, Mercury opening module, Hall magnetic sensor module, RGB LED SMD module, Arduino Mini Reed module, Tilt switch module, Automatically flashing LED module, Key switch module, Photoresistor module, Vibration switch module, ARDUINO hit sensor module, Temperature sensor module, Analogy Holzer magnetic sensor, Microphone sound sensor module, Large reed module, Two-color LED module, Breadboard power module, Ultrasonic module, MP1584EN buck module, SD card reader module, Gyro Module, Soil module, DS1302 clock module, Water level module

Stock Code: 050-0026 - Arduino Shield GSM GPRS SIM800C



Power Supply Vin: 7-12V, Low power consumption: 0.7mA current in sleep mode, Low battery consumption (100mA @ 7V-GSM mode), GSM 850/900/1800/1900MHz, GPRS multi-slot class 1 - 12, GPRS mobile station class B, GSM phase 2/2 + standard. Class 4 (2W @ 850/900 MHz), Class 1 (1W @ 1800 / 1900MHz). Controlling via AT command, USB /Arduino control switch. Serial baud rate self-adaption, Support DTMF LED indicator for power supply status, network status and operating mode.

Stock Code: 050-0028 - Arduino Shield LCD Display + Keypad



LCD1602 Display and Keypad Arduino Shield, 16x2 Line, HD44780 Compatible, White Characters, Blue Backlight, 6 Tactile Menu Buttons

Stock Code: 050-0029 - Arduino Wiznet W5100 Ethernet Shield SD Card Slot



Elevate your Arduino projects with the BMT Ethernet Shield W5100 R3. Designed for UNO and Mega 2560, this powerful shield features a micro-SD card slot and supports up to four simultaneous socket connections, enabling seamless internet connectivity for your applications. Simplify your networking tasks and enhance your creativity with this essential tool for developers and hobbyists alike.

Stock Code: 050-0010 - Arduino Uno Starter Kit Plus

Stock Code: 050-0088 - Arduino Module RFID Reader 13.56Mhz RC522



Working current: 13-26mA / DC 3.3V, Standby current: 10-13mA / DC 3.3V, working frequency: 13.56MHz, Card reading distance: 0-60mm (mifare1 card), Protocol: SPI, Data communication speed: Maximum 10Mbit/s, Card types supported: mifare1 S50, mifare1 S70, mi fare Ultralight, mi fare Pro, mi fare DESFire Dimension:40mm×60mm, Working temperature: -20-80 degree, Storage temperature: -40-85 degree, Humidity: relevant humidity 5-95 percent, Max SPI speed: 10Mbit/s

Stock Code: 050-0063 - Arduino Uno Rev 4 WiFi



ATTINY

Stock Code: 050-0030 - ATTiny85 Development Board USB



Power By USB or 5V or 7 - 15V, On Board 500mA 5V Regulator

Stock Code: 050-0031 - ATTiny85 Microcontroller IC Dip8

8bit AVR Microcontroller, 10MHz, 8 kB, 512 B Flash

BREADBOARDS & ACCESSORIES

JUMPERS



Stock Code: 050-0032 - Breadboard Jumpers 10 Way 200mm

Stock Code: 050-0033 - Breadboard Jumpers Male to Female 40 Way 200mm

Stock Code: 050-0034 - Breadboard Jumpers Male to Male 40 Way 200mm

Stock Code: 050-0035 - Breadboard Jumpers Female to Female 40 Way 200mm

Stock Code: 050-0036 - Breadboard Jumpers 140Pcs U Shape



Including Length: 2,5,7,10,12,15,17,20,22,25,50,75,100, and 125 mm (10pcs Each Length)

BREADBOARDS



Stock Code: 050-0037 - Breadboard 85X55 400 Point
Stock Code: 050-0038 - Single Breadboard
Stock Code: 050-0040 - Double Breadboard + Banana Socket
Stock Code: 050-0041 - Triple Breadboard + Banana Socket

BREADBOARD PSU



Stock Code: 050-0042 - Breadboard Power Module I=6-12VDC O=3.3 5VDC 700mA
Input Voltage: 6.5-12V (DC) Or USB Power Supply, Output Voltage: Switchable Between 5V And 3.3V, Maximum Output Current: 700mA

PC BOARDS



Stock Code: 050-0043 - PC Board Single Sided
Stock Code: 050-0044 - PC Board Double Sided
Stock Code: 050-0084 - PC Board Single Sided Full Sheet 1250x1095mm
Stock Code: 050-0089 - PC Board Double Sided Full Sheet 1250x1095mm



Stock Code: 050-0045 - Press-N-Peel Blue
PCB thermal transfer paper enables cost-effective, rapid prototyping. Simply print the circuit design onto its glossy surface using a laser printer. Then, with a hot iron, transfer the image onto the PCB

RASPBERRY PI HEATSHINK



Stock Code: 050-0066 - Raspberry Pi Heatsink Kit 3Pcs

VERO BOARD



Stock Code: 050-0067 - Vero Board 50x100mm
Stock Code: 050-0068 - Vero Board 75x100mm
Stock Code: 050-0069 - Vero Board 150x100mm
Stock Code: 050-0070 - Vero Board 300x100mm
Fiberglass Prototyping Stripped Circuit Board Thickness=1.5mm, Pitch=2.54mm, Hole Id=1mm


---

GREEN PROTO BOARD



Stock Code: 050-0071 - Green Proto Board 20x80mm
Board Size: 20 x 80mm, Pitch: 2.54mm (distance between holes), Base Material: FR4, Protoboard Type: Double Side, Board Thickness: 1.6mm, Hole Quantity: 6 x 28
Stock Code: 050-0072 - Green Proto Board 30x70mm
Base Material: FR – 4, Protoboard Type: Double Side, Board Size: 70 x 90mm, Board Thickness: 1.6mm, Hole Pitch: 2.54mm, Hole Quantity: 26 x 31, Net Weight: 72g
Stock Code: 050-0073 - Green Proto Board 40x60mm
Pitch (distance between holes): 2.54mm, Base Material: FR – 4, Protoboard Type: Double Side, Board Size: 4 x 6cm, Board Thickness: 1.6mm, Hole Quantity: 14 x 20
Stock Code: 050-0074 - Green Proto Board 50x70mm
Size: 50 x 100mm, Pitch: 2.54mm, Type: Single Sided

PROTO BOARD



Stock Code: 050-0075 - Proto Board 94x70mm
Stock Code: 050-0076 - Proto Board 160x115mm
Prototyping Printed Circuit Board / Matrix Dot Board 2.54 Pitch, No Tracks

---

COTT BOARD

Stock Code: 050-0077 - Cott Board

WEMOS



Stock Code: 050-0078 - Wemos D1 Mini WIFI V3 + ESP8266
CPU and Memory: Xtensa 32-bit LX6 Dua-core processor, up to 600 DMIPS, 448 Kbytes ROM, 520 Kbytes SRAM, 16 Kbytes SRAM in the RTC, QSPI can connect up to 4 x Flash/SRAM, each flash should be less than 16 Mbytes, Supply Voltage: 2.2 V-3.6 V
Stock Code: 050-0079 - Wemos D1 Mini PRO WIFI + ESP8266 + Antenna
Based on ESP-8266EX, Arduino compatible, use Arduino IDE for programming, 11XI / O pin, 1XADC pin (input 0-3.3V), Support OTA online, Onboard 5V 1A switching power supply (maximum input 24V)



Stock Code: 050-0080 - Wemos Uno WIFI D1R2 V2.1 ATMega328P+ESP8266
Stock Code: 050-0081 - Wemos Mega WIFI R3 ATMega2560 + ESP8266

MODULE CONVERTER



Stock Code: 050-0008 - Module Converter 4-20mA to 0-10V
Quick Spec: Input Signal: 0-20mA or 4-20mA. Output Range: 0-3.3V, 0-5V and 0-10V. Power Input Range: 7-36V

CONVERTERS / INTERFACE BOARDS



Stock Code: 050-0009 - USB Type B to RS485 Interface PC Board - FT232
Based on FTDI FT232 Chip.



Stock Code: 050-0060 - USB 2.0 Plug to RS485 Converter w/Screw Terminals
Driver Pinout 2 Wire.

DIODES & RECTIFIERS


AXIAL DIODES



Stock Code: 055-0001 - Axial Diode AA119 1N60P - 45V 350MA
Stock Code: 055-0002 - Axial Diode BYW56 - 1000V 2A
Stock Code: 055-0003 - Axial Diode P600K - 800V 6A
Stock Code: 055-0004 - Axial Diode 1N4007 - 800V 1A
Stock Code: 055-0005 - Axial Diode 1N4148 - 75V 150MA
Stock Code: 055-0006 - Axial Diode 1N5408 - 1000V 3A
Stock Code: 055-0007 - Axial Diode 1N914 - 75V 10MA
Stock Code: 055-0008 - Axial Diode P1000K - 1000V 10A
Stock Code: 055-0009 - Axial Diode UF4007 - U/F 75NS
Stock Code: 055-0010 - Axial Diode RL207 - 1000V 2A



SINGLE PHASE BRIDGE RECTIFIERS



Stock Code: 055-0011 - Bridge Rectifier Round 1A 400V
Stock Code: 055-0012 - Bridge Rectifier IC Type 1A
Stock Code: 055-0013 - Bridge Rectifier Inline 2A 600V
Stock Code: 055-0014 - Bridge Rectifier Inline 4A 500V
Stock Code: 055-0015 - Bridge Rectifier Inline 6A 600V
Stock Code: 055-0016 - Bridge Rectifier Square 6A 800V
Stock Code: 055-0017 - Bridge Rectifier Square 10A 800V
Stock Code: 055-0018 - Bridge Rectifier Square 25A 800 1000V
Stock Code: 055-0019 - Bridge Rectifier Square 35A 600 1000V
Stock Code: 055-0020 - Bridge Rectifier Square 50A 600V
Stock Code: 055-0134 - Bridge Rectifier 1 Phase 100A 1600V



3 PHASE BRIDGE RECTIFIERS



Stock Code: 055-0021 - Bridge Rectifier 3 Phase 35A 1600V
Stock Code: 055-0022 - Bridge Rectifier 3 Phase 50A 1600V
Stock Code: 055-0023 - Bridge Rectifier 3 Phase 70A 1600V
Stock Code: 055-0024 - Bridge Rectifier 3 Phase 100A 1200V

FAST RECOVERY DIODES



Stock Code: 055-0025 - Fast Recovery Diode BY299 - 800V 2A
Stock Code: 055-0026 - Fast Recovery Diode FR607 - 1000V 6A
Stock Code: 055-0027 - Fast Recovery Diode MR856 FR305 - 600V 3A
Stock Code: 055-0028 - Fast Recovery Diode 1N4937 - 600V 1A
Stock Code: 055-0133 - Ultrafast Dual Diode MUR1620 TO220 200V 16A CA

MICROWAVE DIODE



Stock Code: 055-0130 - Microwave Diode HVM12 12kV 350mA

SCHOTTKY DIODES



Stock Code: 055-0030 - Schottky Diode 1N5822 - 40V 3A
Stock Code: 055-0031 - Schottky Diode 1N5819 - 40V 1A
Stock Code: 055-0032 - Schottky Diode MBR1640 - 45V 16A
Stock Code: 055-0033 - Schottky Diode MBR1645 - 40V 16A
Stock Code: 055-0034 - Schottky Diode BAT85 - 30V 200MA
Stock Code: 055-0035 - Schottky Diode SB560 - 60V 5A

STUD MOUNT DIODES



Stock Code: 055-0036 - Stud Mount Diode 25PF120 / D25K Cathode - 1200V/1600V 25A
Stock Code: 055-0037 - Stud Mount Diode 25PFR120 / D25A Anode - 1200V/1600V 25A
Stock Code: 055-0038 - Stud Mount Diode 85A/95A 1800V Anode - 1800V/1200V 85A/95A
Stock Code: 055-0039 - Stud Mount Diode D85K/95K 1800V Cathode - 1800V/1200V 85A/95A
Stock Code: 055-0131 - Stud Mount Diode 240A 1800V Anode to 3/4 UNF
Stock Code: 055-0132 - Stud Mount Diode 240A 1800V Cathode to 3/4 UNF

ULTRA FAST DIODES



Stock Code: 055-0040 - Ultrafast Diode BYW29-100 200 - 200V 8A
Stock Code: 055-0041 - Ultrafast Diode BYV29 - 500 - 9A
Stock Code: 055-0042 - Ultrafast Dual Diode U30D20A CA - 200V 15A

ZENER DIODES





VOLTAGES	400MA	1.3W	5W
2V4	Stock Code: 055-0043	Stock Code: 055-0072	
2V7	Stock Code: 055-0044	Stock Code: 055-0072	
3V3	Stock Code: 055-0045	Stock Code: 055-0073	Stock Code: 055-0107
3V6	Stock Code: 055-0046	Stock Code: 055-0074	
3V9	Stock Code: 055-0047	Stock Code: 055-0075	
4V3	Stock Code: 055-0048	Stock Code: 055-0076	
4V7	Stock Code: 055-0049	Stock Code: 055-0077	Stock Code: 055-0108
5V1	Stock Code: 055-0050	Stock Code: 055-0078	Stock Code: 055-0109
5V6	Stock Code: 055-0051	Stock Code: 055-0079	Stock Code: 055-0110
6V2	Stock Code: 055-0052	Stock Code: 055-0080	Stock Code: 055-0111
6V8	Stock Code: 055-0053	Stock Code: 055-0081	Stock Code: 055-0112
7V5	Stock Code: 055-0054	Stock Code: 055-0082	Stock Code: 055-0113

PRODUCTS MAY VARY FROM PICTURES & SPECIFICATIONS

8V2	Stock Code: 055-0055	Stock Code: 055-0083	Stock Code: 055-0114
9V1	Stock Code: 055-0056	Stock Code: 055-0084	Stock Code: 055-0115
10V	Stock Code: 055-0057	Stock Code: 055-0085	Stock Code: 055-0116
11V	Stock Code: 055-0058	Stock Code: 055-0086	Stock Code: 055-0117
12V	Stock Code: 055-0059	Stock Code: 055-0087	Stock Code: 055-0118
13V	Stock Code: 055-0060	Stock Code: 055-0088	
15V	Stock Code: 055-0061	Stock Code: 055-0089	Stock Code: 055-0119
16V	Stock Code: 055-0062	Stock Code: 055-0090	Stock Code: 055-0120
18V	Stock Code: 055-0063	Stock Code: 055-0091	Stock Code: 055-0121
20V	Stock Code: 055-0064	Stock Code: 055-0092	Stock Code: 055-0122
22V	Stock Code: 055-0065	Stock Code: 055-0093	Stock Code: 055-0123
24V	Stock Code: 055-0066	Stock Code: 055-0094	Stock Code: 055-0124
27V	Stock Code: 055-0067	Stock Code: 055-0095	
30V	Stock Code: 055-0068	Stock Code: 055-0096	Stock Code: 055-0125
33V	Stock Code: 055-0069	Stock Code: 055-0097	Stock Code: 055-0126
36V	Stock Code: 055-0070	Stock Code: 055-0098	Stock Code: 055-0127
39V	Stock Code: 055-0071	Stock Code: 055-0099	Stock Code: 055-0128
47V		Stock Code: 055-0100	Stock Code: 055-0159
56V		Stock Code: 055-0101	
68V		Stock Code: 055-0102	
75V		Stock Code: 055-0103	
100V		Stock Code: 055-0104	
120V		Stock Code: 055-0105	
160V		Stock Code: 055-0106	

ELECTRIC

CHANGEOVER SWITCH

An electrical device that safely moves a home or business load from one power source to another, such as from the main utility grid to a generator or solar inverter.



Stock Code: 057-0001 - Hager SF263 Changeover Switch 2P 63A Din
Stock Code: 057-0055 - Hager SFT240 Changeover Switch 2P 40A Din
Stock Code: 057-0057 - SF219G Changeover Switch 2P 63A Din
Stock Code: 057-0073 - SF219G Changeover Switch 2P 40A Din

C CURVE MINI CIRCUIT BREAKER

A general-purpose protective device that trips magnetically at 5 to 10 times its rated current, making it ideal for circuits with moderate inrush (initial surge) currents.

1P



Stock Code: 057-0017 - Hager MA106Z C-Curve AC MCB 1P 6A 6KA
Stock Code: 057-0018 - Hager MA110Z C-Curve AC MCB 1P 10A 6KA
Stock Code: 057-0019 - Hager MA120Z C-Curve AC MCB 1P 20A 6KA
Stock Code: 057-0020 - Hager MA125Z C-Curve AC MCB 1P 25A 6KA
Stock Code: 057-0052 - Hager MA132Z C-Curve AC MCB 1P 32A 6KA
Stock Code: 057-0021 - Hager MA140Z C-Curve AC MCB 1P 40A 6KA
Stock Code: 057-0022 - Hager MA163Z C-Curve AC MCB 1P 63A 6KA

2P



Stock Code: 057-0023 - Hager MA206Z C-Curve AC MCB 2P 6A 6KA
Stock Code: 057-0024 - Hager MA210Z C-Curve AC MCB 2P 10A 6KA
Stock Code: 057-0025 - Hager MA220Z C-Curve AC MCB 2P 20A 6KA
Stock Code: 057-0026 - Hager MA225Z C-Curve AC MCB 2P 25A 6KA
Stock Code: 057-0027 - Hager MA240Z C-Curve AC MCB 2P 40A 6KA
Stock Code: 057-0054 - Hager MA250Z C-Curve AC MCB 2P 50A 6KA
Stock Code: 057-0028 - Hager NFN263Z C-Curve AC MCB 2P 63A 6KA

Stock Code: 057-0083 - Chint AC MCB 2P 40A 6KA

1PH+N



Stock Code: 057-0101 - Hager MJT710 C-Curve AC MCB 1PH+N 10A 4.5KA
Stock Code: 057-0102 - Hager MJT716 C-Curve AC MCB 1PH+N 16A 4.5KA
Stock Code: 057-0103 - Hager MJT720 C-Curve AC MCB 1PH+N 20A 4.5KA
Stock Code: 057-0104 - Hager MJT725 C-Curve AC MCB 1PH+N 25A 4.5KA
Stock Code: 057-0105 - Hager MJT732 C-Curve AC MCB 1PH+N 32A 4.5KA
Stock Code: 057-0106 - Hager MJT740 C-Curve AC MCB 1PH+N 40A 4.5KA

D CURVE MINI CIRCUIT BREAKER

A specialized electrical protection device designed to trip magnetically at 10 to 20 times its rated nominal current.

1P



Stock Code: 057-0005 - Hager NGN106 D-Curve AC MCB 1P 6A
Stock Code: 057-0006 - Hager NGN110 D-Curve AC MCB 1P 10A
Stock Code: 057-0007 - Hager NGN120 D-Curve AC MCB 1P 20A
Stock Code: 057-0008 - Hager NGN125 D-Curve AC MCB 1P 25A
Stock Code: 057-0051 - Hager NGN132 D-Curve AC MCB 1P 32A
Stock Code: 057-0009 - Hager NGN140 D-Curve AC MCB 1P 40A
Stock Code: 057-0010 - Hager NGN163 D-Curve AC MCB 1P 63A

2P



Stock Code: 057-0011 - Hager NGN206 D-Curve AC MCB 2P 6A
Stock Code: 057-0012 - Hager NGN210 D-Curve AC MCB 2P 10A
Stock Code: 057-0013 - Hager NGN220 D-Curve AC MCB 2P 20A
Stock Code: 057-0014 - Hager NGN225 D-Curve AC MCB 2P 25A
Stock Code: 057-0015 - Hager NGN240 D-Curve AC MCB 2P 40A
Stock Code: 057-0016 - Hager NGN263 D-Curve AC MCB 2P 63A

DC MINI CIRCUIT BREAKER

Protects direct current circuits, battery banks, and solar photovoltaic (PV) systems from overloads and short circuit.



Stock Code: 057-0033 - DC MCB 2P 10A 6KA 550VDC
Stock Code: 057-0034 - DC MCB 2P 16A 6KA 550VDC
Stock Code: 057-0035 - DC MCB 2P 20A 6KA 550VDC
Stock Code: 057-0036 - DC MCB 2P 32A 6KA 550VDC
Stock Code: 057-0037 - DC MCB 2P 40A 6KA 550VDC
Stock Code: 057-0038 - DC MCB 2P 63A 6KA 550VDC

EARTH LEAKAGE

A safety device that automatically cuts off power when it detects electrical current leaking to the ground, protecting people from electric shock and reducing fire hazards.



Stock Code: 057-0002 - Hager CD264J Earth Leakage 1P+N 63A

AC ISOLATOR

A manual safety switch that completely disconnects an air conditioning unit or circuit from its power source.



Stock Code: 057-0003 - Hager SBN163 Isolator 1P 63A
Stock Code: 057-0004 - Hager SBN263 Isolator 2P 63A

DB STICKER BOOK



Stock Code: 057-0031 - Electricians DB Board Sticker Booklet
Stock Code: 057-0087 - Electricians DB Cover Sticker Sheet

AC SPD'S (SURGE PROTECTOR)

An AC Surge Protection Device (SPD) is a safety device that limits transient overvoltage's and diverts excess current from lightning strikes or grid switching away from your electrical equipment.



Stock Code: 057-0029 - Dehnguard 900453 Basic TT 2P SPD 5KA 340V
Stock Code: 057-0030 - Dehnguard 900454 Basic TT 2P SPD 10KA 340V
Stock Code: 057-0063 - Chint SPD 2P 40KA 380V
Stock Code: 057-0107 - NUR AC SPD 2P 40KA 275VAC

DC SPD'S (SURGE PROTECTOR)

An electrical safety device that clamps transient overvoltage's and diverts lightning or surge currents safely to the ground in direct current systems.



Stock Code: 057-0039 - SPD 2 Pole 20-40KA 500/600VDC
Stock Code: 057-0077 - ZBeny DC SPD 2 Pole 20-40KA 600VDC
Stock Code: 057-0095 - SunTree DC SPD 2 Pole 20-40KA 500VDC
Stock Code: 057-0096 - SunTree DC SPD 2 Pole 20-40KA 600VDC
Stock Code: 057-0097 - SunTree DC SPD 2 Pole 20-40KA 800VDC

DISTRIBUTION BOXES



Stock Code: 057-0040 - Distribution Board Plastic Surface 4 Way
Stock Code: 057-0041 - Distribution Board Plastic Surface 6 Way
Stock Code: 057-0042 - Distribution Board Plastic Surface 10 Way
Stock Code: 057-0045 - Distribution Board Weatherproof IP65 12 Way
Stock Code: 057-0053 - Distribution Board Plastic Surface 12 Way
Stock Code: 057-0043 - Distribution Board Plastic Surface 15 Way
Stock Code: 057-0067 - Distribution Board Plastic Surface 18 Way
Stock Code: 057-0044 - Distribution Board Plastic Surface 36 Way

---

SURGE PROTECTION JUNCTION BOX



Stock Code: 057-0046 - Surge Protection Junction Box PV Array 500VDC 16A
2 x Inputs, 2 x Outputs, 2 x 500VDC 16A MCB, 2 x SPD 500VDC 20KA, 4 x Fuses 1000VDC 16A + Earth Bolt

---

LIGHT BULB



Stock Code: 057-0090 - Light Bulb 12-85VDC/AC E27 5W 4000K

ANALOGUE TIMER SWITCH



Stock Code: 057-0047 - Hager EH109 Analogue Time Switch 24Hr 3 Mode
Stock Code: 057-0048 - Hager EH011 Analogue Time Switch 24Hr 1 Mode

---

BUSBAR

A thick metallic strip or bar—usually made of copper or aluminum—used to conduct, collect, and distribute high-current electricity inside switchboards, distribution boards, substations, and battery banks.



Stock Code: 057-0049 - Hager KB190C Busbar 1P Insulated
Stock Code: 057-0050 - Hager KB263C Busbar 2P Insulated


COPPER EARTH SPIKE

A metal rod—typically 1.2m to 1.8m long—driven into the soil to provide a safe, low-resistance electrical path to the ground. It protects systems like distribution boards and electric fences from electrical surges, lightning, and shocks.



Stock Code: 057-0056 - Copper Earth Spike 1.2M x M16

TRUNKING





Stock Code: 057-0058 - Trunking 100x75x3000mm CLT/5 Grey
Stock Code: 057-0064 - Trunking 75x75x3000mm CLT/3 Grey
Stock Code: 057-0084 - Trunking 100x50x3000mm CLT/4 White
Stock Code: 057-0088 - Trunking 40x25x3000mm White
Stock Code: 057-0086- Slotted PVC Trunking 6mm Slot 40x60 Grey

---

TRUNKING END CAP



Stock Code: 057-0059 - Trunking End Cap for 100x75 CLT/5 Grey
Stock Code: 057-0065- Trunking End Cap for 75x75 CLT/3 Grey
Stock Code: 057-0085 - Trunking End Cap for 100x50 CLT/4 White
Stock Code: 057-0089 - Trunking End Cap 40x25mm White

PVC ADAPTOR



Stock Code: 057-0060- PVC Adaptor 20mm Male White
Stock Code: 057-0061 - PVC Adaptor 25mm Male White
Stock Code: 057-0062 - PVC Adaptor 32mm Male White

HAGER INDICATOR



Stock Code: 057-0066 - Hager SVN126 Green & Red Indicator Light 230VAC
Stock Code: 057-0071 - Hager SVN121 Green Indicator Light 230VAC
Stock Code: 057-0072 - Hager SVN122 Red Indicator Light 230VAC

HAGER CONTACTOR

Modular and industrial switching devices designed to control electrical loads safely and efficiently in residential, commercial, and industrial installations.



Stock Code: 057-0068 - Hager ESC225 Contactor 230VAC 25A 2NO
Stock Code: 057-0069 - Hager ESC226 Contactor 230VAC 25A 2NC
Stock Code: 057-0070 - Hager ESC227 Contactor 230VAC 25A 1NO + 1NC

BOSAL CONDUIT

To protect and route electrical wiring.



Stock Code: 057-0078 - Bosal Conduit 20mm x 4m Galvanized
Stock Code: 057-0079 - Bosal Bend 20mm Galvanized 90 Degree
Stock Code: 057-0080 - Bosal Coupling 20mm Galvanized
Stock Code: 057-0081 - Bosal Male Adaptor 20mm Galvanized
Stock Code: 057-0082 - Bosal Saddle Strap 20mm Galvanized



CONTACTORS

Electromechanical switches used to safely control high-current electrical loads like AC motors, pumps, and heating systems from a remote signal.



Stock Code: 057-0091 - Chint NCH8-63M Contactor 230VAC 63A 2NO + 2NC
Stock Code: 057-0108 - Chint NCH8-20/11 Contactor 230VAC 20A 2P 1NO + 1NC

LUMENO BUSBAR

Heavy-duty electrical busbars designed for clean, safe power distribution in dual-battery systems, trailers, off-grid solar setups, and automotive applications.



Stock Code: 057-0093 - Lumeno Busbar 250A Positive Red
Stock Code: 057-0094 - Lumeno Busbar 250A Negative Black

VOLTAGE PROTECTOR

Over Under Voltage Protection Current Limit Din Rail Mount



Stock Code: 057-0098 - TOMZN Voltage Protector 230V Over/Under Voltage
Stock Code: 057-0099 - TOMZN Voltage Protector 3 Phase Over/Under Voltage

---

PVC CONDUIT

A rigid, non-metallic protective tube used to route and shield electrical wires in residential, commercial, and light industrial buildings.



Stock Code: 057-0100 - PVC Conduit 20mm x 4m White

ENCLOSURES

COMPONENT DRAWS



Stock Code: 060-0001 - Component Drawer 1D Single
Stock Code: 060-0002 - Component Drawer 2D Dual
Stock Code: 060-0003 - Component Drawer 3D Triple

JUNCTION BOX



Stock Code: 060-0004 - Junction Box IP55 Rubber Glands White 80x50mm
Stock Code: 060-0005 - Junction Box IP55 20mm Knock Outs White 100x100x70- 20mm Knockouts
Stock Code: 060-0006 - Junction Box IP55 20mm Knock Outs White 150x110x70 - 20mm Knockouts

---

OUTLET SOCKET ENCLOSURE



Stock Code: 060-0075 - Junction Box IP55 Rubber Glands White 80x50mm
173mm x 130mm x 88mm 4x4 Plug Socket Included IP65
Stock Code: 060-0071 - Enclosure PSO-1 Socket Outlet Box + Single Socket
85mm x 130mm x 70mm, 4x2 Plug Socket Included, IP65

POTTING BOXES



Stock Code: 060-0007 - Plastic Enclosure Potting Black 68x45x17mm
Stock Code: 060-0008 - Plastic Enclosure Potting White 68x45x17mm
Stock Code: 060-0009 - Plastic Enclosure POT2 Black 77x50x17mm

---

A SERIES ENCLOSURES



Stock Code: 060-0010 Plastic Enclosure A1 Black No Ears 71x50x33mm
Stock Code: 060-0011 - Plastic Enclosure A1 Black Mount Ears 71x50x33mm
Stock Code: 060-0012 - Plastic Enclosure A2 Black Mount Ears 91x61x39mm
Stock Code: 060-0013 - Plastic Enclosure A3 Black Mount Ears 111x70x47mm
Stock Code: 060-0014 - Plastic Enclosure A4 Black Mount Ears 130x81x47mm

---

E SERIES ENCLOSURES



Stock Code: 060-0015 - Plastic Enclosure E06 Clear 67x46x17mm
Stock Code: 060-0016 - Plastic Enclosure E06 Black 67x47x17mm
Stock Code: 060-0017 - Plastic Enclosure E10 E11 Black 107x57x20mm
Stock Code: 060-0018 - Plastic Enclosure E20 Black 107x57x34mm
Stock Code: 060-0019 - Plastic Enclosure E30 Black 167x102x30mm
Stock Code: 060-0020 - Plastic Enclosure E45 Black 157x95x48mm
Stock Code: 060-0021 - Plastic Enclosure E55 Black 194x114x71mm

PLASTIC ENCLOSURES



Stock Code: 060-0022 - Plastic Enclosure G1 Black 82x32x16mm
Stock Code: 060-0023 - Plastic Enclosure J1 Black 25x15x12mm
Stock Code: 060-0024 - Plastic Enclosure J2 Black 37x17x18m
Stock Code: 060-0025 - Plastic Enclosure J3 Black 34x34x17mm
Stock Code: 060-0026 - Plastic Enclosure J5 Black 57x57x18mm
Stock Code: 060-0027 - Plastic Enclosure M10 Black 54x39x20mm
Stock Code: 060-0228 - Plastic Enclosure RC2 Black 56x31x14mm
Stock Code: 060-0072 - Plastic Enclosure Black SL 60x49x19mm

S SERIES ENCLOSURES



Stock Code: 060-0029 - Plastic Enclosure S10 Black 79x50x25mm
Stock Code: 060-0030 - Plastic Enclosure S10 White 79x50x25mm
Stock Code: 060-0031 - Plastic Enclosure S20 E25 Black 119x58x38mm
Stock Code: 060-0032 - Plastic Enclosure S30 Black 93x93x44mm
Stock Code: 060-0033 - Plastic Enclosure S40 Black 144x84x46mm
Stock Code: 060-0034 - Plastic Enclosure S50 Black 189x105x55mm
Stock Code: 060-0035 - Plastic Enclosure S50 White 189x105x55mm
Stock Code: 060-0036 - Plastic Enclosure S100 White 210x132x50mm

PSU / BATTERY ENCLOSURES



Stock Code: 060-0037 - Plastic Battery Enclosure Cream 168x79x23mm
Stock Code: 060-0038 - Plastic Enclosure PSU 1 Box White
Incorporates special compartment for 12V battery & slots for PC Boards
Stock Code: 060-0039 - Plastic Enclosure DC1 15A Plug Box Black 93x55x49mm

CLIP IN LID ENCLOSURES



Stock Code: 060-0040 - Plastic Enclosure Small Clip in Lid Black 46x29x20mm
Stock Code: 060-0041 - Plastic Enclosure Small Clip in Lid Black 36x23x15mm

RUBBER FEET





Stock Code: 060-0042 - Rubber Feet Stick On 12x12x5mm
Stock Code: 060-0043 - Rubber Feet 12.5mm Screw
Stock Code: 060-0044 - Rubber Feet 16.8mm Screw
Stock Code: 060-0045 - Rubber Feet 20mm Screw
Stock Code: 060-0046 - Rubber Feet Stick On 20x14x76mm

WATERPROOF ENCLOSURES







Stock Code: 060-0048 - Waterproof Enclosure CA19-3 White 240x190x90mm
Stock Code: 060-0049 - Waterproof Enclosure CA20-1 White 190x140x70mm
Stock Code: 060-0050- Waterproof Camera Enclosure CA21 White 115x115x48
Stock Code: 060-0051 - Waterproof Camera Enclosure CA21-1 White
Stock Code: 060-0052 - Waterproof Enclosure CA21-2 White 100x100x50mm
Stock Code: 060-0053 - Waterproof Enclosure CA22-1 White 150x110x70mm
Stock Code: 060-0054 - Waterproof Enclosure CA59 White 150x150x70mm
Stock Code: 060-0055 - Waterproof Enclosure CA60 White 300x220x120mm
Stock Code: 060-0056 - Waterproof Enclosure EIHJ8DB Cream
Stock Code: 060-0057 - Waterproof Enclosure EIHJ8FL Cream 222x204x88mm
Stock Code: 060-0058 - Waterproof Enclosure EIHJ9FL Cream 172x160x68mm
Stock Code: 060-0059 - Waterproof Enclosure EIHJ11UV Cream 106x106x60mm
Stock Code: 060-0060 - Waterproof Enclosure EIHJ17FL Cream 120x120x58mm
Stock Code: 060-0061 - Waterproof Enclosure 11-18(F14) Cream 120x80x64mm
Stock Code: 060-0062 - Waterproof Enclosure Allbro Camera Nest White
Stock Code: 060-0063 - Waterproof Enclosure IP65 Grey 100x100x70mm IP65
Stock Code: 060-0065 - Waterproof Enclosure IP65 Clear 150x150x80 IP65
Stock Code: 060-0066 - Waterproof Enclosure IP65 Grey 250x200x100 IP65
Stock Code: 060-0067 - Waterproof Enclosure IP65 Grey 175x125x70mm IP65
Stock Code: 060-0068 - Waterproof Enclosure IP65 Grey 200x155x100 IP65
Stock Code: 060-0069 - Waterproof Enclosure IP65 300x250x130mm IP65
Stock Code: 060-0070 - Waterproof Enclosure IP65 400x350x130mm IP65
Stock Code: 060-0076 - Waterproof Enclosure IP65 Grey 350x300x130 IP65

FANS & THERMAL MANAGEMENT

AXIAL FANS

- A VAPO fan typically refers to a DC cooling fan using patented Vapo-bearing (or MagLev Vapo) technology.
- A SLEEVE BEARING FAN is a type of cooling fan that uses a lubricated, smooth cylindrical metal or plastic tube (the sleeve) to support and guide the rotating motor shaft, rather than using rolling metal balls like a ball bearing fan.
- A BALL BEARING FAN uses tiny steel balls around the central shaft to reduce friction, making it much more durable than a basic sleeve bearing fan.



25MM

Stock Code: 065-0003 - Fan 25x25x10mm 5V 2 Wire

30MM

Stock Code: 065-0004 - Fan 30x30x6mm 5V 2 Wire
Stock Code: 065-0060 - Fan 30x30x10mm 5V 2 Wire
Stock Code: 065-0005 - Fan 30x30x10mm 12V 3 Wire

40MM

Stock Code: 065-0006 - Fan 40x40x10mm 5V
Stock Code: 065-0007 - Fan 40x40x10mm 5V 3 Wire
Stock Code: 065-0008 - Fan 40x40x10mm 12V 3 Wire
Stock Code: 065-0009 - Fan 40x40x10mm 12V 2 Wire
Stock Code: 065-0010 - Fan 40x40x20mm 24V
Stock Code: 065-0011 - Fan 40x40x20mm 24V 3 Wire

50MM

Stock Code: 065-0012 - Fan 50x50mm 12V 3 Wire
Stock Code: 065-0013 - Fan 50x50x10mm 12V 2 Wire
Stock Code: 065-0014 - Fan 50x50x15mm 24V 2 Wire

60MM

Stock Code: 065-0015 - Fan 60x60x15mm 12V
Stock Code: 065-0061- Fan 60x60x25mm 12V
Stock Code: 065-0016 - Fan 60x60x10mm 12V 3 Wire
Stock Code: 065-0062 - Fan 60x60x25mm 12V 3 Wire
Stock Code: 065-0017 - Fan 60x60x15mm 24V Vapo
Stock Code: 065-0063 - Fan 60x60x25mm 24V Sleeve

80MM

Stock Code: 065-0018 - Fan 80x80x25mm 12V
Stock Code: 065-0059 - Fan 80x80x25mm 12V 3 Wire
Stock Code: 065-0019 - Fan 80x80x25mm 24V Sleeve Bearing
Stock Code: 065-0020 - Fan 80x80mm 24V Ball Bearing
Stock Code: 065-0021 - Fan 80x80mm 115V
Stock Code: 065-0022 - Fan 80x80x38mm 220V Sleeve Bearing
Stock Code: 065-0023 - Fan 80x80x38mm 220V Ball Bearing

92MM

Stock Code: 065-0024 - Fan 92x92x25mm 12V Vapo Sleeve Bearing
Stock Code: 065-0025 - Fan 92x92mm 12V Ball Bearing
Stock Code: 065-0026 - Fan 92x92x25mm 24V
Stock Code: 065-0027 - Fan 92x92mm 115V
Stock Code: 065-0028 - Fan 92x92x25mm 220V Ball Bearing

120MM

Stock Code: 065-0029 - Fan 120x120x25mm 12V 2 Wire
Stock Code: 065-0030 - Fan 120x120x25mm 12V Sleeve Bearing 3 Wire
Stock Code: 065-0057 - Fan 120x120x38mm 12V Brushless Sleeve Bearing
Stock Code: 065-0031 - Fan 120x120x38mm 12V Ball Bearing
Stock Code: 065-0057 - Fan 120x120x25mm 24V Ball Bearing
Stock Code: 065-0032 - Fan 120x120mm 24V Vapo
Stock Code: 065-0033 - Fan 120x120x38mm 24V Ball Bearing
Stock Code: 065-0034 - Fan 120x120mm 48V
Stock Code: 065-0035 - Fan 120x120mm 115V Ball Bearing
Stock Code: 065-0036 - Fan 120x120mm 220V Sleeve Bearing
Stock Code: 065-0037 - Fan 120x120x38mm 220V Ball Bearing



172X150X55MM

Stock Code: 065-0058 - Fan 172x150x55mm 220V (Flat Sides)



250X76MM

Stock Code: 065-0040 - Fan 250x76MM 220V Ball Bearing 186CFM 950RPM Wires



254X89MM

Stock Code: 065-0041 - Fan 254x89mm 220V Ball Bearing 600CFM 2100RPM Term



FAN METAL GRILLS

Stock Code: 065-0042 - Fan Metal Grill 40mm
Stock Code: 065-0056 - Fan Metal Grill 50mm
Stock Code: 065-0043 - Fan Metal Grill 60mm
Stock Code: 065-0044 - Fan Metal Grill 80mm
Stock Code: 065-0045 - Fan Metal Grill 92mm
Stock Code: 065-0046 - Fan Metal Grill 119mm
Stock Code: 065-0047 - Fan Metal Grill 170x150x55mm
Stock Code: 065-0048 - Fan Metal Grill 250x76m



FAN FILTER PLASTIC

Stock Code: 065-0049 - Fan Filter Plastic 40mm
Stock Code: 065-0050 - Fan Filter Plastic 50mm
Stock Code: 065-0051 - Fan Filter Plastic 60mm
Stock Code: 065-0052 - Fan Filter Plastic 80mm
Stock Code: 065-0053 - Fan Filter Plastic 92mm
Stock Code: 065-0054 - Fan Filter Plastic 120mm



FAN ACCESSORIES



Stock Code: 065-0002 - Fan Plug 1m

PELTIER



Stock Code: 065-0055 - Peltier Cooler 12V 6A 40x40mm

FILTERS

EMI FILTERS

An electronic device placed between a power source and equipment to block or divert unwanted high-frequency noise.



Stock Code: 070-0001 - EMI Filter IEC Plug Panel Mount 6A
Stock Code: 070-0002 - EMI Filter Mains Inline Chassis Mount 6A

FERRITE CORE EMI SUPRESSORS

magnetic components used to block or absorb high-frequency electromagnetic interference (EMI) and radio frequency interference (RFI) on electrical and signal cables.




Stock Code: 070-0003 - Ferrite Core EMI Suppressor ID 8mm
Stock Code: 070-0004 - Ferrite Core EMI Suppressor 9x19x35mm
Stock Code: 070-0005 - Ferrite Core EMI Suppressor 13.5x23x36mm

---

FUSES & FUSE HOLDERS

BI-PIN FUSES Voltage: 250VAC, Pin Spacing: 5.08mm






Stock Code: 075-0001 – Bi-Pin Fuse 100mA
Stock Code: 075-0002 – Bi-Pin Fuse 125mA
Stock Code: 075-0003 – Bi-Pin Fuse 160mA
Stock Code: 075-0004 – Bi-Pin Fuse 250mA
Stock Code: 075-0005 – Bi-Pin Fuse 315mA
Stock Code: 075-0006 – Bi-Pin Fuse 400mA
Stock Code: 075-0007 – Bi-Pin Fuse 450mA
Stock Code: 075-0008 – Bi-Pin Fuse 500mA
Stock Code: 075-0204 – Bi-Pin Fuse 1A
Stock Code: 075-0009 – Bi-Pin Fuse 1.25A
Stock Code: 075-0010 – Bi-Pin Fuse 1.6A
Stock Code: 075-0011 – Bi-Pin Fuse 2A
Stock Code: 075-0012 – Bi-Pin Fuse 2.5A
Stock Code: 075-0013 – Bi-Pin Fuse 3.15A
Stock Code: 075-0014 – Bi-Pin Fuse 4A
Stock Code: 075-0015 – Bi-Pin Fuse 5A
Stock Code: 075-0016 – Bi-Pin Fuse 6.3A

MINI BLADE FUSES 32V, 10.9 x 15.8mm






Stock Code: 075-0017 - Mini Blade Fuse 2A Grey
Stock Code: 075-0018 - Mini Blade Fuse 3A Purple
Stock Code: 075-0019 - Mini Blade Fuse 4A Pink
Stock Code: 075-0020 - Mini Blade Fuse 5A Brown
Stock Code: 075-0021 - Mini Blade Fuse 7.5A Black
Stock Code: 075-0022 - Mini Blade Fuse 10A Red
Stock Code: 075-0023 - Mini Blade Fuse 15A Blue
Stock Code: 075-0024 - Mini Blade Fuse 20A Yellow
Stock Code: 075-0025 - Mini Blade Fuse 30A Green

BLADE FUSES 32V, 19x18.5x5mm





Stock Code: 075-0234 - Blade Fuse 1A
Stock Code: 075-0026 - Blade Fuse 2A
Stock Code: 075-0027 - Blade Fuse 3A
Stock Code: 075-0028 - Blade Fuse 5A
Stock Code: 075-0029 - Blade Fuse 7.5A
Stock Code: 075-0030 - Blade Fuse 10A
Stock Code: 075-0031 - Blade Fuse 15A
Stock Code: 075-0032 - Blade Fuse 20A
Stock Code: 075-0033 - Blade Fuse 25A

Stock Code: 075-0034 - Blade Fuse 30A
Stock Code: 075-0256 - Blade Fuse 35A Purple
Stock Code: 075-0227 - Blade Fuse 40A
Stock Code: 075-0262 - Blade Fuse 50A


BLADE FUSE BOX SET



Stock Code: 075-0268- ATC Blade Fuse Box Set 120pcs
10 x 5A, 20 x 10A, 20 x 20A, 20 x 30A, 10 x 7.5A, 20 x 15A, 20 x 25A and 1 x Fuse Puller.
Stock Code: 075-0269 - Mini Blade Fuse Box Set 120pcs
10 x 5A, 20 x 10A, 20 x 20A, 20 x 30A, 10 x 7.5A, 20 x 15A, 20 x 25A and 1 x Fuse Puller.

LET FUSES

High Speed British Standard Fuse, 200 kA, Blade End x Blade End, Stud Mount



Stock Code: 075-0188 - Eaton Bussmann Fuse 55x18mm 125LET 240VAC 125A
Stock Code: 075-0261 - Bussmann Fuse 55x18mm 63LET 240VAC / 150VDC 63A

BUSSMAN FUSES 10X38



Stock Code: 075-0035 - Bussmann Fuse 10x38mm 440mA
Stock Code: 075-0036 - Bussmann Fuse 10x38mm 460mA
Stock Code: 075-0037 - Bussmann Fuse 10x38mm 1A
Stock Code: 075-0038 - Bussmann Fuse 10x38mm 2A
Stock Code: 075-0039 - Bussmann Fuse 10x38mm 10A
Stock Code: 075-0040 - Bussmann Fuse 10x38mm 11A
Stock Code: 075-0041 - Bussmann Fuse 15A

DC CERAMIC FUSE 10X38



Stock Code: 075-0195 - DC Ceramic Fuse 10x38 33KA 1000VDC 10A
Stock Code: 075-0182 - DC Ceramic Fuse 10x38 33KA 1000VDC 15A / 16A
Stock Code: 075-0196 - DC Ceramic Fuse 10x38 33KA 1000VDC 20A
Stock Code: 075-0197 - DC Ceramic Fuse 10x38 33KA 1000VDC 25A
Stock Code: 075-0198 - DC Ceramic Fuse 10x38 33KA 1000VDC 32A

AC CERAMIC FUSE 10X38



Stock Code: 075-0042 - AC Ceramic Fuse 10x38mm 100KA 500VAC 1A
Stock Code: 075-0043 - AC Ceramic Fuse 10x38mm 100KA 500VAC 2A
Stock Code: 075-0044 - AC Ceramic Fuse 10x38mm 100KA 500VAC 4A
Stock Code: 075-0179 - AC Ceramic Fuse 10x38mm 100KA 500VAC 6A
Stock Code: 075-0045 - AC Ceramic Fuse 10x38mm 100KA 500VAC 8A
Stock Code: 075-0046 - AC Ceramic Fuse 10x38mm 100KA 500VAC 10A
Stock Code: 075-0047 - AC Ceramic Fuse 10x38mm 100KA 500VAC 12A
Stock Code: 075-0048 - AC Ceramic Fuse 10x38mm 100KA 500VAC 16A
Stock Code: 075-0049 - AC Ceramic Fuse 10x38mm 100KA 500VAC 25A
Stock Code: 075-0050 - AC Ceramic Fuse 10x38mm 100KA 500VAC 32A

CERAMIC FUSE 22X58



Stock Code: 075-0210 - Ceramic Fuse 32A 22X58
Stock Code: 075-0211 - Ceramic Fuse 50A 22X58
Stock Code: 075-0209 - Ceramic Fuse 80A 22X58
Stock Code: 075-0207 - Ceramic Fuse 125A 22X58

FUSE DISCONNECT



Stock Code: 075-0181 - Fuse Disconnect NH00 NH000 3P 160A 440VDC
NO FUSES INCLUDED
Overall width: 106mm System size: 195mm Terminals: M8 lugs with cable area from 25-95mm2



Stock Code: 075-0186 - Jean Muller KETO1 Fuse Disconnect 2P NH1+200A Fuse
200A FUSES INCLUDED. 2 Pole. Add robust and secure battery disconnection. They are well known for their attention to detail in Ensuring maximum user safety. Maximum DC current: 250A DC voltage rating: 440V Dimensions (W x H x D): 138 x 298 x 117mm Terminals: M10 lugs with cable area from 25-150mm2 Installation: DIN rail mountable



Stock Code: 075-0202 - Inge DNH7-400 Fuse Disconnect NH2 3P 48VDC 400A
Use NH02 200A-400A blade fuse. 50kA Rating

Stock Code: 075-0216 - GRL DNH7-250/30 Fuse Disconnect 3P NH1 + 200A Fuse
200A FUSES INCLUDED. 3 Pole. Maximum DC current: 250A. Voltage Rating: 400VAC or 48VDC. Dimensions (W x H x D): 184 x 268 x 116mm
Terminals: M10 lugs with cable area from 25-150mm2 Installation: DIN rail mountable



Stock Code: 075-0217 - Mersen Multibloc Fuse Disconnect 3P NH1+200A Fuses
200A FUSES INCLUDED. 3 Pole. Maximum DC current: 250A. Voltage rating: 690VAC. Terminals: M10 lugs with cable area from 25-150mm2 Dimensions (W x H x D): 185 x 238 x 110.5mm

Stock Code: 075-0219 - Mersen Multibloc Fuse Disconnect 3P NH00 160A
NO FUSES INCLUDED



Stock Code: 075-0224 - Apator RBK 2 pro Fuse Disconnect 3P NH2 400A
NO FUSES INCLUDED

Stock Code: 075-0226 - GRL DNH1-160/30G Fuse Disconnect 3P NH00
NO FUSES INCLUDED

Stock Code: 075-0230 - Mersen Multibloc Fuse Disconnect 3P NH2 NO FUSES

NO FUSES INCLUDED. 3 Pole. Maximum DC current: 400A. Voltage rating: 690VAC. Terminals: M10 lugs with cable area from 70-240mm2 Dimensions (W x H x D): 205 x 251 x 130mm with cable area from 70-240mm2 Dimensions (W x H x D): 205 x 251 x 130mm

Stock Code: 075-0231 - Federal FHS160 Fuse Disconnect 3P NH00 160A

NO FUSES INCLUDED

Stock Code: 075-0259- Jean Muller Fuse Disconnect 3P NH00 160A


NO FUSES INCLUDED



Stock Code: 075-0273 - Jean Muller Fuse Disconnect 2P NH2 / NH3 630A

NO FUSES INCLUDED

FUSE HOLDER PIN SETS



Stock Code: 075-0189 - Fuse Holder 10x38 Pin Set

For DF Electric 10x38 Fuse Holder. 1 x Handle Pin and 2 x Body Pins. To make double pole, triple pole etc.

Stock Code: 075-0199 - Fuse Holder 22x58 Pin Set

For DF Electric 22x58 Fuse Holder. 1 x Handle Pin and 2 x Body Pins. To make double pole, triple pole etc.

FUSE BOX

Current per fuse: up to 30 amp, Current per box: up to 100 amp



Stock Code: 075-0205 - Fuse Box 6 Way

Stock Code: 075-0206 - Fuse Box 12 Way 32VDC



Stock Code: 075-0275 - Fuse Box 4 Way (No Fuses Incl.)

Voltage up to 30VDC, Current up to 40A, 6.3mm Fuse Port, 86x53x42mm, Mounting Holes Diameter: 5mm, Mounting Holes Distance: 78mm.

Stock Code: 075-0276 - Fuse Box 10 Way (No Fuses Incl.)

Voltage up to 30VDC, Current up to 40A.

FUSE HOLDERS



Stock Code: 075-0051 - Fuse Holder PCB Clip 5x20

Tin Plated Fuse Clip with Ear and PCB Lug, 15A 250V, Pitch 6.75mm

Stock Code: 075-0052 - Fuse Holder PCB Clip 6x32

Tin Plated Fuse Clip with Ear and PCB Lug, 15A 250V, Pitch 6.75mm

Stock Code: 075-0053 - Fuse Holder PCB 5x20

Suitable Rated Current: 6.3A 250V, Pitch 22.6mm



Stock Code: 075-0054 - Fuse Holder 5x20 White & Red Inline (Rated Current: 10A)



Stock Code: 075-0055 - Fuse Holder 6x32 White & Red Inline (Rated Current: 5A)

Stock Code: 075-0056 - Fuse Holder 5x20 Bakelite Inline (10A 250V)



Stock Code: 075-0057 - Fuse Holder 6x32 Bakelite Inline (20A 250V)

Stock Code: 075-0058 - Fuse Holder 5x20 Panel Mount

M13 Stadium Shape Hole P/Mount Screw Type Body 5X20mm, Screw Cap, Polarized, Oval, Anti Rotate Carrier, 10A 250V



Stock Code: 075-0059 - Fuse Holder 6x32 Panel Mount

M13 Stadium Shape Hole P/Mount Screw Type Body 6x32mm, Screw Cap, Polarized, Oval, Anti Rotate Carrier, 10A 250V

Stock Code: 075-0060 - Fuse Holder Blade Inline Standard Blade (Rated Current: 30A)

Stock Code: 075-0277 - Fuse Holder Mini Blade Inline (Rated Current: 30A)



Stock Code: 075-0061 - Fuse Holder 5x20 Horizontal Vertical

PCB Mount Fuse Holder For 5x20mm Fuses, 6.3A 250V, Bayonet Knob, Pin Spacing 10mm



Stock Code: 075-0063 - Fuse Holder 10x38 Din Rail

DF Electric, Rated Current: 32A, Rated Voltage: 690VAC / 750VDC, 88.8 x 58mm

Stock Code: 075-0208 - Fuse Holder 22X58 1 Pole



PIGGY BACK FUSE HOLDERS

Piggy-back fuse holders (also known as "Add-A-Circuit" taps) let you add an extra protected 12V circuit directly at your vehicle's fuse box without splicing. They plug into an existing empty or occupied fuse slot and provide two spots: one for the original fuse and one for your new accessory.
They are ideal for powering low-draw accessories like dashcams, relays, and interior lights. However, to avoid overloading the original circuit wiring, it is recommended to keep your new add-on draw under 10A

Stock Code: 075-0264 - Piggy Back Blade Fuse Holder - Standard

Stock Code: 075-0265 - Piggy Back Blade Fuse Holder - Micro

Stock Code: 075-0266 - Piggy Back Blade Fuse Holder - Mini

Stock Code: 075-0267 - Piggy Back Blade Fuse Holder - Low Profile



FUSE LINKS NH000

Stock Code: 075-0212 - Fuse Link NH000 120KA 500V 32A

Stock Code: 075-0213 - Fuse Link NH000 120KA 500V 50A

Stock Code: 075-0214 - Fuse Link NH000 120KA 500V 80A



FUSE LINK NH00

Stock Code: 075-0183 - Fuse Link NH00 120KA 500V 125A

Stock Code: 075-0184 - Fuse Link NH00 120KA 500V 160A



FUSE LINK NH1

Stock Code: 075-0220 - Fuse Link NH1 120KA 500VAC 80A

Stock Code: 075-0221 - Fuse Link NH1 120KA 500VAC 100A

Stock Code: 075-0222 - Fuse Link NH1 120KA 500VAC 125A

Stock Code: 075-0223 - Fuse Link NH1 120KA 500VAC 160A

Stock Code: 075-0187 - Fuse Link NH1 120KA 500VAC 200A

Stock Code: 075-0215 - Fuse Link NH1 120KA 500VAC 250A

Stock Code: 075-0220 - Fuse Link NH1 120KA 500VAC 315



FUSE LINK NH2



Stock Code: 075-0203 - Fuse Link NH2 120KA 500VAC 315A
Stock Code: 075-0260 - Fuse Link NH2 120KA 500VAC 400A

NEUTRAL FUSE LINK



Stock Code: 075-0200 - Neutral Fuse Link 10x38mm 32A
Stock Code: 075-0201 - Neutral Fuse Link 22x58mm 125A

GLASS FUSE 5X20MM



AMPS	FAST BLOW	SLOW BLOW
63MA	Stock Code: 075-0064	Stock Code: 075-0108
100MA	Stock Code: 075-0065	Stock Code: 075-0088
150MA	Stock Code: 075-0111	
200MA	Stock Code: 075-0066	Stock Code: 075-0089
250MA	Stock Code: 075-0067	
315MA	Stock Code: 075-0068	
400MA	Stock Code: 075-0069	Stock Code: 075-0090
500MA	Stock Code: 075-0070	Stock Code: 075-0091
630MA	Stock Code: 075-0071	Stock Code: 075-0092
800MA	Stock Code: 075-0072	Stock Code: 075-0093
1A	Stock Code: 075-0073	Stock Code: 075-0094
1.6A	Stock Code: 075-0074	Stock Code: 075-0095
2A	Stock Code: 075-0075	Stock Code: 075-0096
2.5A	Stock Code: 075-0076	Stock Code: 075-0097
3.15A	Stock Code: 075-0077	Stock Code: 075-0098
4A	Stock Code: 075-0078	Stock Code: 075-0099
5AA	Stock Code: 075-0079	Stock Code: 075-0100
6.3A	Stock Code: 075-0080	Stock Code: 075-0101
8AA	Stock Code: 075-0081	Stock Code: 075-0102
10A	Stock Code: 075-0082	Stock Code: 075-0103
12A	Stock Code: 075-0083	
15A	Stock Code: 075-0084	Stock Code: 075-0104
16A		Stock Code: 075-0105
20A	Stock Code: 075-0085	Stock Code: 075-0106
25A	Stock Code: 075-0086	
30A	Stock Code: 075-0087	Stock Code: 075-0107

GLASS FUSE 6x32MM



AMPS	FAST BLOW	SLOW BLOW
80MA	Stock Code: 075-0108	
100MA	Stock Code: 075-0109	Stock Code: 075-0130
125MA	Stock Code: 075-0110	
150MA	Stock Code: 075-0111	
200MA	Stock Code: 075-0112	
250MA	Stock Code: 075-0113	
500MA	Stock Code: 075-0114	
800MA		Stock Code: 075-0131
1A	Stock Code: 075-0115	Stock Code: 075-0132
1.2A	Stock Code: 075-0116	
1.5A	Stock Code: 075-0117	Stock Code: 075-0133
1.6A		Stock Code: 075-0134
2A	Stock Code: 075-0118	Stock Code: 075-0190
3A	Stock Code: 075-0119	
4A	Stock Code: 075-0120	
5A	Stock Code: 075-0121	
6.3A	Stock Code: 075-0122	Stock Code: 075-0192
7.5A	Stock Code: 075-0123	
8A	Stock Code: 075-0124	
10A	Stock Code: 075-0125	
15A	Stock Code: 075-0126	Stock Code: 075-0191
20A	Stock Code: 075-0127	
25A	Stock Code: 075-0128	
30A	Stock Code: 075-0129	Stock Code: 075-0135

MICROWAVE GLASS FUSE



Stock Code: 075-0218 - Microwave Glass Fuse 6x40 0.75A 5kV

Microwave Oven High Voltage Glass Tube Fuse

PICO FUSE

125V, Very Fast Acting Fuse, 2.8 x .1mm, Encapsulated, Epoxy-Coated Body



Stock Code: 075-0144 - Pico Fuse 1-8 125mA
Stock Code: 075-0145 - Pico Fuse 1-4 250mA
Stock Code: 075-0193 - Pico Fuse 1-2 500mA
Stock Code: 075-0194 - Pico Fuse 3-4 750mA
Stock Code: 075-0136 - Pico Fuse 1A
Stock Code: 075-0137 - Pico Fuse 2A
Stock Code: 075-0138 - Pico Fuse 2.5A
Stock Code: 075-0139 - Pico Fuse 3A
Stock Code: 075-0140 - Pico Fuse 4A
Stock Code: 075-0141 - Pico Fuse 5A
Stock Code: 075-0142 - Pico Fuse 7A
Stock Code: 075-0143 - Pico Fuse 10A

STRIP FUSE



Stock Code: 075-0232 - Strip Fuse 30A Green
Stock Code: 075-0255 - Strip Fuse ANL 60A Blue

MIDI STRIP FUSE



Stock Code: 075-0249 – Midi Strip Fuse 20A
Stock Code: 075-0250 – Midi Strip Fuse 30A
Stock Code: 075-0257 - Midi Strip Fuse 40A
Stock Code: 075-0251 - Midi Strip Fuse 50A
Stock Code: 075-0263 - Midi Strip Fuse 60A
Stock Code: 075-0252 - Midi Strip Fuse 100A

LUMENO MIDI INLINE FUSE HOLDER

Stock Code: 075-0272 - Lumeno Inline Midi Fuse Holder

LUMENO STRIP FUSE HOLDER



Stock Code: 075-0253 - Lumeno 4 Way Strip Fuse Holder
Stock Code: 075-0254 - Lumeno 7 Way Strip Fuse Holder

MEGA STRIP FUSE



Stock Code: 075-0235 - Mega Strip Fuse 60A
Stock Code: 075-0236 - Mega Strip Fuse 80A
Stock Code: 075-0237 - Mega Strip Fuse 100A
Stock Code: 075-0238 - Mega Strip Fuse 125A
Stock Code: 075-0239 - Mega Strip Fuse 150A
Stock Code: 075-0240 - Mega Strip Fuse 175A
Stock Code: 075-0241 - Mega Strip Fuse 200A
Stock Code: 075-0242 - Mega Strip Fuse 225A
Stock Code: 075-0243 - Mega Strip Fuse 250A
Stock Code: 075-0244 - Mega Strip Fuse 300A
Stock Code: 075-0245 - Mega Strip Fuse 350A
Stock Code: 075-0246 - Mega Strip Fuse 400A
Stock Code: 075-0247 - Mega Strip Fuse 500A

MEGA FUSE HOLDER



Stock Code: 075-0248 - Mega Strip Fuse Holder
Stock Code: 075-0258 - Inline Strip Fuse Holder for ANL / MIDI Fuses
Stock Code: 075-0270 - Lumeno Mega Strip Fuse Holder
Stock Code: 075-0271 - Lumeno Mega Double Strip Fuse Holder

SIBA AUTOMOTIVE STRIP FUSE



Stock Code: 075-0274 - SIBA Automotive Strip Fuse 100A 80VDC

POLY FUSE

30V



Stock Code: 075-0146 - Poly Fuse 30V 1.8A
Stock Code: 075-0147 - Poly Fuse 30V 2.5A
Stock Code: 075-0148 - Poly Fuse 30V 3A
Stock Code: 075-0149 - Poly Fuse 30V 4A
Stock Code: 075-0150 - Poly Fuse 30V 5A
Stock Code: 075-0151 - Poly Fuse 30V 6A
Stock Code: 075-0152 - Poly Fuse 30V 9A

60V

Stock Code: 075-0153 - Poly Fuse 60V 100mA
Stock Code: 075-0154 - Poly Fuse 60V 200mA
Stock Code: 075-0155 - Poly Fuse 60V 250mA
Stock Code: 075-0156 - Poly Fuse 60V 300mA
Stock Code: 075-0157 - Poly Fuse 60V 400mA
Stock Code: 075-0158 - Poly Fuse 60V 500mA
Stock Code: 075-0159 - Poly Fuse 60V 900mA
Stock Code: 075-0160 - Poly Fuse 60V 1.1A
Stock Code: 075-0161 - Poly Fuse 60V 1.35A

QUICKTEST FUSE



Stock Code: 075-0162 - Plug Top Quick Test Fuse 13A

THERMAL CUT OUT SWITCH Normally Closed, Flush/Surface Mount, 10A



Stock Code: 075-0163 - Thermal Cut Out 70C
Stock Code: 075-0164 - Thermal Cut Out 75C
Stock Code: 075-0165 - Thermal Cut Out 90C
Stock Code: 075-0166 - Thermal Cut Out 110C
Stock Code: 075-0167 - Thermal Cut Out 120C
Stock Code: 075-0168 - Thermal Cut Out 150C
Stock Code: 075-0169 - Thermal Cut Out 180C
Stock Code: 075-0170 - Thermal Cut Out 225C
Stock Code: 075-0225 - Thermal Cut Out 250C

THERMAL FUSES 10A 250V

2A



Stock Code: 075-0185 - Thermal Fuse Ceramic 100C 2A 10x2.8mm

10A




Stock Code: 075-0171 - Thermal Fuse 73C
Stock Code: 075-0172 - Thermal Fuse 99C
Stock Code: 075-0173 - Thermal Fuse 122C
Stock Code: 075-0174 - Thermal Fuse 142C
Stock Code: 075-0175 - Thermal Fuse 152C
Stock Code: 075-0176 - Thermal Fuse 174C
Stock Code: 075-0177 - Thermal Fuse 192C
Stock Code: 075-0178 - Thermal Fuse 240C

HARDWARE

DIN RAIL

A standardized metal strip used to mount circuit breakers, relays, power supplies, and terminal blocks inside electrical panels and control racks.



Stock Code: 080-0061 - Din Rail Adaptor Samite to Din

A Samite to DIN rail adaptor is a two-piece mounting bracket used to install modern 35mm DIN rail components (like smart relays, timers, or MCBs) into older distribution boards that use the 25mm Samite (clip-rail) standard

Stock Code: 080-0001 - Din Rail Slotted 2m Galvanized

A slotted, galvanized DIN rail (typically 35mm wide) is a standardized metal mounting track used to securely hold electrical equipment like terminal blocks, relays, and circuit breakers



MAGNETS

Stock Code: 080-0002 - Magnet N38 Ni Neodymium Disc 6x3mm (Pulling Force: 598g)
Stock Code: 080-0003 - Magnet N38 Ni Neodymium Disc 9x3mm (Pulling Force: 1.53Kg)
Stock Code: 080-0004 - Magnet N38 Ni Neodymium Disc 10x5mm (Pulling Force: 2.65Kg)
Stock Code: 080-0005 - Magnet N42 Ni Neodymium Disc 5x25mm (Pulling Force: 1.51Kg)
Stock Code: 080-0006 - Magnet N42 Ni Neodymium Disc 20x3mm (Pulling Force: 3.92Kg)
Stock Code: 080-0007 - Magnet N38 Ni Neodymium Block 20x10x5mm (Pulling Force: 5.41Kg)
Stock Code: 080-0008 - Magnet N38 YZn Neodymium Block 55x20x6mm (Pulling Force: 13.40Kg)



BOLTS & NUTS (LOOSE)

Stock Code: 080-0009 - Bolt M2.5x12mm
Stock Code: 080-0010 - Nut M2.5 Loose
Stock Code: 080-0011 - Nut and Bolt Set M3



Stock Code: 080-0060 - Bolt Countersink M5x20mm for Fan



HEX NUT SET (FOR DB CONNECTORS)



Stock Code: 080-0012 - Nut Hex for DB Cover - SET OF 2PCS

NYLON BOLTS & NUTS

Stock Code: 080-0013 - Nylon Bolt M3x10mm
Stock Code: 080-0062 - Nylon Screw Slotted Flat Cheese Head M3x20mm
Stock Code: 080-0014 - Nylon Nut M3



BOLTS, HEX NUTS, WASHERS, NUT NYLOC (PACKS OF 10)

M3



Stock Code: 080-0015 - Bolt M3x6 (Pack of 10)
Stock Code: 080-0016 - Bolt M3x10 (Pack of 10)
Stock Code: 080-0017 - Bolt M3x16 (Pack of 10)
Stock Code: 080-0018 - Bolt M3x20 (Pack of 10)
Stock Code: 080-0019 - Bolt M3x25 (Pack of 10)
Stock Code: 080-0020 - Bolt M3x30 (Pack of 10)
Stock Code: 080-0021 - Bolt M3x40 (Pack of 10)
Stock Code: 080-0022 - Bolt M3x50 (Pack of 10)



Stock Code: 080-0023 - Nut Hex M3 (Pack of 10)
Stock Code: 080-0024 - Washer Flat M3 (Pack of 10)
Stock Code: 080-0025 - Nut Nyloc M3 (Pack of 10)

M4



Stock Code: 080-0026 - Bolt M4x10 (Pack of 10)
Stock Code: 080-0027 - Bolt M4x12 (Pack of 10)
Stock Code: 080-0028 - Bolt M4x16 (Pack of 10)
Stock Code: 080-0029 - Bolt M4x20 (Pack of 10)
Stock Code: 080-0030 - Bolt M4x25 (Pack of 10)



Stock Code: 080-0031 - Bolt M4x30 (Pack of 10)
Stock Code: 080-0032 - Bolt M4x40 (Pack of 10)
Stock Code: 080-0033 - Bolt M4x50 (Pack of 10)
Stock Code: 080-0034 - Nut Hex M4 (Pack of 10)
Stock Code: 080-0035 - Washer Flat M4 (Pack of 10)
Stock Code: 080-0036 - Nut Nyloc M4 (Pack of 10)

M5

Stock Code: 080-0037 - Bolt M5x10 (Pack of 10)
Stock Code: 080-0038 - Bolt M5x12 (Pack of 10)
Stock Code: 080-0039 - Bolt M5x16 (Pack of 10)
Stock Code: 080-0040 - Bolt M5x20 (Pack of 10)
Stock Code: 080-0041 - Bolt M5x25 (Pack of 10)
Stock Code: 080-0042 - Bolt M5x30 (Pack of 10)
Stock Code: 080-0043 - Bolt M5x40 (Pack of 10)
Stock Code: 080-0044 - Bolt M5x50 (Pack of 10)
Stock Code: 080-0045 - Nut Hex M5 (Pack of 10)
Stock Code: 080-0046 - Washer Flat M5 (Pack of 10)
Stock Code: 080-0047 - Nut Nyloc M5 (Pack of 10)

M6

Stock Code: 080-0048 - Bolt M6x10 (Pack of 10)
Stock Code: 080-0049 - Bolt M6x12 (Pack of 10)
Stock Code: 080-0050 - Bolt M6x16 (Pack of 10)
Stock Code: 080-0051 - Bolt M6x20 (Pack of 10)
Stock Code: 080-0052 - Bolt M6x25 (Pack of 10)
Stock Code: 080-0053 - Bolt M6x30 (Pack of 10)
Stock Code: 080-0054 - Bolt M6x35 (Pack of 10)
Stock Code: 080-0055 - Bolt M6x40 (Pack of 10)
Stock Code: 080-0056 - Bolt M6x50 (Pack of 10)

Stock Code: 080-0057 - Nut Hex M6 (Pack of 10)
Stock Code: 080-0058 - Washer Flat M6 (Pack of 10)
Stock Code: 080-0059 - Nut Nyloc M6 (Pack of 10)

HEATSINKS

HEATSINKS

Stock Code: 085-0001 - Heatsink TO-92 Black



Stock Code: 085-0002 - Heatsink SL7108 TO-220 35x23mm Silver - Vertical Mount

PCB Vertical Mount Stamped Heatsink



Stock Code: 085-0003 - Heatsink SL71102 TO-220 19x13mm

Stamped Aluminium Heatsink Black Anodized



Stock Code: 085-0004 - Heatsink SL71103 TO-220 High Heat 20x20mm



Stock Code: 085-0005 - Heatsink SL7110 30x25x11mm



Stock Code: 085-0006 - Heatsink 170557 TO-218 TO-220 23x16x25mm

Extruded 6063 Aluminium Heatsink / Radiator for To-218 / To247 / Top3 / To-220 Packages



Stock Code: 085-0007 - Heatsink TYPE 1 TO-220 21x20x20mm

For to220 package



Stock Code: 085-0008 - Heatsink TO-3 Square 50x32mm

For To-3 Metal Can Package 6 K/W



Stock Code: 085-0009 - Heatsink SK104 TO-220 11KW 38x35x13mm - Vertical Mount



Stock Code: 085-0010 - Heatsink SL7132 TO-3 30x21x50mm



Stock Code: 085-0011 - Heatsink 44995-100 8 FIN 50x14x100mm (Sold per 3m)



Stock Code: 085-0012 - Heatsink PRO29-50 70x50mm
Stock Code: 085-0013 - Heatsink PRO29-100 70x100mm
Stock Code: 085-0014 - Heatsink PRO29-200 70x200mm



Stock Code: 085-0015 - Heatsink 19488 97x26.5x100mm



Stock Code: 085-0016 - Heatsink L3310 115x100mm
Stock Code: 085-0017 - Heatsink L3310 115x200mm



Stock Code: 085-0018 - Heatsink 34670 200x150mm

INSULATING BUSHES

Insulating bushes (also known as shoulder washers or conduit liners) are non-conductive components used to protect wires, cables, or mechanical fasteners from making direct electrical, thermal, or galvanic contact with a grounded barrier or metal enclosure.



Stock Code: 085-0019 - Insulating Bush M3 TO-220

For TO-220, Hole: ID=3.0, OD=3.5, HI=1.2mm, Rim: OD=6.2, Thick: 1mm, Total Height: 2.2mm

Stock Code: 085-0033 - Insulating Bush M3 TO-220A 2mm

For TO-220, Hole: ID=2.95, OD=3.55, HI=2, Rim: OD=6, Thick=1.2, Total Height: 3.2mm

Stock Code: 085-0020 - Insulating Bush TO-3

ID=3.9, OD=6.15, ODF=9.4, H=2.2, HI=1m

MICAS

A mica insulator is a thin, heat-resistant sheet or washer made from natural mica minerals (such as muscovite or phlogopite) or bonded mica-glass composites.



Stock Code: 085-0022 - Mica Plastic TO-220

Stock Code: 085-0023 - Mica Silicone TO-220

13x18mm, Continuous Use Temp: -60 to 180 Deg



Stock Code: 085-0024 - Mica Plastic TOP-3

Stock Code: 085-0025 - Mica Silicone TO-218 TO-247 TO-3P TO-220

20x25mm, Continuous Use Temp: -60 to 180 Deg



Stock Code: 085-0026 - Mica Plastic TO-3

Stock Code: 085-0027 - Mica Silicone TO-3



Stock Code: 085-0031 - Thermopad Grey 0.3mm 300x100mm

Stock Code: 085-0032 - Thermopad Grey 0.3mm 300x1000mm

Electrically Insulating, Thermal Interface Tape, Thickness: 0.30mm

---

HEATSINK ADHESIVE GLUE

Glue/Adhesive to Attach Components to Heat Sinks, Grey Color Thermal Silica, Temp Max -50 TO 280? Thermal Conductivity - 1.5W/m.K



Stock Code: 085-0021 - Heatsink Adhesive Glue 45ML -50 TO 280C

THERMAL PASTE GREASE

Thermal Conductivity: 0.9W/mK. Silicon-based compound for thermos-coupling of electronic components and heat sinks. High-heat conductive property allows heat to pass freely where heat dissipation and dispersion is important.



Stock Code: 085-0028 - Thermal Paste Grease 11gr Tube or Syringe

Stock Code: 085-0029 - Thermal Paste Grease 28gr Tube

Stock Code: 085-0030 - Thermal Paste Grease 150gr Tube

IC’S

XR ICs (ULN)



Stock Code: 090-0016 - XR2201 ULN2001
7 Channel NPN Darlington Transistor/Driver Array, 50V, 500mA
Stock Code: 090-0017 - XR2203 ULN2003
7 Channel Bipolar NPN Darlington Transistor/Driver Array, 50V, 500mA, With Protection Diodes
Stock Code: 090-0018 - XR2204 ULN2004
7 Channel High Voltage/Current NPN Darlington Transistor/Driver Array 50V 500mA With Clamping Diodes
Stock Code: 090-0030 - XR2206-KA2658
Monolithic Function Generator, Waveform Generator Frequency, Sine, Triangle, Square Wave Output
Stock Code: 090-0398 - XR2211
FSK Demodulator/ Tone Decoder
Stock Code: 090-0405 - XR2207
Voltage-Controlled Oscillator
Stock Code: 090-0333 - XR5534
Low Noise Operational Amplifier

AUDIO ICs



Stock Code: 090-0005 - Audio IC TDA1170
TV Vertical Deflection System
Stock Code: 090-0006 - Audio IC TDA2002
Audio Amplifier 8W
Stock Code: 090-0007 - Audio IC TDA2003
Audio Amplifier 1CH 10W
Stock Code: 090-0008 - Audio IC TDA2004
Audio Amplifier 10Wx2
Stock Code: 090-0009 - Audio IC TDA2005
Audio Amplifier 10Wx2
Stock Code: 090-0010 - Audio IC TDA2006
Audio Amplifier 12Wx1
Stock Code: 090-0011 - Audio IC TDA2030
Audio Amplifier Mono 14Wx1
Stock Code: 090-0012 - Audio IC TDA7000
FM Radio Circuit
Stock Code: 090-0013 - Audio IC TBA820
Audio Amplifier 1.2W
Stock Code: 090-0385 - Audio IC TCA785
Phase Control IC

LM ICs






Stock Code: 090-0001 - LM723N
Op-Amp Hi-Gain Quad
Stock Code: 090-0003 - LM380-8
Audio Amplifier 2.5W Mono
Stock Code: 090-0004 - LM386N
Audio Amplifier 0.32W
Stock Code: 090-0014 - LM2575T
Step-Down Buck Switching Regulator, Input 40V Output 5VDC 1.0A
Stock Code: 090-0015 - LM334Z
Adjustable Power Source 10mA
Stock Code: 090-0021 - LM311
Voltage Comparator
Stock Code: 090-0022 - LM339
Low Power QUAD Differential Comparator
Stock Code: 090-0023 - LM3915
Dot/Bar LED Display Driver, Logarithmic
Stock Code: 090-0025 - LM319
High Speed Dual Comparator, Single/Dual Supply
Stock Code: 090-0026 - LM4558
General Purpose Amplifier, 2 Cricut, Single Ended
Stock Code: 090-0028 - LM2907
Frequency to Voltage Controller
Stock Code: 090-0029 - LM2917
Frequency to Voltage Converter
Stock Code: 090-0339 - LM301A
Single Operational Amplifier
Stock Code: 090-0340 - LM308
High Gain Single Operational Amplifier
Stock Code: 090-0341 - LM318
High Speed Operational Amplifier
Stock Code: 090-0342 - LM324
Single Supply Quad Operational Amplifiers
Stock Code: 090-0343 - LM348
Quad Bipolar Operational Amplifiers
Stock Code: 090-0344 - LM358
Single Supply Dual Operational Amplifiers
Stock Code: 090-0345 - LM741CN-8
Single General Purpose Operational Amplifier
Stock Code: 090-0346 - LM741CH
Single General Purpose Operational Amplifier
Stock Code: 090-0347 - LM747
General Purpose Operational Amplifier

Stock Code: 090-0349 - LM748
Single Channel Operational Amplifier
Stock Code: 090-0386 - LM3525
Regulating Pulse Width Modulators 8-35V Operation
Stock Code: 090-0387 - LM3524
Regulating Pulse Width Modulators 8-40V Operation
Stock Code: 090-0388 - LM3843
Current Mode PWM Controller
Stock Code: 090-0399 - LM567
Telecom IC Tone Decoder
Stock Code: 090-0406 - LM3914
Dot/Bar Display Driver
Stock Code: 090-0408 - LM393
Dual Voltage Comparators Single Supply +2V - +36V Dual Supply +/-1V - +/-18V
Stock Code: 090-0409 - LM336
2.5V Voltage Reference
Stock Code: 090-0410 - LM385 1V2
1.2V Micropower Voltage Reference
Stock Code: 090-0411 - LM385 2V5
2.5V Micropower Voltage Reference
Stock Code: 090-0448 - LM317K
Positive Linear Voltage Regulator, 1.5A Adjustable 1.2V to 37V TO3
Stock Code: 090-0449 - LM317L
Positive Linear Voltage Regulator, 100mA Adjustable 1.2V to 37V TO92
Stock Code: 090-0450 - LM317T
Positive Linear Voltage Regulator, 1.5A Adjustable 1.2V to 37V TO220
Stock Code: 090-0451 - LM317HVT
Positive Linear Voltage Regulator, 1.5A Adjustable 1.2V to 57V TO220
Stock Code: 090-0452 - LM337L
Negative Linear Voltage Regulator, 100mA Adjustable -1.2V to -37V TO92
Stock Code: 090-0453 - LM337T
Negative Linear Voltage Regulator, 1.5A Adjustable -1.2V to -37V, TO220
Stock Code: 090-0454 - LM337K
Negative Linear Voltage Regulator, 1.5A Adjustable -1.2V to -32V, TO3
Stock Code: 090-0455 - LM338T
Positive Linear Voltage Regulator, 5A Adjustable 1.2V to 32V, TO220
Stock Code: 090-0456 - LM338K
Positive Linear Voltage Regulator, 5A Adjustable 1.2V to 32V, TO3
Stock Code: 090-0457 - LM350K
Positive Linear Voltage Regulator, 3A Adjustable 1.2V to 33V, TO3
Stock Code: 090-0458 - LM350T
Positive Linear Voltage Regulator, 3A Adjustable 1.2V to 33V, TO220

KA ICs



Stock Code: 090-0024 - KA2206
Dual Audio Power Amplifier, 2.3W @ 4E
Stock Code: 090-0389 - KA3842
Linear Integrated Circuit (Current-Mode PWM Controller)

TNY ICs



Stock Code: 090-0467 - TNY278PN AC DC Off-Line Switcher IC
Tiny Switch-III Family, Flyback, 85 VAC - 265 VAC, 132 kHz, 28 W, DIP-8

MC ICs



Stock Code: 090-0019 - MC34063N
DC-DC Converter I=3-40V, Adj Voltage Output, 1.5A
Stock Code: 090-0027 - MC1458
Operational Amplifier, Dual, General Purpose, Offset=1.0mV
Stock Code: 090-0351 - MC3403
Single Or Dual Supply Quad Operational Amplifier
Stock Code: 090-0391 - MC1488 74188
RS232 Quad Line Driver

---

74 ICs



Stock Code: 090-0031 - 7401
Four Independent 2-Input NAND GATE With Open Collector Output
Stock Code: 090-0032 - 7406
HEX Inverter/Buffer Driver
Stock Code: 090-0033 - 7409
AND GATE QUAD
Stock Code: 090-0034 - 7412
NAND GATE Tripple
Stock Code: 090-0035 - 7421
Dual 4 Input AND GATE
Stock Code: 090-0036 - 7423
Dual 4 Input NOR GATE
Stock Code: 090-0037 - 7428
NOR GATE QUAD 2 INPUT
Stock Code: 090-0039 - 7446
BCD To 7 Segment Decoder/Driver
Stock Code: 090-0040 - 7454
AND-OR GATE
Stock Code: 090-0041 - 7460
2X4 Input Expander
Stock Code: 090-0042 - 7470
Edge Triggered JK Flip-Flop
Stock Code: 090-0043 - 7494
4 BIT Shift Register
Stock Code: 090-0044 - 7495
4 BIT Parallel-Access Shift Register
Stock Code: 090-0045 - 74251
8 To 1 Multiplexer
Stock Code: 090-0046 - 74265
QUAD Complimentary-Output Elements
Stock Code: 090-0047 – 74298
Multiplexer, QUAD, 2 Input
Stock Code: 090-0048 - 74390
Decade Binary Counter
Stock Code: 090-0049 - 74100
8 BIT BI-STABLE LATCHES
Stock Code: 090-0050 - 74110
AND-GATED J-K Master-Slave Flip-Flops with Data Lockout
Stock Code: 090-0051 - 74120
Dual Pulse Synchronizers/Drivers
Stock Code: 090-0052 - 74121
Monostable Multivibrators with Schmitt-Trigger Inputs
Stock Code: 090-0053 - 74122
Retriggable Monostable Multivibrators
Stock Code: 090-0054 - 74125
Quadruple BUS Buffers With 3-Stage Outputs
Stock Code: 090-0055 - 74136
Quadruple 2-Input Exclusive OR Gates with Open- Collector Outputs
Stock Code: 090-0056 - 74150
Data Selectors/Multiplexers
Stock Code: 090-0057 - 74158
QUAD 2-Input Multiplexer
Stock Code: 090-0058 - 74166
Synchronous Binary Counter
Stock Code: 090-0059 - 74166
Parallel-Load 8-Bit Shift Register
Stock Code: 090-0060 – 74172
16-Bit Multiple-Port Register File With 3-State Outputs
Stock Code: 090-0061 - 74176
35Mhz Pre-settable Decade and Binary Counters/Latches
Stock Code: 090-0062 – 74196
30/50/100Mhz Pre-settable Decade or Binary Counter/Latches
Stock Code: 090-0468 - SN74182N
Look-Ahead Carry Generator, TTL/H/L Series, 4-Bit, TTL, PDIP16

75 ICs



Stock Code: 090-0063 - 75150
Data Selectors/Multiplexers
Stock Code: 090-0064 - 75154
4-Line To 16-Line Decoders/Demultiplexers
Stock Code: 090-0065 - 75176 (MAX485)
BUS Transceivers
Stock Code: 090-0066 - 75182
Dual Differential Line Receivers
Stock Code: 090-0067 - 75189
QUAD Line Receivers

4000 ICs



Stock Code: 090-0068 - 4000
NOR Gate Dual 3 Inputs Plus Inverter
Stock Code: 090-0069 - 4001
NOR Gate Quad 2 Input
Stock Code: 090-0070 - 4002
NOR Gate Dual 4 Input
Stock Code: 090-0071 - 4006
18-Stage Static Shift Register
Stock Code: 090-0072 - 4007
Dual Complimentary Pair Plus Inverter
Stock Code: 090-0073 - 4008
4-Bit Full Adder with Parallel Carry Output
Stock Code: 090-0074 - 4010
Buffer non-invert 18V
Stock Code: 090-0075 - 4011
NAND Gates Quad 2 Input
Stock Code: 090-0076 - 4012
NAND Gate Dual 4 Input
Stock Code: 090-0077 - 4013
Dual D Type Flip-Flop
Stock Code: 090-0078 - 4014
8-Stage Static Shift Registers
Stock Code: 090-0079 - 4015
Dual 4-Stage Static Shift Register with Serial Input/Parallel Output
Stock Code: 090-0080 - 4016
Quad Bilateral Switch
Stock Code: 090-0081 - 4017
Counter/Dividers - Decade Counter With 10 Decoded Outputs
Stock Code: 090-0082 - 4018
Pre-settable Divide-By-N Counter
Stock Code: 090-0083 - 4019
QUAD AND/OR Select Gate
Stock Code: 090-0084 - 4020
Ripple-Carry Binary Counter/Dividers 14 Stage
Stock Code: 090-0085 - 4021
Asynchronous Parallel Input Or Synchronous Serial Input/Serial Output
Stock Code: 090-0086 - 4022
Counter/Divider Octal Counter With 8 Decoded Outputs
Stock Code: 090-0087 - 4023
NAND Gate Triple 3 Input
Stock Code: 090-0088 - 4024
Ripple-Carry Binary Counter/Dividers 12 Stage
Stock Code: 090-0089 - 4025
NOR Gate Triple 3 Input
Stock Code: 090-0090 - 4027
Dual J-K Master-Slave Flip-Flop
Stock Code: 090-0091 - 4028
BCD-To-Decimal Decoder
Stock Code: 090-0092 - 4029
Pre-settable Up/Down Counter Binary OR BCD-Decade
Stock Code: 090-0093 - 4030
Quad Exclusive-OR Gate
Stock Code: 090-0094 - 4031
64-Stage Static Shift Register
Stock Code: 090-0095 - 4032
Tripple Serial Adders
Stock Code: 090-0096 - 4033
Decade Counters/Dividers with Decoded 7-Segment Display Outputs and Ripple Blanking
Stock Code: 090-0097 - 4034
8-Stage Static Bidirectional Parallel/Serial Input/Output Bus Register
Stock Code: 090-0098 - 4035
4-Stage Parallel In/Parallel Out Shift Register
Stock Code: 090-0100 - 4040
Ripple-Carry Binary Counter/Dividers 12 Stage
Stock Code: 090-0175 - 4041
Quadruple True/Complement Buffer
Stock Code: 090-0101 - 4042
Quad Clocked D Latch
Stock Code: 090-0102 - 4043
Quad 3-Stage R-S Latches NOR
Stock Code: 090-0103 - 4044
Quad 3-Stage R-S Latch NAND
Stock Code: 090-0104 - 4045
COS/MOS 21-Stage Counter
Stock Code: 090-0105 - 4046
Micropower Phase-Locked Loop
Stock Code: 090-0106 - 4047
Low-Power Monostable/A stable Multivibrator

Stock Code: 090-0107 - 4048
Multifunction Expandable 8-Input Gate

Stock Code: 090-0108 - 4049
Hex Buffer/Converters - Inverting Type

Stock Code: 090-0109 - 4050
Hex Buffer/Converters - Non-Inverting Type

Stock Code: 090-0110 - 4051
Analog Multiplexers-Demultiplexer Single8-Channel

Stock Code: 090-0111 - 4052
Analog Multiplexers-Demultiplexers Differential 4-Channel

Stock Code: 090-0112 - 4053
Analog Multiplexer-Demultiplexers Triple 2-Channel

Stock Code: 090-0113 - 4055
Liquid-Crystal Display Drivers BCD to 7-Segment Decoder/Driver With "Display-Frequency" Output

Stock Code: 090-0114 - 4056
Liquid-Crystal Display Drivers BCD to 7-Segment Decoder/Driver with Strobe Latch Function

Stock Code: 090-0115 - 4060
14-Stage Rippl-Carry Binary Counter/Driver and Oscillator

Stock Code: 090-0116 - 4066
Quad Bilateral Switch for Transmission or Multiplexing of Analog or Digital Signals

Stock Code: 090-0117 - 4068
8-Input NAND/AND Gate

Stock Code: 090-0118 - 4069
HEX Inverter

Stock Code: 090-0119 - 4070
Quad Exclusive-OR Gate

Stock Code: 090-0120 - 4071
Quad 2-Input OR Gate

Stock Code: 090-0121 – 4072
Quad 4-Input OR Gate

Stock Code: 090-0122 - 4073
Triple 3-Input NAND Gate

Stock Code: 090-0123 - 4075
Triple 3-Input OR Gate

Stock Code: 090-0124 - 4076
4-Bit D-Type Registers

Stock Code: 090-0125 - 4077
Quad Exclusive-NOR Gate

Stock Code: 090-0126 - 4078
9-Input NOR/OR Gate

Stock Code: 090-0127 - 4081
COS/MOS AND Gates Quad 2 Input AND Gate

Stock Code: 090-0128 - 4082
COS/MOS AND Gates Dual 4 Input AND Gate

Stock Code: 090-0129 - 4085
Dual 2-Wide 2-Input AND OR-Inverter Gate

Stock Code: 090-0130 - 4086
Expandable 4-Wide 2-Input AND-OR-Invert Gate

Stock Code: 090-0131 - 4089
Binary Rate Multiplier

Stock Code: 090-0132 - 4093
Quad 2-Input NAND Schmitt Triggers

Stock Code: 090-0133 - 4094
8-Stage Shift-AND-Store Bus Register

Stock Code: 090-0136 - 4098
Dual Monostable Multivibrators

Stock Code: 090-0137 - 4099
8-Bit Addressable Latch

Stock Code: 090-0138 - 40106
Hex Schmitt Triggers

Stock Code: 090-0139 - 40107
Dual 2-Input NAND Buffer/Driver

Stock Code: 090-0140 - 40174
Hex D - Type Flip Flop

Stock Code: 090-0141 - 40192
Pre-settable Up/Down Counters (Dual Clock with Reset) BCD Type

45 ICs



Stock Code: 090-0142 - 4501
Tripple Gate
Stock Code: 090-0143 - 4502
Strobed Hex Inverter/Buffer
Stock Code: 090-0144 - 4503
Hex Buffer
Stock Code: 090-0146 - 4510
Pre-settable Up/Down Counters
Stock Code: 090-0147 - 4511
BCD-To-Seven Segment Latch/Decoder/Driver
Stock Code: 090-0148 - 4512
8-Channel Data Selector
Stock Code: 090-0149 - 4514
4-Bit Latch/4-To-16 Line Decoder Output High on Select
Stock Code: 090-0150 - 4516
Pre-settable Up/Down Counters
Stock Code: 090-0151 - 4517
Dual 64-Stage Static Shift Register
Stock Code: 090-0152 - 4518
Dual Up-Counters - Dual BCD Up-Counter
Stock Code: 090-0153 - 4520
Dual Up-Counter - Dual Binary Up-Counter
Stock Code: 090-0154 - 4521
24 Stage Frequency Divider/Counter
Stock Code: 090-0156 - 4529
Dual 4 Channel Analog Data Selector/Multiplexer
Stock Code: 090-0157 - 4530
Dual 5-In Majority Gate
Stock Code: 090-0158 – 4531
2-Bit Parity Tree
Stock Code: 090-0159 - 4532
8-Bit Priority Encoder
Stock Code: 090-0160 - 4536
Programmable Timer
Stock Code: 090-0161 - 4538
Dual Monostable Multivibrator
Stock Code: 090-0162 - 4539
Dual 4-Input Multiplexer
Stock Code: 090-0163 - 4541
Programmable Timer with Oscillator
Stock Code: 090-0164 - 4543
BCD-to-Seven-Segment Latch/Decoder/Driver for Liquid-Crystal Displays
Stock Code: 090-0165 - 4544
BCD-To-Seven Segment Latch/Decoder/Driver for Liquid Crystal
Stock Code: 090-0166 - 4549
Shift Register, Successive Approximation 1 Element
Stock Code: 090-0167 - 4553
3 Digit BCD Counter
Stock Code: 090-0168 - 4556
Dual Binary To 1 Of 4 Decoder/Demultiplexers - Outputs Low on Select
Stock Code: 090-0169 - 4558
Dual General Purpose Operational Amplifier
Stock Code: 090-0170 - 4568
Phase Comparator and Programmable
Stock Code: 090-0171 - 4569
Programmable Divide-By-N Dual 4-Bit Binary/BCD Down Counter
Stock Code: 090-0172 - 4572
Hex Gate (4x Inverters, 1x 2-Input Nor Gate, 1x 2-Input NAND Gate)
Stock Code: 090-0173 - 7585
4-Bit Magnitude Comparator

26LS ICs



Stock Code: 090-0176 - 26LS31
Quadruple Differential Line Driver
Stock Code: 090-0177 - 26LS32
Quadruple Differential Line Receiver

74HCT ICs



Stock Code: 090-0178 - 74HCT00
Quad 2-input NAND gate

Stock Code: 090-0179 - 74HCT04
Hex Inverter

Stock Code: 090-0180 - 74HCT08
Quad 2-Input AND Gate

Stock Code: 090-0181 - 74HCT10
Triple 3-Input NAND Gates

Stock Code: 090-0182 - 74HCT14
Hex Inverter Schmitt Trigger

Stock Code: 090-0183 - 74HCT20
Gate NAND 2-Channel 4-Input

Stock Code: 090-0184 - 74HCT30
Gate NAND 1-Channel 8-Input

Stock Code: 090-0185 - 74HCT32
Quad 2-Input OR Gate

Stock Code: 090-0186 - 74HCT74
Flip Flop 2 Element D-Type 1 Bit Positive Edge

Stock Code: 090-0187 - 74HCT75
Quad Bi Stable Transparent Latch

Stock Code: 090-0188 - 74HCT86
Quad Exclusive-OR Gate

Stock Code: 090-0189 - 74HCT107
Dual J-K Flip-Flop

Stock Code: 090-0190 - 74HCT123
Dual Mono Multivibrator

Stock Code: 090-0191 - 74HCT132
Quad 2-input NAND Schmitt Trigger

Stock Code: 090-0192 - 74HCT138
3 to 8 Decoder/Demultiplexer

Stock Code: 090-0193 - 74HCT151
8-Input Multiplexer

Stock Code: 090-0194 - 74HCT153
Multiplexer 2 Function, 4-Line Input

Stock Code: 090-0195 - 74HCT155
Dual 2-To-4 Line Decodes/Multiplexers

Stock Code: 090-0196 - 74HCT157
Quad 2 Input Multiplexer

Stock Code: 090-0197 - 74HCT165
Shift Register - Parallel or Serial to Serial

Stock Code: 090-0198 - 74HCT174
Flip Flop 1 Element D-Type 6 Bit Positive Edge

Stock Code: 090-0199 - 74HCT175
Flip Flop 1 Element D-Type 4 Bit Positive Edge

Stock Code: 090-0200 - 74HCT191
Binary Up and Down Counter

Stock Code: 090-0201 - 74HCT238
Decoder/Demultiplexer

Stock Code: 090-0202 - 74HCT240
Octal Inverter Line Driver Tri-State

Stock Code: 090-0203 - 74HCT245
Octal Bus Transceiver Tri-State

Stock Code: 090-0204 - 74HCT257
Multiplexer 2x4

Stock Code: 090-0205 - 74HCT258
Multiplexer 2x4

Stock Code: 090-0206 - 74HCT259
8-Bit Addressable Latch

Stock Code: 090-0207 - 74HCT273
Octal D-type Flip-Flop

Stock Code: 090-0208 - 74HCT299
Shift Register - 2 Element

Stock Code: 090-0209 - 74HCT368
Hex Buffer / Line Driver

Stock Code: 090-0210 - 74HCT373
Octal D Flip-Flop Tri-State

Stock Code: 090-0211 - 74HCT374
Octal D F/F Edge-triggered Tri-State

Stock Code: 090-0212 - 74HCT377
Octal D-Type Flip-Flop

Stock Code: 090-0213 - 74HCT390
Dual Decade Ripple Counter

Stock Code: 090-0214 - 74HCT393
Dual 4-bit Binary Counter

Stock Code: 090-0215 - 74HCT541
Octal Buffer/Line Driver Tri-State

Stock Code: 090-0216 - 74HCT573
Octal D-type F/F Latch Tri-State

Stock Code: 090-0217 - 74HCT574
Octal D-type F/F Edge-Trigger Tri-State

Stock Code: 090-0218 - 74HCT595
Shift Register 8-Bit

Stock Code: 090-0219 - 74HCT670
4x4 Register File

74LS ICs



Stock Code: 090-0220 - 74LS00
Quad 2-Input NAND Gate
Stock Code: 090-0221 - 74LS01
Quad 2-input NAND Gate (OC)
Stock Code: 090-0222 - 74LS02
Quad 2-Input NOR Gate
Stock Code: 090-0223 - 74LS03
Quad 2-Input NAND Gate
Stock Code: 090-0224 - 74LS04
Hex Inverter
Stock Code: 090-0225 - 74LS06
Hex Inverter Buffer/Driver (Open Coll.)
Stock Code: 090-0226 - 74LS07
Hex Buffer/Driver (Open Collector)
Stock Code: 090-0227 - 74LS09
Quad 2-input AND Gate (Open Collector)
Stock Code: 090-0228 - 74LS13
Dual 4-Input NAND Gate
Stock Code: 090-0229 - 74LS14
Hex Inverter Schmitt Trigger
Stock Code: 090-0230 - 74LS15
Triple 3-Input NAND Gate
Stock Code: 090-0231 - 74LS19
4-Bit Parallel-Access Shift Registers
Stock Code: 090-0232 - 74LS20
Dual 4-Input NAND Gate
Stock Code: 090-0233 - 74LS21
Dual 4-Input AND Gate
Stock Code: 090-0234 - 74LS27
Triple 3-Input NOR Gate
Stock Code: 090-0236 - 74LS30
8-Input NAND Gate
Stock Code: 090-0237 - 74LS32
Quad 2-Input OR Gate
Stock Code: 090-0238 - 74LS33
Quad 2-Input NOR Buffer
Stock Code: 090-0239 - 74LS38
Quad 2-Input NAND Buffer (Open Coll.)
Stock Code: 090-0240 - 74LS40
Dual NAND Logic Gate
Stock Code: 090-0241 - 74LS47
BCD to 7-Segment Decoder/Driver
Stock Code: 090-0242 - 74LS48
BCD to 7-Segment Decoder/Driver
Stock Code: 090-0243 - 74LS73
Dual JK Flip-Flop
Stock Code: 090-0244 - 74LS74
Dual D Flip-Flop
Stock Code: 090-0245 - 74LS76
Dual JK Flip-Flop
Stock Code: 090-0246 - 74LS78
Dual J-K Flip-Flop with Preset
Stock Code: 090-0247 - 74LS85
4-Bit Magnitude Comparator
Stock Code: 090-0248 - 74LS90
Decade Counter
Stock Code: 090-0249 - 74LS95
4Bbit Parallel-Access Shift Reg
Stock Code: 090-0250 - 74LS96
5-Bit Shift Register with Both Serial and Parallel
Stock Code: 090-0251 - 74LS107
Dual J-K Flip-Flop
Stock Code: 090-0252 - 74LS112
Dual J-K Negative Edge-Triggered Flip-Flop
Stock Code: 090-0253 - 74LS113
Dual J-K Negative Edge-Triggered Flip-Flop
Stock Code: 090-0254- 74LS114
Dual J-K Negative Edge-Triggered Flip-Flop
Stock Code: 090-0255 - 74LS122
Re-triggerable Monostable Multivibrator
Stock Code: 090-0256 - 74LS125
Quad Bus Buffer Negative Enable Tri-State
Stock Code: 090-0257 - 74LS126
Quad Bus Buffer Tri-State
Stock Code: 090-0258 - 74LS132
Quad 2-Input NAND Schmitt Trigger
Stock Code: 090-0259 - 74LS133
13-Input NAND Gate
Stock Code: 090-0260 - 74LS136
Quad EXCLUSIVE-OR Gate (O.C.)
Stock Code: 090-0261 - 74LS145
BCD-To-Decimal Decoder/Driver
Stock Code: 090-0262 - 74LS148
8 To 3 Priority Encoder
Stock Code: 090-0263 - 74LS151
8-Input Multiplexer
Stock Code: 090-0264 - 74LS153
Dual 1-Of-4 Line Data Selector/Multiplexer
Stock Code: 090-0265 - 74LS156
Dual 2/4 Demultiplexer (Open Collector)
Stock Code: 090-0266 - 74LS158
Quad 2/1 Multiplexer Inverter
Stock Code: 090-0267 - 74LS164
8-Bit Serial Shift Register
Stock Code: 090-0268 - 74LS165
Dual 5-Input NOR Gate
Stock Code: 090-0269 - 74LS166
8-Bit Shift Register Parallel Load
Stock Code: 090-0270 - 74LS168
4-Stage Up/Down Counter
Stock Code: 090-0271 - 74LS169
Synchronous Binary Up/Down Counter
Stock Code: 090-0272 - 74LS173
4-Bit D-type Reg. Tri-State
Stock Code: 090-0273 - 74LS174
Hex D Flip-Flop
Stock Code: 090-0274 - 74LS181
Arithmetic Logic Unit/Function Generator
Stock Code: 090-0275 - 74LS191
Octal Positive Edge-Triggered D-Type Flip-Flop with Reset

Stock Code: 090-0276 - 74LS193
Pre-settable BCD/Decade Up/Down Counter Resettable 4-Bit Binary Up/Down Counter

Stock Code: 090-0277 - 74LS196
4-Stage Pre-settable Ripple Counters

Stock Code: 090-0278 - 74LS197
4-Stage Pre-settable Ripple Counters

Stock Code: 090-0279 - 74LS221
Dual Monostable Multivibrators with Schmitt-Trigger Inputs

Stock Code: 090-0280 - 74LS241
Octal Buffer/Line Driver With 3-Stage Outputs

Stock Code: 090-0281 - 74LS243
Quad 2-Input NOR Buffer

Stock Code: 090-0282 - 74LS244
Octal Buffer/Line Driver With 3-Stage Output (Noninverted)

Stock Code: 090-0283 - 74LS245
Octal Bus Transceiver Tri-State

Stock Code: 090-0284 - 74LS253
Dual 4-Input Multiplexer With 3-State Outputs

Stock Code: 090-0285 - 74LS257
Quad 2-Input Multiplexers With 3-State Outputs

Stock Code: 090-0286 - 74LS258
Quadruple 2-Line To 1-Line Data Selectors/Multiplexers

Stock Code: 090-0287 - 74LS260
Dual 5-Input NOR Gate

Stock Code: 090-0288 - 74LS266
Quadruple 2-Input Exclusive-NOR Gates

Stock Code: 090-0289 - 74LS280
9-Bit Parity Generator/Checker

Stock Code: 090-0290 - 74LS283
4-Bit Binary Full Adder

Stock Code: 090-0291 - 74LS290
4-Bit Binary Ripple Counter

Stock Code: 090-0292 - 74LS321
Crystal Controlled Oscillator

Stock Code: 090-0293 - 74LS322
8-Bit Serial/Parallel Register

Stock Code: 090-0294 - 74LS365
Buffer & Line Driver

Stock Code: 090-0295 - 74LS366
6-Bit Buffers and Line Driver

Stock Code: 090-0296 - 74LS368
Hex Bus Drivers With 3-Stage Outputs

Stock Code: 090-0297 - 74LS373
Octal D-Type Flip-Flop Tri-State

Stock Code: 090-0298 - 74LS386
Quad 2-Input Exclusive-OR Gate

Stock Code: 090-0299 - 74LS390
Dual 4-Bit Decade Counter

Stock Code: 090-0300 - 74LS541
Octal Buffers and Line Drivers

Stock Code: 090-0301 - 74LS624
Voltage-Controlled Oscillators

MICRO PROCESSOR ICs



Stock Code: 090-0304 - Micro Processor 4116

Stock Code: 090-0306 - Micro Processor 5116

Stock Code: 090-0307 - Micro Processor 62256LP

Stock Code: 090-0309 - Micro Processor 7106 LCD Driver
3.5 Driver LCD/LED Display Driver With A/D Converter

Stock Code: 090-0310 - Micro Processor 7107 7 Segment Driver
Single Channel Analog to Digital Converter With 3.5 Digit 7-Segment LED Display Driver

Stock Code: 090-0311 - Micro Processor 7217
4-Digit Up/Down Counter IC 2Mhz

Stock Code: 090-0312 - Micro Processor 7660 Voltage Converter
Voltage Converter (Negative/Doubler) Input 1.5-12V Output 1.5-12V / 22.8 (12V Input)

Stock Code: 090-0313 - Micro Processor 8031

Stock Code: 090-0317 - Micro Processor 27C256
E-prom CMOS 256K 100ns

PIC ICs



Stock Code: 090-0319 - PIC 12C509(12F5090)
8-pin 4MHz Microcontroller

Stock Code: 090-0320 - PIC 12F629
Flash 8-pin 20MHz Microcontroller

Stock Code: 090-0321 - PIC 16C54OPT
OTP 18-pin 4MHz Micro Controller

Stock Code: 090-0323 - PIC 16C73

5 Channel ADC, 2xPWM, I2C/SPI, 4K Program Memory, 192B Data Memory

Stock Code: 090-0324 - PIC 16F84

Flash 18-pin 4MHz 1kb Microcontroller

Stock Code: 090-0325 - PIC 16F877-04

Flash 40-pin 4MHz 8kB Microcontroller

Stock Code: 090-0326 - PIC 16F628

Flash 18-pin 4MHz 2kB Microcontroller

Stock Code: 090-0327 - PIC 16F876A

Flash 28-pin 14kB Microcontroller

Stock Code: 090-0328 - PIC 16F684

Flash 14-pin 3.5kB Microcontroller

Stock Code: 090-0329 - PIC 12F675

Flash 8-pin 20MHz Microcontroller

Stock Code: 090-0330 - PIC 12F1840

Flash 8-pin 4kbyte 32MHz Microcontroller



HALF H BRIDGE ICs



Stock Code: 090-0331 - L293DNE Half H Bridge

LF ICs



Stock Code: 090-0334 - LF347

Quad JFET Input Op Amp (Wideband)

Stock Code: 090-0335 - LF351

Single Channel J-Fet Operational Amplifier, Wide Bandwidth

Stock Code: 090-0336 - LF353

J-FET Input Operational Amplifier, Dual, High Speed, Offset-5.0mV

Stock Code: 090-0337 - LF355-P

Single J-FET Operational Amplifiers

Stock Code: 090-0338 - LF356-P

Wide Bandwidth Single J-FET Operational Amplifiers

OP ICs



Stock Code: 090-0350 - OP07

Precision Operational Amplifier

CA ICs



Stock Code: 090-0352 - CA3130P

BiMOS Operational Amplifier with MOSFET Input/CMOS Output

Stock Code: 090-0353 - CA3140E

BiMOS Operational Amplifier with MOSFET Input/Bipolar Output

Stock Code: 090-0354 - CA3140T

BiMOS Operational Amplifier with MOSFET Input/Bipolar Output

Stock Code: 090-0355 - CA3240E

BiMOS Operational Amplifier with MOSFET Input/Bipolar Output

TL ICs



Stock Code: 090-0384 - TL061
Low Power J-FET Single Operational Amplifier
Stock Code: 090-0356 - TL062
Low Power JFET Input Operational Amplifiers
Stock Code: 090-0357 - TL064
Low Power JFET Input Operational Amplifier
Stock Code: 090-0358 - TL071
Low Noise, JFET Input Operational Amplifiers
Stock Code: 090-0359 - TL072
Low Noise, JFET Input Operational Amplifiers
Stock Code: 090-0360 - TL074
Low-Noise FET-Input Operational Amplifier
Stock Code: 090-0361 - TL081
FET-Input Operational Amplifiers
Stock Code: 090-0362 - TL082
J-FET-Input Operational Amplifiers
Stock Code: 090-0363 - TL084
J-FET Quad Operational Amplifiers
Stock Code: 090-0390 - TL494
Switch mode Pulse Width Modulation Control Circuit
Stock Code: 090-0412 - TL431
Adjustable Voltage Reference 36V 0A1

OPTO COUPLER ICs



Stock Code: 090-0364 - 4N25 - TILL116
Opto-isolators Transistor Output
Stock Code: 090-0365 - 4N26 - TILL116
Opto-isolators Transistor Output
Stock Code: 090-0366 - 4N27
Opto-isolators Transistor Output
Stock Code: 090-0367 - 4N28 - TILL116
Opto-isolators Transistor Output
Stock Code: 090-0368 - 4N33 - TILL116
Single Channel Optocoupler with Photodarlington Output
Stock Code: 090-0369 - 4N35
General Purpose Phototransistor Optocouplers
Stock Code: 090-0370 - 4N37
Single Channel Optocoupler
Stock Code: 090-0371 - 6N139
Low Input Current High Gain Split Darlington Optocouplers
Stock Code: 090-0372 - PC817
Single Channel Optocoupler / Opto-isolator / Photocoupler with Transistor Output
Stock Code: 090-0373 - CNY17.2
Optocoupler, Phototransistor Output, With Base Connection
Stock Code: 090-0374 - CNY17.3
Optocoupler, Phototransistor Output, With Base Connection
Stock Code: 090-0375 - MOC3020 1
Random-Phase Opto-isolators Triac Driver Output
Stock Code: 090-0376 - MOC3040
Optoically Coupled Bilateral Switch Light Activated Zero Voltage Crossing Triac
Stock Code: 090-0377 - MOC3041
Zero-Cross Opto-isolators Triac Driver Output
Stock Code: 090-0378 - TLC271
CMOS Programmable Low-Power Operational Amplifiers
Stock Code: 090-0379 - TLC272
CMOS Precision Dual Operational Amplifiers
Stock Code: 090-0381 - MCT6
Dual Photo Transistor Optocouplers
Stock Code: 090-0382 - MCT210
Phototransistor Optocoupler
Stock Code: 090-0383 - H11A1 DIP
Opto-isolators Transistor Output

MAX ICs



Stock Code: 090-0393 - MAX232
+5V-Powered, Multichannel RS-232 Drivers/Receivers

TIMER ICs



Stock Code: 090-0394 - NE555
Timer IC
Stock Code: 090-0395 - NE556
Dual Timer
Stock Code: 090-0396 - 7555
Single Timer
Stock Code: 090-0397 - 7556
Dual Timer

ULN ICs



Stock Code: 090-0400 - ULN2803
8 Darlington Array with Common Emitters
Stock Code: 090-0401 - ULN2804
8 Darlington Array with Common Emitters
Stock Code: 090-0402 - ULN2804A
8 Darlington Array with Common Emitters

PWM SWITCHING REGULATOR



Stock Code: 090-0464 - PWM Switching Regulator TOP244YN

VOLTAGE REGUALTORS



Stock Code: 090-0413 - TO92 78L05
Positive Switching 5V 100mA
Stock Code: 090-0414 - TO92 78L05
Positive Switching 8V 100mA
Stock Code: 090-0415 - TO92 78L05
Positive Switching 12V 100mA
Stock Code: 090-0416 - TO92 78L05
Positive Switching 15V 100mA
Stock Code: 090-0417 - TO92 78L05
Positive Switching 24V 400mA
Stock Code: 090-0418 - TO92 79L05
Negative Switching 5V 100mA
Stock Code: 090-0419 - TO92 79L08
Negative Switching 8V 100mA
Stock Code: 090-0420 - TO92 79L12
Negative Switching 12V 100mA
Stock Code: 090-0421 - TO92 79L15
Negative Switching 15V 100mA
Stock Code: 090-0422 - TO92 79L18
Negative Switching 18V 100mA
Stock Code: 090-0423 - TO92 79L24
Negative Switching 24V 100mA
Stock Code: 090-0424 - TO220 7805
Positive Switching Regulator Max Input Voltage 35VDC Current Output 1A



Stock Code: 090-0425 - TO220 7806
Positive Switching Regulator Max Input Voltage 35VDC Current Output 1A
Stock Code: 090-0426 - TO220 7808
Positive Switching Regulator Max Input Voltage 35VDC Current Output 1A
Stock Code: 090-0427 - TO220 7809
Positive Switching Regulator Max Input Voltage 35VDC Current Output 1A
Stock Code: 090-0428 - TO220 7810
Positive Switching Regulator Max Input Voltage 35VDC Current Output 1A
Stock Code: 090-0429 - TO220 7812
Positive Switching Regulator Max Input Voltage 35VDC Current Output 1A
Stock Code: 090-0430 - TO220 7815
Positive Switching Regulator Max Input Voltage 35VDC Current Output 1A
Stock Code: 090-0431 - TO220 7818
Positive Switching Regulator Max Input Voltage 35VDC Current Output 1A
Stock Code: 090-0432 - TO220 7824
Positive Switching Regulator Max Input Voltage 40VDC Current Output 1A
Stock Code: 090-0433 - TO220 7905
Negative Voltage Regulator Max Input Voltage -35VDC Current Output 1A
Stock Code: 090-0434 - TO220 7906
Negative Voltage Regulator Max Input Voltage -35VDC Current Output 1A
Stock Code: 090-0435 - TO220 7908
Negative Voltage Regulator Max Input Voltage -35VDC Current Output 1A
Stock Code: 090-0436 - TO220 7909
Negative Voltage Regulator Max Input Voltage -35VDC Current Output 1A

Stock Code: 090-0437 - TO220 7912
Negative Voltage Regulator Max Input Voltage -35VDC Current Output 1A

Stock Code: 090-0438 - TO220 7915
Negative Voltage Regulator Max Input Voltage -35VDC Current Output 1A

Stock Code: 090-0439 - TO220 7924
Negative Voltage Regulator Max Input Voltage -40VDC Current Output 1A

Stock Code: 090-0441 - TO3 7812CK
Positive Switching Regulator Max Input Voltage 35VDC Current Output 1A

Stock Code: 090-0443 - TO3 7818CK
Positive Switching Regulator Max Input Voltage 35VDC Current Output 1A

Stock Code: 090-0444 - TO3 7905CK
Negative Voltage Regulator Max Input Voltage -35VDC Current Output 1A

Stock Code: 090-0445 - TO3 7912CK
Negative Voltage Regulator Max Input Voltage -35VDC Current Output 1A

Stock Code: 090-0447 - TO3 7918CK
Negative Voltage Regulator Max Input Voltage -35VDC Current Output 1A

VOLTAGE REGULATORS

Stock Code: 090-0174 - Voltage Regulator T0220 LD1117 3V3 1A
Input Voltage: 15V Max Output Voltage: 3.3V
CHECK PINOUT DIAGRAM BEFORE CONNECTION

Stock Code: 090-0460 - Voltage Regulator T0220 PB137 Batt Charger
Voltage Regulator for Lead Acid Battery Charging, 13.7VDC - 1.5A

Stock Code: 090-0461 - Voltage Regulator T0220 MCP1826S 3V 1A
Input Voltage: 6V Max Output Voltage: 3V

Stock Code: 090-0407 - L200CV TO220 Adj. Pos Voltage Current Regulator
2.8 - 36V, 0 - 2A

INDUCTORS

INDUCTOR COIL

An inductor coil is a passive two-terminal electrical component that stores energy in a magnetic field and opposes sudden changes in electric current.



(MH - Milli-henry)

Stock Code: 095-0001 - Inductor Coil 1MH (0.1A, 14E)
Stock Code: 095-0002 - Inductor Coil 2.2MH (80mA 35E)
Stock Code: 095-0003 - Inductor Coil 3.3MH (62mA)
Stock Code: 095-0004 - Inductor Coil 3.9MH
Stock Code: 095-0005 - Inductor Coil 4.7MH (75E, 55mA)
Stock Code: 095-0006 - Inductor Coil 10MH (Radial 58mA)

(UH - Micro-Henry)

Stock Code: 095-0007 - Inductor Coil 0.1UH (0E08 700mA)
Stock Code: 095-0008 - Inductor Coil 0.15UH (0E07 890mA)
Stock Code: 095-0009 - Inductor Coil 0.22UH (0E25 630mA)
Stock Code: 095-0010 - Inductor Coil 0.33UH (0E16 680mA)
Stock Code: 095-0011 - Inductor Coil 0.47UH (0E26 650mA)
Stock Code: 095-0012 - Inductor Coil 0.68UH (0E22 0.55A)
Stock Code: 095-0013 - Inductor Coil 1UH (0E9 0.9A)
Stock Code: 095-0014 - Inductor Coil 1.5UH (0E2 700mA)
Stock Code: 095-0015 - Inductor Coil 2.2UH (0E55 230mA)
Stock Code: 095-0016 - Inductor Coil 3.3UH (0R22 0.5A)
Stock Code: 095-0017 - Inductor Coil 4.7UH (0E35 530mA)
Stock Code: 095-0018 - Inductor Coil 6.8UH (1E2 175mA)
Stock Code: 095-0019 - Inductor Coil 10UH (1.9A)
Stock Code: 095-0020 - Inductor Coil 15UH (0E88 335mA)
Stock Code: 095-0021 - Inductor Coil 22UH (1E2 285mA)
Stock Code: 095-0022 - Inductor Coil 33UH (1E5 255mA)
Stock Code: 095-0023 - Inductor Coil 47UH (0E26 650mA)
Stock Code: 095-0024 - Inductor Coil 68UH (1E47 305mA)
Stock Code: 095-0025 - Inductor Coil 100UH (1.4E 0.1A)
Stock Code: 095-0026 - Inductor Coil 150UH (4E4 150mA)
Stock Code: 095-0027 - Inductor Coil 220UH (5E10 155mA)
Stock Code: 095-0028 - Inductor Coil 330UH (6E4 137mA)
Stock Code: 095-0029 - Inductor Coil 470UH (4.8E 0.1A)
Stock Code: 095-0030 - Inductor Coil 680UH (9E4 0.113A)
Stock Code: 095-0031 - Inductor Coil 10KUH

INSTRUMENTS & TESTING

BENCHTOP POWER SUPPLIES

Stock Code: 100-0050 - Benchtop Lab PSU HPS305D Single 150W 30V 5A



Specifications:
Single-channel output. Voltage: 0-30V DC. Current: 0-5A. CC/CV auto switchable. 110V/220V Switchable. Over-load protection function. Overheated protection function. short circuit protection function. Coarse/ fine tune the Voltage and Current. Nice cooling with temperature-controlled fan. 3 digital LED-display for voltage and current. Small body, light weight, only 1.4KG, easy for carry. Good performance with excellent cost effective.

Stock Code: 100-0001 - Owon P4305 Benchtop Lab PSU Single 150W 30V 5A



Maximum Output 0-30V / 0-5A Output 1MV/1MA Linear DC Power Supply
The OWON P4305 is a highly precise, single-channel programmable linear DC power supply. Delivering up to 30V, 5A, and 150W of output, it provides excellent stability and accuracy for benchtop electronic testing

Stock Code: 100-0002 - Pintek PW3033 Benchtop Lab PSU Dual 100W



The Pintek PW-3033 is a 100W, triple-output linear benchtop lab power supply. It features two independently adjustable channels (30 V / 3 A each) and one fixed channel (5 V / 3 A). It is built with a heavy-duty toroidal transformer for low ripple, noise, and precise constant voltage/current (CV/CI) operation

Stock Code: 100-0055 - Benchtop Lab PSU HPS3010D Single 300W 30V 10A



Specifications:
Single-channel output. Voltage: 0-30V DC. Current: 0-10A. CC/CV auto switchable. 110V/220V Switchable. Over-load protection function. Overheated protection function. short circuit protection function. Coarse/ fine tune the Voltage and Current. Nice cooling with temperature-controlled fan. 3 digital LED-display for voltage and current. Small body, light weight, only 1.4KG, easy for carry. Good performance with excellent cost effective.

Stock Code: 100-0057 - Benchtop Lab PSU SPS-E305 Single 150W 30V 5A



This Bench Power Supply is a versatile solution for your power needs. With a voltage range of 0-30V and current range of 0-5A, it offers precise control and stability. The LED display shows voltage and current with a resolution of 0.01V and 0.01A, and LED indicators for constant voltage and constant current.

Stock Code: 100-0060 - Benchtop Power Supply 30VDC 10A



Output Voltage: 0-30V; Output Current: 0-10A; Display: Digital LED; Protection: Overvoltage, Overcurrent, Short Circuit; Cooling: Intelligent fan cooling; Fast Charging Port: USB A and USB C; Load Stability: 0.2% ± 3mV; Ripple Voltage: 0.5% Vp-p; Current Stability: 0.1% ± 3mA; Voltage Stability: -0.1% ± 3mV; Product Size (LWH): 190 x 90 x 145mm; Display Resolution: Voltage 0.01V, Current 0.001A

Stock Code: 100-0053 - Benchtop Lab PSU Matrix MPS-3005H-3 Channel 30V 5A



3 channel output. 0V, 0 - 5V, 30V, 30V Output Bench (AC to DC) Power Supply 0A, 0 - 5A, 5A, 5A Output Features Optional: RS232, RS485, USB

Stock Code: 100-0062 - Benchtop Lab PSU Uni-T UTP3315TFL-II 150W 30V 5A



The UNI-T UTP3315TFL-II is an economical, single-channel linear DC bench power supply. It delivers a variable output of 0 - 30V and 0 - 5A with a maximum power output of 150W. It is widely used by hobbyists, in electronics manufacturing, and for educational lab testing.

CROCODILE CLIPS

SMALL 37mm Long (Incl Insulation), Insulation OD Back: 2.5mm



Stock Code: 100-0003 - Crocodile Clip Small 31mm Red
Stock Code: 100-0004 - Crocodile Clip Small 31mm Black
Stock Code: 100-0005 - Crocodile Clip Small 31mm Green
Stock Code: 100-0006 - Crocodile Clip Small 31mm Blue
Stock Code: 100-0007 - Crocodile Clip Small 31mm Yellow
Stock Code: 100-0008 - Crocodile Clip Small 31mm White

LARGE 62mm Long (Incl Insulation), Insulation OD Back: 3.5mm

Stock Code: 100-0009 - Crocodile Clip Large 55mm Red

Stock Code: 100-0010 - Crocodile Clip Large 55mm Black

WITH SCREW TERMINAL Banana Socket Entry, Length: 64mm

Stock Code: 100-0011 - Crocodile Clip BS4 with Screw Red

Stock Code: 100-0012 - Crocodile Clip BS4 with Screw Black



BATTERY CLAMP 30A

Stock Code: 100-0015 - Battery Clamp Croc Clip 30A 70mm Red

Stock Code: 100-0016 - Battery Clamp Croc Clip 30A 70mm Black

Stock Code: 100-0017 - Battery Clamp Croc Clip 30A 86mm Red

Stock Code: 100-0018 - Battery Clamp Croc Clip 30A 86mm Black



BATTERY CLAMP 50A

Stock Code: 100-0019 - Battery Clamp Croc Clip 50A 95mm Red

Stock Code: 100-0020 - Battery Clamp Croc Clip 50A 95mm Black



ENDOSCOPE CAMERA

Stock Code: 100-0021 - Endoscope Camera USB

IP67, 7mm, USB2.0, Inspection Endoscope Camera with LED Lighting. Ideal For Usage with Phone. 640x480Px, 30 FPS, 2m Cord



FUNCTION GENERATOR

Stock Code: 100-0022 - Function Generator Pintek FG30 Combined 0-3Mhz

A versatile, analog function generator that outputs six standard waveforms up to \ (3\text {MHz}\). It is widely used for electronic testing, circuit design, and educational labs due to its reliable frequency ranges and built-in sweep capabilities



Stock Code: 100-0023 - Pintek FG32 Function Generator 0-3Mhz

The Pintek FG-32 is a 3MHz sweep function generator equipped with a built-in 60MHz auto range frequency counter. It generates six waveforms (sine, square, triangle, ramp, and positive/negative pulse) spanning 0.5Hz to 3MHz across 6 switchable ranges. It features continuous DC offset, VCF input, and linear/log sweep capabilities.



Stock Code: 100-0058 - Uni-T UTG932E Function/Arb Waveform Generator 30Mh

4.3inch TFT LCD Screen. 2 Channel 30Mhz. Sampling Rate 200MS/s. 14 Bits. 172x90x68mm. 100-240VAC 50Hz/60Hz. 3.8kg.
The UNI-T UTG932E is an ultra-compact, dual-channel function and arbitrary waveform generator that delivers up to 30 MHz of maximum frequency. It boasts a 200 MSa/s sampling rate and 14-bit vertical resolution, making it an excellent, budget-friendly tool for hobbyists and field testing.



AUTOMATIC DIGITAL METER

Stock Code: 100-0040 - Automatic Digital Meter IP67 TRMS 600V

LCD display, 4 digit, 4000 counts, Automatic detection of measurement functions (DC/AC Voltage, Resistance), Detection AC Voltage without contact (NCV), Automatic polarity indication, “OL” overrange indication, Auto HOLD, Frequency rate: 3 times/s, working temperature: 0°C - 50°C, Working humidity: 75%RH, Battery life: approx. 80h (with backlight), approx. 400h (without backlight), Auto Power OFF after 15 min of idleness, Backlight



OSCILLOSCOPES


Stock Code: 100-0026 - Owon SDS1022 Oscilloscope 0-20Mhz 2 Channel



100ms per s Sample Rate, Ultra-Thin Body, 7-Inch-High-Res LCD Screen, SCPI and LabVIEW Support

he OWON SDS1022 is an entry-level digital storage oscilloscope featuring a 20 MHz bandwidth, 2 channels, and a maximum sample rate of 100 MSa/s. Housed in a compact, 70 mm-deep body, it includes a 7-inch TFT LCD color screen and a 10 K record length per channel.

Stock Code: 100-0027 - Owon SDS7072E Oscilloscope Smart DS 20Mhz 2+1Ch



The OWON SDS7072E is a 2+1 channel (2 analog channels + 1 external trigger) digital storage oscilloscope. It features a 70 MHz bandwidth, a 1 GS/s maximum sample rate, and a large 8-inch color TFT-LCD display (800 x 600 resolution)

Stock Code: 100-0059 - TMI TM1050C Digital Storage Oscilloscope 50Mhz 2Ch



TMI TM1050C is a highly capable, compact 50MHz, 2-channel Digital Storage Oscilloscope (DSO) ideal for electronics debugging, education, and field service. It provides excellent performance-to-price value, capturing precise waveform data for analysis.

Stock Code: 100-0061- FNIRSI 1014D Oscilloscope 2 Channel 0-100Mhz



The 1014D is a 2 in 1 Benchtop Oscilloscope with 100MHz bandwidth and 1GSa/s sample. It records up to 1000 frames, which can achieve better waveform analysis effects through playback and storage functions. The 1014D built in 10MHz chopping wave Arbitrary Waveform Generator, which can support waveform clipping output at 2.5VPP. The 1014D feature are excellent performance, reliable quality, and a wide range of functions. It's ideal for R&D designer to design and debug electronic circuits.

PWM GENERATOR



Stock Code: 100-0028 - PWM Generator Dual Programmable 5-24V 2CH

Two PWM pulse frequency duty cycle adjustable module square wave rectangular wave signal generator driven by stepping motor.

SCOPE PROBES



Stock Code: 100-0041 - Scope Probe HV X1 - X100 100Mhz 2KVpp

High Voltage Probe

Stock Code: 100-0029 - Scope Probe X1 - X10 60Mhz

Switchable Probe for Oscilloscope with BNC Connectors and Spring-Loaded Hooks / Tip

Stock Code: 100-0048 - Scope Probe X1 - X10 40Mhz

Switchable Probe for Oscilloscope with BNC Connectors and Spring-Loaded Hooks / Tip

---

PWM OSCILLATOR



Stock Code: 100-0056 - PWM Oscillator 555 Pulse Generator Board 5-12VDC

Onboard NE555 chip. Single channel signal output, output duty ratio is about 50% of square wave. Onboard can adjust resistance, adjust resistance can control output frequency. Working voltage:5~12V. Size: 29(mm)x12(mm)

TEST LEADS

UNIVERSAL TEST LEAD PROBE SET



Stock Code: 100-0049 - Universal Test Lead Probe Set 16 Pcs

BUDGET FRIENDLY TEST LEADS



Stock Code: 100-0030 - Budget Test Lead Set

Cross Plug with Shielded Sleeve, General Type Probes, Leads L=900mm, Rod L=101mm, Tip L=16.5mm

Stock Code: 100-0031 - Universal Test Lead Set

TOP TRONIC TEST LEADS



Stock Code: 100-0032 - Top Tronic T8040 Test Lead Set

Stock Code: 100-0033 - Top Tronic TAL24 Test Lead Set

2mm Probe Tip, Complete with Crocodile Clips (Screw On)

FLUKE TEST LEADS



Stock Code: 100-0034 - Fluke TL75 Test Lead Set

TEST LEADS

BANANA LEADS



Stock Code: 100-0035 - Banana Lead Male - Male 4mm 900mm Red

Stock Code: 100-0036 - Banana Lead Male - Male 4mm 900mm Black

Rating: 15A-30VAC/60VDC, PVC 0.75mm

CROC CLIP SETS



Stock Code: 100-0037 - Crocodile Clip Set of 10

Rated Current: 15A Max, Voltage: 1500V, Cable Length: 50cm, Crocodile Clip Open Width: 45mm (Max)

CROC CLIP TO BANANA PLUG



Stock Code: 100-0038 - Crocodile Clip to Banana Plug Lead 920mm Red

Stock Code: 100-0039 - Crocodile Clip to Banana Plug Lead 920mm Black

Stock Code: 100-0051 - Banana Plug to Crocodile Clip Lead Set Red Black - 1.2m

TEST PROBE HOOKS



Stock Code: 100-0042 - Small Test Probe Hook 40mm Red

Stock Code: 100-0043 - Small Test Probe Hook 40mm Black

Stock Code: 100-0044 - Large Test Probe Hook 138mm Red

Stock Code: 100-0045 - Large Test Probe Hook 138mm Black

WAVEFORM GENERATOR



Stock Code: 100-0046 - Arb Waveform Generator Owon XDG3162 160Mhz 2Ch

The Owon XDG3162 Dual Channel Arbitrary Waveform Generator has an 8 "LCD screen and a resolution of 1 µHz. The XDG3162 is capable of generating 5 basic wave forms (sine wave, square wave, saw tooth, pulse and noise) and 150 arbitrary wave-forms. Furthermore, the most commonly used modulation functions are standard. With the included PC software, you can write advanced functions up to 1 million points. These wave-forms can be stored in the internal memory via a PC via USB or LAN. These function generators also have an integrated frequency counter with a high accuracy, which can operate from 100 mHz to 80 MHz.

QUICKTEST BLOCK



Stock Code: 100-0047 - Quick Test Block

Equipment Tester for quick testing of plug less equipment. Non corded, 4-7mm Cable Entry, 13A, 240VAC. For use in RSA, Germany

---

UNI-T MULTIMETER



Stock Code: 100-0052 - UNI-T Digital Multimeter 1000VAC/DC

6000-count, manual-ranging True RMS digital multimeter. It accurately measures up to 1000V AC/DC and 20A AC/DC

PHASE ROTATION MULTIMETER



Stock Code: 100-0054 - T887 Phase Rotation Indicator LCD Meter

Battery-less, handheld phase rotation meter used to safely verify 3-phase presence and rotation direction. It instantly determines phase sequence (L1, L2, L3) to prevent motors from running in reverse, relying purely on the voltage drawn from the circuit under test.

MICROSCOPE



Stock Code: 100-0025 - Microscope Coolingtech USB 10-200X Fix Arm Adj Arm

8 Led Illumination, Usb1.1 (2.0), Digital Camera Microscope 200x. Qvga (1280x1024), 25 To 200x Magnification. 30fps Video. 3.2 To 10cm Operating Distance. Automatic Exposure & Correction.

IOT

SONOFF SMART SWITCH



Stock Code: 105-0004 - Sonoff Mini Wi-Fi Smart Switch DIY Mode 220V 10A **DISCONTINUED WHEN SOLD OUT**



Stock Code: 105-0009 - Sonoff RE5V1C Wi-fi Inching Selflock Relay

The Sonoff RE5V1C is a nano-sized 5V DC Wi-Fi relay featuring dry contact outputs and dual operational modes: inching (momentary pulse) and self-locking (standard on/off). It integrates seamlessly with the eWeLink App for remote control, scheduling, and voice automation via Amazon Alexa and Google Assistant.



Stock Code: 105-0010 - Sonoff SV 5-24VDC Wi-fi AC DC Switch

Transform your home into a smart haven with the SONOFF SV WiFi AC&DC Switch. This versatile, low-power module supports 5-24V power supply, allowing you to remotely control appliances via the eWeLink app.



Stock Code: 105-0011 - Sonoff Dual R3 Wi-Fi Smart Switch 220V 15A

SONOFF DUAL R3 takes your home to the next level. DUALR3 is a flush-mounted Wi-Fi smart dual relay switch module that is installed behind any standard switch. This transforms your switch into a smart switch for wireless remote control with mobile devices or voice command.



Stock Code: 105-0058 - Sonoff Gate and Garage Wi-fi Switch with PVC Case **DISCONTINUED WHEN SOLD OUT**

Comes in a PVC case. Two working voltages: USB 5V and DC 7V-32V. With signal instruction light and relay pull-on instruction light. Power < 1W, and quiescent current:80mA. Cutover current< 10A, Cutover voltage< 250V. 10A Relay Model. The life of Relay Model is more than 1,000,000. Insulation resistance: 100M. Maximum pull-on time: 15mS. Maximum release time: 5mS. Working Temperature: -40 to 70C. Working Humidity: 40% to 80% RH. Size: 80x15x35mm



Stock Code: 105-0059 - Sonoff Basic R4 Wi-Fi Smart Switch 220V 10A

Uses ESP32 Chip. A Smart Switch with The Gateway Function of EweLink-Remote. You Can Add Ewelink-remote Sub-devices, Use S-mate2 Or R5 To Pair with BASICR4, And Then Set the Scene, You Can Reach the Two-Way Control and Local Control.



Stock Code: 105-0012 - Sonoff 4Ch R3 Wi-Fi Smart Switch 220V 16A

Remotely control connected lights or devices via APP. 3 working modes with self-locking, interlock and inching mode. Support scheduling a timer to make devices automatically start and stop to work. Customize smart scenes to make the device connected with the switch to trigger other devices. Share the control permission of devices to other accounts to control together. Check real-time ON/OFF status of devices on your mobile phone. Power on state allows users to set the on/Off/Keep status.



Stock Code: 105-0013 - Sonoff 4Ch PRO R3 Wi-Fi Smart Switch RF 220V 40A

Remotely control connected lights or devices via APP. 3 working modes with self-locking, interlock and inching mode. Support scheduling a timer to make devices automatically start and stop to work. Customize smart scenes to make the device connected with the switch to trigger other devices. Share the control permission of devices to other accounts to control together. Check real-time ON/OFF status of devices on your mobile phone. RF Control. DC Input



Stock Code: 105-0014 - Sonoff POW R3 Wi-Fi Smart Switch 220V 25A 5500W

The Sonoff POWR3 is a high-power smart switch that can make your high-powered devices smart, or act as a smart meter for a single room. When connecting all the appliances in the room to the POWR3, the power consumption of each room is counted individually. From anywhere you'll be able to see which devices are turned on. It doesn't just visually communicate how much electricity you're using, it also stores your historical energy consumption for 100 days, which can be exported to CSV on your phone



Stock Code: 105-0034 - Sonoff Gate and Garage Wi-fi Smart Switch

Two working voltages: USB 5V and DC 7V-32V. With signal instruction light and relay pull-on instruction light. Power < 1W, and quiescent current:80mA. Cutover current< 10A, Cutover voltage< 250V. 10A Relay Model. The life of Relay Model is more than 1,000,000. Insulation resistance: 100M. Maximum pull-on time: 15mS. Maximum release time: 5mS. Working Temperature: -40 to 70C. Working Humidity: 40% to 80% RH. Size: 80x15x35mm



Stock Code: 105-0042 - Sonoff POWR316D Power Monitor 220V 16A

Optimize your energy usage with the SONOFF ENERGY MONITOR POWR316D. This 16A WiFi smart switch features a real-time LCD display for tracking power consumption, voltage, and current. With overload protection and a 6-month history data feature, you can effortlessly manage your appliances and save on electricity bills. Perfect for smart homes, it offers app and voice control for ultimate convenience. Not recommended to be used directly on Geysers, as device current is too low. Can be used with a suitable external contactor.

Stock Code: 105-0043 - Sonoff POWR320D Power Monitor 220V 20A



The Sonoff POWR320D is the ultimate solution for controlling your geyser or pool pump with ease and efficiency. Additionally, it's not just a timer, it's a versatile device designed to simplify your life.

Stock Code: 105-0044 - Sonoff DW2 Wi-Fi Door / Window Sensor



Sonoff Door/Window Sensor DW2 can help secure your door or window to let you know whether your home is safe wherever you are. The sensor can trigger an alarm to your smartphone to inform you of an intruder when the door or window is opened.

Stock Code: 105-0046 - Idemia Fluss Bluetooth Controller



Communication: BLE 5. Input Voltage: 3.7VDC 28VDC. Switching Current: 500mA. Switching Type: Normally Open NO Negative Pulse. Operating Temperature: -10C 95C. Users: Unlimited. Operating System: Android/Huawei/iOS.

Stock Code: 105-0047 - Sonoff Mini R4 Wi-Fi Smart Switch 220V 10A



Sonoff MINIR4 is the replacement for the MINI R2 WiFi smart switch. Turns traditional switches into smart switches, automating lights and electronic devices. Its tiny size allows it to fit into various mounting boxes, including the smallest type mounting box.

Stock Code: 105-0050 - Sonoff RF R2 Wi-Fi Smart Switch with RF 220V 10A



Sonoff Basic RFR2 Smart Switch WiFi and RF features a 433MHz RF receiver module that enables users to control appliances indoors with an RF Remote (not included). It is a household switch which can support Wi-Fi communication with your smartphone.

Stock Code: 105-0055 - Sonoff Wifi Smart Socket ZA Waterproof IP55



Switches Require a Neutral Wire and 2.4Ghz Wi-Fi and Internet Output: 100-240VAC 10A Total Max

Stock Code: 105-0056 - Sonoff POW CT Ring Smart Power Meter 100A



Switches Require a Neutral Wire and 2.4Ghz Wi-Fi and Internet Output: Dry Contact to connect additional Contactor. Rating: 100-240V 50/60Hz 2W.
Transformer current detection range: 0-100A.
Wireless Connectivity: Wi-Fi IEEE 802.11 b/g/n 2.4GHz. Maximum diameter of wire that the CT sensor can fit: 15mm Max.

Stock Code: 105-0060- Sonoff Basic Gen5 Matter Smart Switch 220V 10A



Future-proof your smart home with the Sonoff Basic (Matter) 1GS. As a fully Matter-certified Wi-Fi device, this Basic switch eliminates the hassle of platform-specific devices, offering compatibility with Apple Home, Google Home, Amazon Alexa, and Home Assistant. This allows you to build a truly unified, cross-brand smart ecosystem effortlessly. Not a GSM Device.

Stock Code: 105-0062 - Sonoff Mini-D Wi-Fi Smart Switch 220V 10A Dry Cont



Dry Contact Relay. Matter Compatible. AC/DC Power Support – Compatible with 100-240VAC and 12-48VDC, offering flexible installation. **Please Note: AC and DC are not supported as power inputs at the same time. **

Stock Code: 105-0060 - Sonoff Gate Garage 2 Channel Wi-fi Switch+PVC Case



Comes in a PVC case. 2 Channel. Two working voltages: USB 5V and DC 7V-32V. With signal instruction light and relay pull-on instruction light. Power < 1W, and quiescent current:80mA. Cutover current< 10A, Cutover voltage< 250V. 10A Relay Model. The life of Relay Model is more than 1,000,000. Insulation resistance: 100M. Maximum pull-on time: 15mS. Maximum release time: 5ms. Working Temperature: -40 to 70C. Working Humidity: 40% to 80% RH. Size: 80x15x35mm

Stock Code: 105-0061 - Sonoff Gate Garage 2 Channel Wi-fi Switch



This is a two-channel Wi-Fi smart relay. One can control it via the eWe-Link app to control devices on and off anytime and anywhere.
Working Voltage: DC7V~48V or USB 5V. Max Load: 10A. Control Mode: 2.4GHz Remote control / eWe-Link App control / voice control. Remote Control: 2.4GHz. Wi-Fi: IEEE 802.11 b/g/n: Only supports 2.4GHz Wi-Fi network band, 5GHz Wi-Fi band is not supported. Voice Control: Compatible with Amazon Alexa (Amazon Echo/Echo Dot/Amazon Tap) and Google Home Assistant.

Stock Code: 105-0063 - Sonoff Mini Duo 2Ch Wi-Fi Smart Switch 220V 10A



Matter Certified and Enabled: Works with all major smart home platforms seamlessly. 2-Channel Output: Independently control two lights or appliances from one device. Extreme Size: Tiny footprint designed for tight installation spaces. Two-Way Switching: Supports connecting external switches (S1/S2) for physical control.

Stock Code: 105-0070 - Sonoff Basic Gen5 Matter Smart Switch 220V 10A



Future-proof your smart home with the Sonoff Basic (Matter) 1GS. As a fully Matter-certified WIFI device, this Basic switch eliminates the hassle of platform-specific devices, offering compatibility with Apple Home, Google Home, Amazon Alexa, and Home Assistant. This allows you to build a truly unified, cross-brand smart ecosystem effortlessly. Not a GSM Device.

Stock Code: 105-0079 - Sonoff MS01 Moisture Smart Soil Sensor RJ9



DIY your sprinkler to automatically water according to the desired moisture value. Humidity Measuring: 0-100RH. Operating Temperature Range: 0-60C. Waterproof Level: IP55. Maximum Extended Length: 10m. Size: 130x30x13mm. Cable Length: 50cm. Sensor Type: Capacitive. Power Supply: 3.3V Works with TH Elite 16Amp and TH Elite 20Amp

Stock Code: 105-0100 - Sonoff Basic-1GSP 32A 2P DIN Rail Switch



The Sonoff 32 Amp DIN rail smart switch is Smarter Circuit Management control. Ideal for geysers, heat pumps, floor heating systems. Real-time energy monitoring, customizable overload protection, and double-pole switching for full physical isolation, BASIC-1GSP enables safer, smarter, and more efficient control. Matter over wifi smart switch.

SONOFF TEMPERATURE SWITCHES

Stock Code: 105-0007 - Sonoff Si7021 Temperature and Humidity **DISCONTINUED WHEN SOLD OUT**



Temperature: -10C to +85C, Humidity: 0 to 100% RH, Works with TH10/TH16

Stock Code: 105-0015 - Sonoff AL560 Extension Cable 5m **DISCONTINUED WHEN SOLD OUT**



5m Cable Length, Max 60m Extendable Length Compatible Sensor and Max Extended Length: DS18B20 = 8m, AM2301 = 60M, Si7021 = 60m.

Stock Code: 105-0035 - Sonoff THR320D Temperature and Humidity 220V 20A



Sonoff TH Elite 20 AMP, Dry Contact and LCD Screen. Sonoff TH Elite (the upgrade version of Sonoff TH16) is a Smart Temperature and Humidity monitoring switch based on ESP32 with an LCD screen. TH Elite keeps monitoring the temperature and humidity in real-time. Supports connecting 20A Max high load equipment such as electric floor heating. The sensor connector is upgraded to RJ9, supporting hot-plugging making the connection more stable and reliable.

Stock Code: 105-0036 - Sonoff DS18B20 TH Elite Temperature Sensor RJ11



Temperature Measuring Range: -55C to +125C. Works with THR320D. Cable length: 50cm. Connector type: RJ11 4P4C

Stock Code: 105-0037 - Sonoff THS01 Temperature and Humidity Sensor RJ11



Temperature: -10C to +85C, Humidity: 0 to 100% RH, Works with THR320D

Stock Code: 105-0038 - Sonoff RL560 Extension Cable 5m RJ11



Sonoff RL560 5m Extension cable is suitable for the Sonoff TH Elite/TH Origin series RJ11 sensors. Sensors are the THS01 Temperature and Humidity Sensor, DS18B20 Waterproof Temperature Sensor and MS01 Soil Moisture Sensor.

Stock Code: 105-0041 - Sonoff THR316 Temperature and Humidity 220V 16A



Sonoff TH Elite 16 AMP, Dry Contact and LCD Screen. Sonoff TH Elite (the upgrade version of Sonoff TH16) is a Smart Temperature and Humidity monitoring switch based on ESP32 with an LCD screen. TH Elite keeps monitoring the temperature and humidity in real-time. Supports connecting 20A Max high load equipment such as electric floor heating. The sensor connector is upgraded to RJ9, supporting hot-plugging making the connection more stable and reliable.

Stock Code: 105-0045- Sonoff AL010 2.5mm Jack to RJ9 Adaptor



The Sonoff AL010 is a plug-and-play adapter that converts a 2.5mm audio jack to an RJ9 (4P4C) connector. It allows you to connect legacy sensors (like the AM2301, Si7021, DS18B20, or MS01) to newer Sonoff smart switches like the TH Origin and TH Elite.

SONOFF OTHER

Stock Code: 105-0018 - Sonoff RF Bridge R2 433Mhz



RF Bridge can convert most 433Mhz Remotes into Wi-fi. Learn up to 64 433Mhz Codes

Stock Code: 105-0019 - Sonoff PIR3-RF Motion Sensor 433Mhz



The motion detector can work with the Sonoff RF Bridge 433, providing a human detected alarm message to your phone. See optional base -Sonoff Base for PIR3-RF Sensor

Stock Code: 105-0020 - Sonoff Base for PIR3-RF Motion Sensor



Motion Sensor BASE, Suitable for SONOFF SNZB-03 and SONOFF PIR3.
With the universal joint, the sensor can be flexible to rotate a full 360°horizontal angle and 90°vertical angle which allows you to adjust the sensor into an optimal angle to view everything in your home (The sensor doesn't move on its own based on your motion). Another convenience for your home is that you can use the sensor for a position where the movement is not easy to be detected via mounting it in the universal joint, and just rotate the universal joint head to get a wonderful detecting angle.

Stock Code: 105-0030 - Sonoff 4 Button Remote Controller 433Mhz



The RF Remote is a 433MHz Wireless 4 Buttons Push Cover Remote. This Wireless 4 Buttons 433Mhz remote control can remotely control any Sonoff RF products. It's suitable for long distance and multiple switch control. The remote controller is compatible with 433MHz products like the light switches, RF Bridge, Basic RF and 4Ch Pro RF R2. This RF Remote contains a battery A27. Works with: Sonoff RF, Sonoff Slampher, Sonoff 4CH Pro, Sonoff RF Bridge 433, Sonoff TX2 and TX 3 light Switches.

Stock Code: 105-0040 - Sonoff S-Cam PSU 5V 2A USB Type E/F



Application- Ideal for DC 5V power supply products like SONOFF L3 Strip Light Series, Cam Slim, RF BridgeR2 433, ZB Bridge Pro and ZB Bridge, etc.New DoE VI Standard- Safer, more energy efficient and compliant.

Stock Code: 105-0048 - Sonoff AIBridge IHost RV1126 4GB



The Sonoff iHost is your personal, private local server for your smart home system. It's designed to make your life easier and more convenient. With The iHost, you can connect and control all your devices effortlessly, even if the Internet is down. No more worrying about connectivity issues!

Stock Code: 105-0049 - Sonoff Waterproof Enclosure R2



Protect your SONOFF devices with the SONOFF Weatherproof Enclosure R2. Designed to be splashproof and dustproof, this durable PC V0 box ensures your devices stay safe and dry, extending their lifespan. Compatible with a wide range of SONOFF products, it offers exceptional versatility for your smart home needs.

SONOFF ZIGBEE

Stock Code: 105-0083 - Sonoff Zigbee Bridge Pro



Sonoff Zigbee Bridge Pro Sonoff Zigbee Bridge Pro is the updated Zigbee bridge with newly added features which enable you to manage up to 128 sub-devices, enable smart home security with easy arm and disarm as well as manage scenes locally.

Stock Code: 105-0084 - Sonoff Zigbee Smart Button Wireless Switch



Enhance your smart home with the SONOFF SNZB-01P Zigbee Wireless Switch. Customize button actions, control multiple devices effortlessly, and trigger Alexa Routines with this versatile switch. Designed for convenience, it boasts Zigbee 3.0 compatibility, an emergency button feature, and an impressive 5-year battery life. * Requires a ZigBee Bridge **

Stock Code: 105-0085 - Sonoff Zigbee Motion Sensor



Enhance your smart home security and automation with the SONOFF Zigbee Motion Sensor SNZB-03P. This advanced sensor offers quick 5-second detection, Zigbee 3.0 compatibility, and home security features for optimal protection. *Requires a ZigBee Bridge *

Stock Code: 105-0086 - Sonoff Zigbee Human Presence Sensor



Illuminate your space intelligently with the Zigbee SNZB 06P. Powered by 5.8GHz radar technology, it detects movement or stationary individuals, automatically turning on lights upon approach as well as conserving energy with light sensing. Zigbee 3.0 compatibility, local smart scene execution, and support for multiple platforms make it a must-have for a seamlessly integrated smart home. **Requires either of these devices SONOFF NSPanel Pro, SONOFF iHost, SONOFF ZB Bridge Pro, SONOFF ZBDongle-E.

Stock Code: 105-0087 - Sonoff Zigbee BSP Smart Water Valve



Enhance your smart home with the Sonoff Zigbee Smart Water Valve. Easy to install and compatible with Zigbee 3.0 hubs, this valve offers customizable settings, tracks up to 6 months of water usage, and integrates with open-source platforms. Its robust design ensures reliable performance across various conditions. ** Requires a Sonoff ZigBee Bridge with updated firware. ** ** Batteries not included 4 x 1.5v AA ** ** Tap adaptor may be required **

Stock Code: 105-0088 - Sonoff NSPanel Pro Grey



Model: NSPanel120PW, NSPanel120PB. Screen Size: 4.7 inches. Screen Resolution: 750×1334. Power Rating: 100-240V-50/60Hz 0.15A MAX. CPU: Quad-core ARM Cortex-A35. GPU: Mali G31-2EE. Wireless Connectivity: Wi-Fi IEEE 802.11 b/g/n 2.4GHz, Zigbee 3.0. Working Humidity: 5-90 RH, non-condensing. Working Temperature: 0C-40C. Casing Materials: PC V0 CRS Tempered glass panel. Dimensions: 122.5×74.5×39.5 mm. **Please Note: Device has no physical Switches/Relays. **

Stock Code: 105-0089 - Sonoff Zigbee 4 Button Scene Controller 3V CR2477



Includes CR2477 battery. Take manual control of your smart home with 4 physical buttons capable of triggering 16 different scenes via single, double, triple, or long-press actions. This wire-free Zigbee remote features a magnetic base for easy mounting and supports reliable local automation. * Requires a ZigBee Bridge *

Stock Code: 105-0090 - Sonoff Zigbee Temp and Humidity Sensor 3V CR2477



Includes CR2477 battery. Zigbee 3.0 Temperature and Humidity Sensor, Transform your living space with the cutting-edge SONOFF Zigbee Temperature and Humidity Sensor (SNZB-02P). This upgraded sensor, powered by Zigbee 3.0 protocol and equipped with a Swiss-made smart hygrometer sensor, delivers unparalleled precision in room temperature (±0.2°C) and humidity (±2%RH) measurements. Enjoy real-time updates every 5 seconds, providing you with the latest environmental data * Requires a ZigBee Bridge *

Stock Code: 105-0091 - Sonoff Zigbee Door Window Sensor 3V CR2477



Includes CR2477 battery. Enhance your home security effortlessly with the Sonoff Door/Window Sensor. This Zigbee-enabled contactor provides real-time alerts to your smart devices whenever a door or window is opened or closed, ensuring peace of mind and seamless integration with your smart home system. The tamper-proof design ensures additional security by sending alerts if the sensor is tampered with. * Requires a ZigBee Bridge *

Stock Code: 105-0092 - Sonoff Zigbee Water Leak Sensor 3V CR2477



Includes CR2477 battery. Protect your home with the Sonoff Water Leak Sensor (Zigbee), featuring advanced leak detection, real-time alerts, and a long-lasting battery for peace of mind. * Requires a ZigBee Bridge *

Stock Code: 105-0093 - Sonoff Zigbee Temp and Humidity Display Sensor 3V



Includes CR2477 battery. The Sonoff SNZB-02D is a Zigbee temperature and humidity sensor with a 2.5-inch LCD display that shows large, bold numbers, icons for air conditions and power usage, and is compatible with Zigbee 3.0 gateways and Alexa with Built-in Zigbee Hub.The device is perfect for monitoring temperature and humidity to ensure a comfortable living environment. * Requires a ZigBee Bridge *

Stock Code: 105-0094 - Sonoff Zigbee M5 Light Switch 1CH White No Neutral

**Note: A Sonoff Zigbee Bridge is required for operation. ** Input Voltage: 100-240V 50/60Hz. Max Load: 1C: 10A Resistive Load 2C: 10A per gang, Total 10A Resistive Load 3C: 10A per gang, Total 10A Resistive Load. LED Load: 1C: 400W@240V, 200W@100V 2C: 400W@240V per gang, Total 400W@240V 3C: 400W@240V per gang, Total 400W@240V. Minimum Load: 3W (No Neutral Required). Wireless Connectivity: Zigbee 3.0

Stock Code: 105-0095 - Sonoff Zigbee M5 Light Switch 2CH White No Neutral



**Note: A Sonoff Zigbee Bridge is required for operation. ** Input Voltage: 100-240V 50/60Hz. Max Load: 1C: 10A Resistive Load 2C: 10A per gang, Total 10A Resistive Load 3C: 10A per gang, Total 10A Resistive Load. LED Load: 1C: 400W@240V, 200W@100V 2C: 400W@240V per gang, Total 400W@240V 3C: 400W@240V per gang, Total 400W@240V. Minimum Load: 3W (No Neutral Required). Wireless Connectivity: Zigbee 3.0

Stock Code: 105-0096 - Sonoff Zigbee M5 Light Switch 3CH White No Neutral

**Note: A Sonoff Zigbee Bridge is required for operation. ** Input Voltage: 100-240V 50/60Hz. Max Load: 1C: 10A Resistive Load 2C: 10A per gang, Total 10A Resistive Load 3C: 10A per gang, Total 10A Resistive Load. LED Load: 1C: 400W@240V, 200W@100V 2C: 400W@240V per gang, Total 400W@240V 3C: 400W@240V per gang, Total 400W@240V. Minimum Load: 3W (No Neutral Required). Wireless Connectivity: Zigbee 3.0

Stock Code: 105-0101 - Sonoff Zigbee Temp and Humidity Sensor Lite 3V



Includes 2 x AAA batteries (2 x 1.5V). Keep an eye on temperature and humidity in any room, cupboard, wine rack, or storage space with this compact Zigbee sensor. It pairs with the eWeLink app for real-time monitoring and up to 6 months of data history. * Requires a ZigBee Bridge *

Stock Code: 105-0102 - Sonoff Zigbee Splash Proof Temperature Probe 3V



Includes CR2477 battery. Accurately monitor anything from your geyser pipe to your deep freezer with the Sonoff SNZB-02LD Smart Thermometer. Featuring a crystal-clear LCD display and a 1.5-meter waterproof probe, this sensor gives you the precision you need. Integrate it into your Zigbee smart home to create powerful automations that save electricity and give you total peace of mind. * Requires a ZigBee Bridge *

Stock Code: 105-0103 - Sonoff Zigbee Bridge Max 5VDC 1A - NO PSU



Requires 5V 1A PSU Type C. A powerful Zigbee gateway and Matter Bridge that connects your Zigbee devices to Apple Home, Alexa, Google Home, and other Matter ecosystems. Power Input: 5V, 1A. Power Interface: Type-C. Network Interface: RJ45 (10/100Mbps)

SMART WIFI

Stock Code: 105-0032 - Smart Wi-fi Plug with Power Meter 16A 2.4GHz Only



Schedule automatically with the time setting function where you can turn on/off your appliance based on a specific time or scenario; perfect for cooking or lighting at dawn and dusk. Come back home with the lights on in your household and appliances operating. You can schedule the air conditioner to turn on before you arrive home.

Stock Code: 105-0033 - Smart Wi-fi Timer Energy Monitoring Relay 20A



2.4GHz Only Locally stored programming. Countdown timer from 1min up to 23hrs 59mins. Up to 100 On/Off Programs. Adjustable settings from daily to day by day. Devices can be grouped as well as individually named. Shareable device control via Wi-Fi. Remote On/Off Switching. On/off switching can be operated manually via the Touch Button. Remote manual control via dry contact input. Contact position memory in the event of a power failure. App can display mA, W, V and kWh

---

SONOFF SMART WALL SWITCHES

Stock Code: 105-0021 - Sonoff Smart Wall Switch Wi-fi + RF White 1 Way **DISCONTINUED WHEN SOLD OUT**



Switches Require a Neutral Wire and 2.4Ghz Wi-Fi and Internet Output: 100-240VAC 2A Max

Stock Code: 105-0022 - Sonoff Smart Wall Switch Wi-fi + RF White 2 Way **DISCONTINUED WHEN SOLD OUT**

Switches Require a Neutral Wire and 2.4Ghz Wi-Fi and Internet Output: 100-240VAC 2A per Gang, 4A Total Max

Stock Code: 105-0023 - Sonoff Smart Wall Switch Wi-fi + RF White 3 Way **DISCONTINUED WHEN SOLD OUT**

Switches Require a Neutral Wire and 2.4Ghz Wi-Fi and Internet Output: 100-240VAC 2A per Gang, 6A Total Max

Stock Code: 105-0024 - Sonoff Smart Wall Switch Wi-fi + RF Black 1 Way **DISCONTINUED WHEN SOLD OUT**



Switches Require a Neutral Wire and 2.4Ghz Wi-Fi and Internet Output: 100-240VAC 2A Max

Stock Code: 105-0025 - Sonoff Smart Wall Switch Wi-fi + RF Black 2 Way **DISCONTINUED WHEN SOLD OUT**

Switches Require a Neutral Wire and 2.4Ghz Wi-Fi and Internet Output: 100-240VAC 2A per Gang, 4A Total Max

Stock Code: 105-0026 - Sonoff Smart Wall Switch Wi-fi + RF Black 3 Way **DISCONTINUED WHEN SOLD OUT**

Switches Require a Neutral Wire and 2.4Ghz Wi-Fi and Internet Output: 100-240VAC 2A per Gang, 6A Total Max

Stock Code: 105-0028 - Sonoff Smart Wall Switch Wi-fi Only White 2 Way **DISCONTINUED WHEN SOLD OUT**



Switches Require a Neutral Wire and 2.4Ghz Wi-Fi and Internet Output: 100-240VAC 2A per Gang, 4A Total Max

Stock Code: 105-0029 - Sonoff Smart Wall Switch Wi-fi Only White 3 Way **DISCONTINUED WHEN SOLD OUT**

Switches Require a Neutral Wire and 2.4Ghz Wi-Fi and Internet Output: 100-240VAC 2A per Gang, 6A Total Max

Stock Code: 105-0031 - Sonoff NS Panel US Smart Wall Display Switch



120mm x 74mm x 42mm Deep NSPANEL Centrally Integrates HMI Control, Smart Temperature Control and Smart Wall Switch Control, Turning your home into a convenient and smart place.

Stock Code: 105-0051 - Sonoff TX Ultimate T5 Smart Light Switch 1 Way

Switches Require a Neutral Wire and 2.4Ghz Wi-Fi and Internet Output: 100-240VAC 5A Max

Stock Code: 105-0052 - Sonoff TX Ultimate T5 Smart Light Switch 2 Way



Switches Require a Neutral Wire and 2.4Ghz Wi-Fi and Internet Output: 100-240VAC 5A per Gang, 10A Total Max

Stock Code: 105-0053 - Sonoff TX Ultimate T5 Smart Light Switch 3 Way

Switches Require a Neutral Wire and 2.4Ghz Wi-Fi and Internet Output: 100-240VAC 5A per Gang, 15A Total Max

Stock Code: 105-0054 - Sonoff TX Ultimate T5 Smart Light Switch 4 Way

Switches Require a Neutral Wire and 2.4Ghz Wi-Fi and Internet Output: 100-240VAC 4A per Gang, 16A Total Max

Stock Code: 105-0064 - Sonoff M5 Smart Light Switch 1 Way Black **DISCONTINUED WHEN SOLD OUT**

Switches Require a Neutral Wire and 2.4Ghz Wi-Fi and Internet Output: 100-240VAC 10A Max



Stock Code: 105-0065 - Sonoff M5 Smart Light Switch 2 Way Black **DISCONTINUED WHEN SOLD OUT**

Switches Require a Neutral Wire and 2.4Ghz Wi-Fi and Internet Output: 100-240VAC 10A Max (5A/Gang)

Stock Code: 105-0066 - Sonoff M5 Smart Light Switch 3 Way Black **DISCONTINUED WHEN SOLD OUT**

Switches Require a Neutral Wire and 2.4Ghz Wi-Fi and Internet Output: 100-240VAC 6A Max (2A/Gang)

Stock Code: 105-0067 - Sonoff M5 Matter Smart Light Switch 1 Way White

Switches Require a Neutral Wire and 2.4Ghz Wi-Fi and Internet Output: 100-240VAC 10A Max



Stock Code: 105-0068 - Sonoff M5 Smart Light Switch 2 Way White

Switches Require a Neutral Wire and 2.4Ghz Wi-Fi and Internet Output: 100-240VAC 10A Max (5A/Gang)

Stock Code: 105-0069 - Sonoff M5 Smart Light Switch 3 Way White

Switches Require a Neutral Wire and 2.4Ghz Wi-Fi and Internet Output: 100-240VAC 6A Max (2A/Gang)

Stock Code: 105-0071 - Sonoff Smart Light Switch T6 1Ch

The Sonoff Smart Light Switch T6 1CH is the ultimate upgrade for your smart home, offering next-level connectivity and control with universal Matter, allowing seamless integration with Apple Home.



Stock Code: 105-0072 - Sonoff Smart Light Switch T6 2Ch

The Sonoff Smart Light Switch T6 2CH is the ultimate upgrade for your smart home, offering next-level connectivity and control with universal Matter, allowing seamless integration with Apple Home.

Stock Code: 105-0073 - Sonoff Smart Light Switch T6 2Ch

The Sonoff Smart Light Switch T6 3CH is the ultimate upgrade for your smart home, offering next-level connectivity and control with universal Matter, allowing seamless integration with Apple Home.

Stock Code: 105-0080 - Sonoff Smart Light Switch T6 1Ch Black

The Sonoff Smart Light Switch T6 1Ch is the ultimate upgrade for your smart home, offering next-level connectivity and control with universal Matter, allowing seamless integration with Apple Home.



Stock Code: 105-0081 – Sonoff Smart Light Switch T6 2CH Black

The Sonoff Smart Light Switch T6 2Ch is the ultimate upgrade for your smart home, offering next-level connectivity and control with universal Matter, allowing seamless integration with Apple Home.

Stock Code: 105-0082 – Sonoff Smart Light Switch T6 3CH Black

The Sonoff Smart Light Switch T6 3Ch is the ultimate upgrade for your smart home, offering next-level connectivity and control with universal Matter, allowing seamless integration with Apple Home.

Stock Code: 105-0097 – Sonoff M5 Matter Smart Light Switch 1 Way Black

Switches Require a Neutral Wire and 2.4Ghz WiFi and Internet Output: 100-240VAC 10A Max



Stock Code: 105-0098 – Sonoff M5 Matter Smart Light Switch 2 Way Black

Switches Require a Neutral Wire and 2.4Ghz WiFi and Internet Output: 100-240VAC 10A Max

Stock Code: 105-0099 – Sonoff M5 Matter Smart Light Switch 3 Way Black

Switches Require a Neutral Wire and 2.4Ghz WiFi and Internet Output: 100-240VAC 10A Max

SONOFF WIFI LED STRIPS

Stock Code: 105-0016 - Sonoff L1 Smart LED Light Strip 5m

SMART LED LIGHT STRIP: Input voltage: DC 12V, Material: FPCB, Color: RGB, LED QTY: 30 LEDs/m, Luminous flux: =300 lumens/m, Beam angle: 120, IP Rating: IP65
WI-FI CONTROLLER: Input: 5-24VDC, Remote controller battery: 3V CR2025, Power: 144W, Wi-Fi: 802.11 b/g/n 2.4G, Remote controller: Infrared 24 keys, Supported systems: Android iOS
POWER ADAPTER: Input: 240VAC 0.6A Max, Protection: Overvoltage protection Overload protection Overheat protection, Output: 12VDC 24W 1.5m



Stock Code: 105-0017 - Sonoff L2 Smart LED Light Strip 5m + Bluetooth

SMART LED LIGHT STRIP w/ Bluetooth: Input voltage: DC 12V, Material: FPCB, Color: RGB, LED QTY: 30 LEDs/m, Luminous flux: >=300 lumens/m, Beam angle: 140, IP Rating: IP65
WI-FI CONTROLLER: Input: 5-24VDC, Battery: CR2025, Power: 144W, Wi-Fi: 2.4G, Remote controller: Infrared 24 keys, Supported systems: Android iOS
POWER ADAPTER: Input: 240VAC 0.6A Max, Protection: Overvoltage protection Overload protection Overheat protection, Output: 12VDC 24W 1.5m

Stock Code: 105-0039 - Sonoff L3 Pro Smart LED Strip 5m

Sonoff L3 Pro RGBIC LED Strip Lights can Display multiple Colors Simultaneously. RGB Light Can Only Display One Color at A Time. Has 4 Music Modes & 21 Preset Lighting Effects. Requires a Sonoff S-Cam PSU 5V USB Type E/F Power Adapter – Not Supplied

---

SONOFF REMOTE SCENE CONTROLLER

Stock Code: 105-0074 - Sonoff R5 Remote Scene Controller (White)

2 x Batteries NOT included (CR2032). Control 18 Devices with just 6 Buttons, Single click, Double Click, and long press. When you have many smart devices, and they are distributed in different rooms but don't want to control them through your phone, then what you need is the R5 scene remote controller.



Stock Code: 105-0075 - Sonoff R5 Remote Scene Controller (Black)

2 x Batteries NOT included (CR2032). Control 18 Devices with just 6 Buttons, Single click, Double Click, and long press. When you have many smart devices, and they are distributed in different rooms but don't want to control them through your phone, then what you need is the R5 scene remote controller.

SONOFF CAMERA

Stock Code: 105-0076 - Sonoff Camera S2 Slim



Adapter and Memory Card Not Included. Enhance your home security with the Sonoff Cam-S Slim featuring 1080P Full HD resolution, customizable alert zones, and intelligent human detection for a safer environment.

Stock Code: 105-0077 - Sonoff Camera Pan-Tilt



Adapter and Memory Card Not Included. Secure your home or office with the advanced Sonoff CAM Pan-Tilt 2, a smart indoor security camera designed to leave no corner unwatched. With its smooth pan and tilt functionality, you can achieve a full 360° panoramic view, eliminate blind spots and give you complete control over your environment, all accessible from your mobile device via the eWeLink app.

Stock Code: 105-0078 - Sonoff Outdoor Camera




Adapter and Memory Card Not Included. The Sonoff Smart Outdoor Camera features high-definition video and an IP65 weatherproof design for clear reliable outdoor surveillance. It offers 180Deg horizontal pan control only with human tracking.

KITS


DIY KITS

DIY electronic kits let you build, solder, and program your own gadgets, radios, robots, and computer boards.



Stock Code: 110-0001 - DIY Kit 1 6 Led Dice
Stock Code: 110-0002 - DIY Kit 2 Flip Flop
Stock Code: 110-0003 - DIY Kit 3 12VDC-24VDC Speed Control
Stock Code: 110-0004 - DIY Kit 4 6 Led Running Lights
Stock Code: 110-0005 - DIY Kit 5 Battery Voltage Monitor Cut Out
Stock Code: 110-0006 - DIY Kit 6 1.5V Led Flasher
Stock Code: 110-0007 - DIY Kit 7 Touch Dimmer
Stock Code: 110-0008 - DIY Kit 8 10 Led Bar graph Car Voltmeter
Stock Code: 110-0009 - DIY Kit 9 Garage Shed Alarm
Stock Code: 110-0010 - DIY Kit 10 Volt Drop Car Alarm
Stock Code: 110-0011 - DIY Kit 11 Programmable Day and Night Switch
Stock Code: 110-0012 - DIY Kit 14 Battery Monitor
Stock Code: 110-0014 - DIY Kit 16 Transistor Flip Flop
Stock Code: 110-0015 - DIY Kit 17 10 Led VU Meter
Stock Code: 110-0016 - DIY Kit 18 Positive Voltage Regulator
Stock Code: 110-0017 - DIY Kit 19 Temperature Controller 12VDC - Temperature: 0C to +99C
Stock Code: 110-0018 - DIY Kit 20 Clap Switch
Stock Code: 110-0020 - DIY Kit 22 1 Button Code Lock
Stock Code: 110-0021 - DIY Kit 23 Continuity Tester
Stock Code: 110-0022 - DIY Kit 24 Voice Recorder
Stock Code: 110-0023 - DIY Kit 27 Ni-Cad Condition Checker
Stock Code: 110-0024 - DIY Kit 28 Day and Night Switch
Stock Code: 110-0025 - DIY Kit 29 12V 5W Mini Amplifier
Stock Code: 110-0026 - DIY Kit 30 Vu Meter for Mono System
Stock Code: 110-0027 - DIY Kit 31 Quiz Master
Stock Code: 110-0028 - DIY Kit 32 Mini Pre Amplifier for Microphone
Stock Code: 110-0029 - DIY Kit 33 Electric Fence
Stock Code: 110-0030 - DIY Kit 34 IC Intercom
Stock Code: 110-0031 - DIY Kit 35 Transistor Tester
Stock Code: 110-0032 - DIY Kit 36 31-2 Digit Led Panel Meter
Stock Code: 110-0033 - DIY Kit 37 Drill Speed Controller
Stock Code: 110-0034 - DIY Kit 38 Mains Voltage Checker
Stock Code: 110-0035 - DIY Kit 40 1A Adjustable Power supply
Stock Code: 110-0036 - DIY Kit 41 3A Adjustable Power supply
Stock Code: 110-0037 - DIY Kit 42 Battery Charger Controller
Stock Code: 110-0038 - DIY Kit 44 Car Battery Indicator
Stock Code: 110-0040 - DIY Kit 47 Fm Transmitter
Stock Code: 110-0041 - DIY Kit 50 12V Light Flasher
Stock Code: 110-0042 - DIY Kit 51 5 Led Running Lights
Stock Code: 110-0044 - DIY Kit 55 4 Channel Sound to Light
Stock Code: 110-0045 - DIY Kit 58 Infra-Red Link
Stock Code: 110-0046 - DIY Kit 61 Delay Off Timer
Stock Code: 110-0047 - DIY Kit 62 Delay on Timer
Stock Code: 110-0048 - DIY Kit 74 Traffic Light
Stock Code: 110-0050 - DIY Kit XR2206CP-DIY Function Signal Generator - Sine Triangle Square Output 1Hz-1Mhz

Stock Code: 110-0082 - DIY Kit 5 Battery Voltage Monitor Cut Out for 12V
Stock Code: 110-0083 - DIY Kit 5 Battery Voltage Monitor Cut Out for 24V
Stock Code: 110-0084 - DIY Kit 5 Battery Voltage Monitor Cut Out for 48V
Stock Code: 110-0137 - DIY Kit Radio Kit with Case (HU-017ASW)



The DIY Radio Kit with Case (HU-017ASW) is a fun and educational electronic project based on the RDA5807 FM receiver chip, covering the 87.0–108.0MHz global FM frequency range. Designed for beginners and hobbyists, this kit helps users learn about electronic circuits and soldering while building a fully functional FM radio. It features a 4-digit digital display for frequency and signal level indication, 15-level adjustable volume, and automatic station scanning and memory functions.

DIY TRAINING KITS

Astable, monostable, and bistable circuits are the three main types of multivibrators—electronic circuits used to generate pulse waveforms, timing signals, or binary states. They are categorized by how many permanent stable states they have.

Stock Code: 110-0065 - DIY Kit A Stable
Stock Code: 110-0066 - DIY Kit Bi Stable
Stock Code: 110-0067 - DIY Kit Mono Stable
Stock Code: 110-0068 - DIY Kit Triac Speed Control

PC BOARDS FOR TRAINING KITS (BOARDS ONLY)

Stock Code: 110-0069 - PCB for A-Stable
Stock Code: 110-0070 - PCB for Bi-Stable
Stock Code: 110-0071 - PCB for Mono Stable

DIY MOTOR

This E10 School Series DIY Motor is a basic entry level module for those just getting started with electronics or for projects in the classroom or lab. This is a low voltage (±3V), mounted on a base, and has two contact screws for a direct connection.



Stock Code: 110-0073 - E10 School Series DIY Motor Teaching Physics

---

PRE-BUILT-UP KITS

FLASHERS

Stock Code: 110-0076 - Pre-Built Kit 6 1.5V Led Flasher Red in Black Box
Stock Code: 110-0077 - Pre-Built Kit 6 1.5V Led Flasher Blue in Black Box
Stock Code: 110-0078 - Pre-Built Kit 6 1.5V Led Flasher Green Black Box
Stock Code: 110-0079 - Pre-Built Kit 6 1.5V Led Flasher Red in Clear Box
Stock Code: 110-0080 - Pre-Built Kit 6 1.5V Led Flasher Blue in Clear Box
Stock Code: 110-0081 - Pre-Built Kit 6 1.5V Led Flasher Green Clear Box

Stock Code: 110-0138 - Enclosure for Pre-Built Kit 6 1.5V Led Flasher

MILLI-AMP SOURCE

Stock Code: 110-0052 - Pre-Built Kit 12 24V 4-20 Milli Amp Source

VOLTAGE REGULATOR MODULE

Stock Code: 110-0053 - Pre-Built Kit 13 Voltage Regulator Module 5V 1A
Stock Code: 110-0054 - Pre-Built Kit 13 Voltage Regulator Module 8V 1A
Stock Code: 110-0055 - Pre-Built Kit 13 Voltage Regulator Module 9V 1A
Stock Code: 110-0056 - Pre-Built Kit 13 Voltage Regulator Module 10V 1A
Stock Code: 110-0057 - Pre-Built Kit 13 Voltage Regulator Module 12V 1A
Stock Code: 110-0058 - Pre-Built Kit 13 Voltage Regulator Module 15V 1A
Stock Code: 110-0059 - Pre-Built Kit 13 Voltage Regulator Module 24V 1A
Stock Code: 110-0060 - Pre-Built Kit LM317 1A Adjustable Voltage Module
Stock Code: 110-0061 - Pre-Built Kit LM350 3A Adjustable Voltage Module

RELAY MODULE

Stock Code: 110-0062 - Pre-Built Kit 6VDC 10A Relay Module
Stock Code: 110-0063 - Pre-Built Kit 12VDC 10A Relay Module
Stock Code: 110-0064 - Pre-Built Kit 24VDC 10A Relay Module

ELECTRICAL ASSESSMENT

Stock Code: 110-0133 - Pre-Built Kit Electrical Assessment Box
Stock Code: 110-0136 - Pre-Built Kit Electrical Assessment Box V2.0

RELAY BREAKOUT BOARD

Stock Code: 110-0074 - Relay Breakout Board for AC
Stock Code: 110-0075 - Relay Breakout Board for DC with Diode

VEHICLE EMERGENCY LIGHT FLASHER

Stock Code: 110-0039 - Vehicle Emergency Light Flasher

LED'S & DISPLAYS

DIFFUSED LEDS




COLOR	3MM	5MM	10MM
YELLOW	Stock Code: 115-0001	Stock Code: 115-0015	Stock Code: 115-0030
GREEN	Stock Code: 115-0002	Stock Code: 115-0016	Stock Code: 115-0031
RED	Stock Code: 115-0003	Stock Code: 115-0014	Stock Code: 115-0029
ORANGE	Stock Code: 115-0004	Stock Code: 115-0017	
BLUE			

HIGH BRIGHT LEDS



COLOR	3MM	5MM	10MM
GREEN	Stock Code: 115-0007	Stock Code: 115-0020	Stock Code: 115-0034
RED	Stock Code: 115-0009	Stock Code: 115-0021	Stock Code: 115-0035
ORANGE	Stock Code: 115-0008	Stock Code: 115-0022	Stock Code: 115-0036
BLUE	Stock Code: 115-0005	Stock Code: 115-0018	Stock Code: 115-0038
WHITE	Stock Code: 115-0006	Stock Code: 115-0019	Stock Code: 115-0037

FLASHING LEDS (DIFFUSED)



COLOR	3MM	5MM	10MM
YELLOW	Stock Code: 115-0010	Stock Code: 115-0025	Stock Code: 115-0041
GREEN	Stock Code: 115-0011	Stock Code: 115-0024	Stock Code: 115-0040
RED	Stock Code: 115-0012	Stock Code: 115-0023	

FLASHING LEDS CLEAR 5MM



Stock Code: 115-0143 - LED RGB 5mm 4 Leg Clear CA Negative Switching
Stock Code: 115-0027 - LED RGB 5mm 4 Leg Clear CC Positive Switching
2.3V 20mA, Red - 8000MCD, Green - 10000MCD, Blue - 6000MCD, Viewing Angle: 40 Deg

Stock Code: 115-0146 - LED Flashing 5mm Red and Blue 2 Leg

Stock Code: 115-0028 - LED RGB 5mm Auto Slow Cycling
2.3V 20mA, Viewing Angle: 30 Deg

UV LED 5MM



Stock Code: 115-0026 - LED Ultra Violet 5mm

LED WALL CLOCK



Stock Code: 115-0161 - LED Digital Wall Clock 8 RGB Colors
Characteristics: 1. Ability to set using a remote control 2. Shows the date, day, and temperature 3. Functions as a dual alarm clock 4. Offers 8 options for adjusting RGB colors automatically 5. Automatically adjusts brightness with 10 levels of dimming 6. Includes timer and countdown features 7. Can be used as a wall-mounted or desktop device 8. Features 2 cable holes for convenient cable storage 9. Switch between 12 and 24-hour formats. Dimensions: 35x38.9x12.7cm. USB cable length: 350cm

---

BI COLOUR LEDS



3MM
Stock Code: 115-0043 - LED Bi-Color 3mm 3 Leg

5MM
Stock Code: 115-0044 - LED Bi-Color 5mm 2 Leg
Stock Code: 115-0045 - LED Bi-Color 5mm 3 Leg CC
Stock Code: 115-0046 - LED Bi-Color 5mm 3 Leg CA

SEVEN SEGMENT DISPLAYS




7.6MM
Stock Code: 115-0133 - Seven Segment Display 7.6mm CC (Positive Switching)
Stock Code: 115-0134 - Seven Segment Display 7.6mm CA (Negative Switching)

9MM
Stock Code: 115-0136 - Seven Segment Display 9mm CA (Negative Switching)

12.7MM

Stock Code: 115-0137 - Seven Segment Display 12.7mm CC (Positive Switching)
Stock Code: 115-0138 - Seven Segment Display 12.7mm CA (Negative Switching)

BARGRAPH DISPLAY



Stock Code: 115-0042 - LED Bar graph Display 10 LED
10 Segment, Red, 700nm, 2MCD Per LED, Black Face, Size: 5.1x1.78x10mm

---

DIAL LAMPS



Stock Code: 115-0047 - Dial Lamp with Wires 6V 100mA - 4x8.5mm
Stock Code: 115-0048 - Dial Lamp with Wires 12V - 14V 40mA 4x12mm

---

EAGLE EYES



COLOR	18MM	22MM
RED	Stock Code: 115-0049	Stock Code: 115-0054
BLUE	Stock Code: 115-0050	Stock Code: 115-0055
GREEN	Stock Code: 115-0051	Stock Code: 115-0056
WHITE	Stock Code: 115-0052	Stock Code: 115-0057
YELLOW	Stock Code: 115-0053	Stock Code: 115-0058

SCREW IN GLOBES



Stock Code: 115-0162 - Screw in Globe E10 1.5V
Stock Code: 115-0059 - Screw in Globe E10 3.5V - 200mA, 2000Hrs D-10 H-28
Stock Code: 115-0060 - Screw in Globe E10 6V - 150mA, D-10mm, L-24-27mm
Stock Code: 115-0061 - Screw in Globe E10 12V - 250mA, D-10mm, L-28mm
Stock Code: 115-0062 - Screw in Globe E10 24V

GLOBE HOLDERS



Stock Code: 115-0144 - E10 School Series Globe Holder
Voltage: 36V (Max), Size: 73 x 33 x 10mm



Stock Code: 115-0063 - Globe Holder E10 Metal Screw In



Stock Code: 115-0064 - Globe Holder E10 Insulated Screw In
Chassis Mount, Screw Connection, Bakelite Body

IR SENSOR



Stock Code: 115-0153 - Vishay TCRT5000L Reflective Optical IR Sensor

Infrared Through Hole Reflective Optical Sensor, Transistor Output 2, Leaded Package

---

INFRA RED LEDS

3MM



Stock Code: 115-0066 - LED Infra-Red 3mm TX

Stock Code: 115-0067 - LED Infra-Red 3mm RX

5MM

Stock Code: 115-0068 - LED Infra-Red 5mm TX PT331C

Stock Code: 115-0163 - LED Infrared Set 5mm TX + RX

Transmitter IR LED - Part No IR333C-A. Receiver Photodiode - Part No PD333-3B/H0/L2. Sensing Distance: Approx 25cm. Power Voltage: 3.3 - 5.5VDC. Emitter Current Draw: 10mA @ 3.3V, 20mA @ 5V. Output Current Capability of receiver: 100mA sink. Transmitter/Receiver LED Angle: 10Deg. Response Time: 2 ms

---

IR RECEIVER

A miniaturized infrared (IR) receiver module made by Vishay Semiconductors designed for PCM (pulse-code modulation) remote control systems.



Stock Code: 115-0070 - IR Receiver TSOP4840

LASER MODULE



Stock Code: 115-0071 - Laser Module 5VDC 3MW 650NM 9mm Dot

Cylindrical Laser Diode Module OD=9mm L=21.95mm

Stock Code: 115-0072 - Laser Module 5VDC 5MW 650NM

2.8V - 5.2V 25mA Cylinder 6 x 9.5mm

Stock Code: 115-0157 - Laser Module 2.8-5.2VDC 5mW Red Cross

2.8 - 5.2V DC Voltage Input 32X10mm

LCD DISPLAY

12C



Stock Code: 115-0013 - LCD Display Module 1602 with I2C Interface

5VDC, 16 Characters, 2 Lines Blue LCD Display with I2C Connection. With Backlight and Contrast Adjustment Potentiometer

Stock Code: 115-0139 - LCD Display Module 2004 with I2C Interface

20 Characters 4 Lines

Stock Code: 115-0073 - LCD 2 Line 16 Character + Backlight (Size: 80x36mm 5VDC Blue Backlight)

Stock Code: 115-0074 - LCD 4 Line 16 Character + Backlight

LDR (LIGHT DEPENDANT RESISTOR)



Stock Code: 115-0077 - LDR 50-100Kohm Size: 3.4 x 4.1mm

LED HOLDERS

3MM



Stock Code: 115-0145 - LED Holder 3mm Chrome Concave

Stock Code: 115-0078 - LED Holder 3mm Plastic

ID: 2.9mmOD (Hole Cutout): 4.4mm OD (Including Rim): 5.9mm Length: 4.8mm



Stock Code: 115-0079 - LED Holder 3mm Chrome Convex

ID: 2.9mmOD (Hole Cutout): 8mm OD (Including Rim): 10mm Length: 17mm (Including Rubber

5MM



Stock Code: 115-0080 - LED Holder 5mm Plastic Long Convex

ID: 5mm OD (Hole Cutout): 6.4mm OD (Including Rim): 9.5mm Length: 12.5mm



Stock Code: 115-0081 - LED Holder 5mm Plastic Ring & Clip

ID: 5mm OD (Hole Cutout): 5.2mm OD (Including Rim): 5.8mm Length: 4.8mm

Stock Code: 115-0082 - LED Holder 5mm Chrome Concave

ID: 4.9mm OD (Hole Cutout): 8mm OD (Including Rim): 10mm Length: 22mm (Including Rubber



Stock Code: 115-0083 - LED Holder 5mm Chrome Convex

ID: 5mm OD (Hole Cutout): 8mm OD (Including Rim): 10mm Length: 17mm (Including Rubber

Stock Code: 115-0084 - LED Holder 5mm Rubber

ID: 5mm OD (Hole Cutout): 7mm OD (Including Rim): 9mm Length: 8.5mm

10MM



Stock Code: 115-0085 - LED Holder 10mm Plastic

LED KIT



Stock Code: 115-0086 - LED Kit 3mm & 5mm 350Pcs

Yellow, Green, Blue, Red and White LEDs. 40Pcs of each color 3mm, 20Pcs of each color 5mm

Stock Code: 115-0164 - LED Kit 3mm 5mm 100Pcs

There are 100 assorted 5mm and 3mm LED`s in the kit. There are a variety of colors such as blue, red, white, yellow and green. 5mm and 3mm - 10pcs of each color for each size. Maximum Voltage: 3V. Maximum current: 20mA

LED MODULES



Stock Code: 115-0088 - LED Module Red 12VDC 18mA, IP20, Size: 76x13.5mm, 120lm

Stock Code: 115-0089 - LED Module Green 12VDC 18mA, IP20, Size: 76x13.5mm, 120lm

Stock Code: 115-0090 - LED Module White 12VDC 45mA, IP20, Size: 76x13.5mm, 108lm

Stock Code: 115-0091 - LED Module Blue 12VDC 18mA, IP20, Size: 76x13.5mm, 120lm

---

LED TESTER

Stock Code: 115-0092 - LED Tester Cotco
LED Tester / Current Injector (Battery Not Included), Takes 1x9V Battery



NEON LAMPS





COLOUS

RED
GREEN
BLUE

RED (RAISED)

12V M10 Cutout, Length: 39mm

Stock Code: 115-0093 Stock Code: 115-0094
Stock Code: 115-0095

220V
M10 Cutout, Dome OD: 12mm, Length: 43mm
Stock Code: 115-0096
Stock Code: 115-0097
Stock Code: 115-0098

Stock Code: 115-0160

NEON LAMPS ONLY

Stock Code: 115-0099 - Neon Lamp 4x10 90V 1mA
With 30mm Wire Leads, 92V 0.7-1mA Add a Series Resistor Or 110V Or 220V
Stock Code: 115-0100 - Neon Lamp 90V 1mA 6x16mm



LED WITH HOLDER

Stock Code: 115-0101 - LED with RA Holder 3mm Green
Size: 6.35x4.6x.3mm 2.3V 20mA, 24MCD, Viewing Angle: 40 Deg



LED PANEL MOUNT INDICATOR



12VDC
Stock Code: 115-0102 - LED Panel Mount Indicator 10mm Red Chrome 12VDC
Stock Code: 115-0103 - LED Panel Mount Indicator 10mm Green Chrome 12VDC

24VDC
Stock Code: 115-0104 - LED Panel Mount Indicator 5mm Red Chrome 24VDC
Stock Code: 115-0105 - LED Panel Mount Indicator 10mm Red Chrome 24VDC
Stock Code: 115-0106 - LED Panel Mount Indicator 10mm Green Chrome 24VDC

230VAC
Stock Code: 115-0107 - LED Panel Mount Indicator 16mm Red 230VAC
Stock Code: 115-0108 - LED Panel Mount Indicator 16mm Green 230VAC
Stock Code: 115-0154 - LED Panel Mount Indicator 5mm Red Chrome 230VAC
Stock Code: 115-0155 - LED Panel Mount Indicator 5mm Green Chrome 230VAC

12VDC HIGH BRIGHT LEDS



Stock Code: 115-0067 - LED P/Mount Indicator 10mm H/B Red 12V with Wires
Stock Code: 115-0070 - LED P/Mount Indicator 10mm HB Green 12V with Wires
Stock Code: 115-0075 - LED P/Mount Indicator 10mm H/B Blue 12V with Wires
Stock Code: 115-0076 - LED P/Mount Indicator 10mm HB Orange 12V with Wire

24VDC HIGH BRIGHT LEDS

Stock Code: 115-0087- LED P/Mount Indicator 10mm H/B Red 24V with Wires
Stock Code: 115-0135 - LED P/Mount Indicator 10mm HB Green 24V with Wires
Stock Code: 115-0136 - LED P/Mount Indicator 10mm H/B Blue 24V with Wires
Stock Code: 115-0152 - LED P/Mount Indicator 10mm HB Orange 24V with Wire

---

PHOTO DIODE

A silicon PIN photodiode with a daylight blocking filter.



Stock Code: 115-0109 - Photo Diode SFH205
Silicon Pin Photodiode with Daylight Filter 800-1100nm

PHOTO TRANSISTOR

A light-sensitive semiconductor device that converts incident light into an amplified electrical current. It acts like a standard bipolar junction transistor (BJT) or field-effect transistor (FET), but uses incoming light on its exposed base region instead of an external base wire to control current flow.



Stock Code: 115-0110 - Photo Transistor 5mm Clear RX 940NM
Stock Code: 115-0111 - Photo Transistor 5mm Black TX 940NM

PILOT LIGHTS IP65



16MM	12VAC/DC	24VAC/DC	48VAC/DC	230VAC
RED	Stock Code: 115-0112	Stock Code: 115-0158	Stock Code: 115-0148	Stock Code: 115-0117
GREEN	Stock Code: 115-0113	Stock Code: 115-0159	Stock Code: 115-0149	Stock Code: 115-0118
YELLOW	Stock Code: 115-0114	Stock Code: 115-0165	Stock Code: 115-0147	Stock Code: 115-0120
BLUE	Stock Code: 115-0115	Stock Code: 115-0166	Stock Code: 115-0151	Stock Code: 115-0119
WHITE	Stock Code: 115-0116	Stock Code: 115-0167	Stock Code: 115-0150	
22MM				
RED	Stock Code: 115-0121	Stock Code: 115-0140		Stock Code: 115-0127
GREEN	Stock Code: 115-0122	Stock Code: 115-0141		Stock Code: 115-0128
YELLOW	Stock Code: 115-0123	Stock Code: 115-0142		Stock Code: 115-0130
BLUE	Stock Code: 115-0124	Stock Code: 115-0156		Stock Code: 115-0129
WHITE	Stock Code: 115-0125			Stock Code: 115-0131
AMBER	Stock Code: 115-0126			Stock Code: 115-0132

LIGHTING

FLOOD LIGHTS



Stock Code: 117-0005 - LED Flood Light 12VDC 10W Cool White 115x86x86mm

12VDC, 10W, 800LM, IP65, Lifespan Est. 20000 hours, Beam Angle 120°, NOT dimmable



Stock Code: 117-0006 - ELF10CW 10W LED Flood Light Cool White

700 Lumens, 10W, SMD 2835 LED, 120° Beam Angle, Aluminium casing, Rib design for better heat dissipation, can be mounted vertically or horizontally, IP65 - Water & Dustproof, 6000K - Cool White

Stock Code: 117-0007 - ELF20CW 20W LED Flood Light Cool White

1500 Lumens, 20W, SMD 2835 LED, 120° Beam Angle, Aluminium casing, Rib design for better heat dissipation, can be mounted vertically or horizontally, IP65 - Water & Dustproof, 6000K - Cool White



Stock Code: 117-0008 - LFB-50NWC 50W LED Flood Light Compact NW4000K

7 500lm, 50W, High Lumen Efficiency 150lm/W, Pre-Connected IP65 Gland, Breather hole at the bottom of the light, 4kV Surge Protection, IK07 Impact Rating, 4000K Natural White, Angled Bracket with 360° rotation, 110° Beam Angle, Rated Lifetime 50 000 Hours, IP65 Dust and Waterproof

RECHARGABLE FLOOD LIGHTS



Stock Code: 117-0014 - LED Flood Light 30W Cool White Rechargeable - LED Work Flood Light

The EuroLux FS204 is a durable, 20W rechargeable portable work light. It delivers up to 1800 lumens of cool white light (6400K) at an 110° beam angle. Featuring an IP44 splash-proof rating, it includes wall and 12V DC car chargers for cordless convenience.

Stock Code: 117-0015 - LED Flood Light 20W Cool White Rechargeable - LED Work Flood Light

The Eurolux FS203 is a portable 10W LED work light ideal for indoor, outdoor, and emergency use. It features a robust die-cast aluminum and steel frame, delivers 600 lumens of daylight-white light (6000K), and runs for 3 to 4 hours on a single charge

FLOOD LIGHT WITH SOLAR PANEL



Stock Code: 117-0004 - Fivestar LED Flood Light 100W with Solar Panel

The Fivestar 100W Solar LED Flood Light provides reliable, grid-free outdoor illumination. It typically features an IP65/IP66 weatherproof rating, a 6500K cool white output, and comes with a solar panel, mounting hardware, and remote control.

PIR FLOOD LIGHT



Stock Code: 117-0009 - SLF10CW 10W LED 180Deg PIR Flood Light Cool White

900 Lumens, 10W Watts, 200V to 240V AC Voltage, Natural White (4000K), 360° Bracket Rotation, 2m to 12m Detection Distance, 120° Beam Angle, 180° Detection Range, Aluminium housing with strengthened clear glass, IP54

SOLAR STREET LIGHT



Stock Code: 117-0016 - Chint Butty EL-YT4 200W Solar Street Light

Wattage: 200W. Lumen: 1800. Battery: 13Ah. Solar Panel: 14W. Solar Panel Size: 547mm x 171mm. Max Working Hours: 14 Hours on Auto Mode. Charging Time: 4-6 Hours (Weather and Sunshine Dependent). IP Rating: 65. Remote Control & Mounting Pole Included. 2 Year Warranty.

MAJOR TECH SOLAR LED FLOOD LIGHT WITH REMOTE



Stock Code: 117-0017 - SFX-50C Solar LED Flood Light 50W + Remote Control

700 Lumens, as bright as a 50W incandescent, using only 5W LED power, 6W Solar Panel, 90° Beam Angle, Battery Capacity: 5000mAh, 3.2V Lithium Battery, 6000K Cool White Colour Temperature, Timer Setting via Remote, Breather Valve to Prevent Condensation on LEDs, ABS Housing, Honeycomb Diffuser Design, IP65 Water and Dust Resistant, Battery Working 4 to 12 Hours

Stock Code: 117-0018 - SFX-100C Solar LED Flood Light 100W + Remote Control

1400 Lumens, as bright as a 100W incandescent, using only 10W LED power, 10W Solar Power Panel, Battery Capacity: 10 000mAh, 3.2V LiFePO4 Battery, 90° Beam Angle, 6000K Cool White Colour Temperature, Timer Setting Via Remote, Breather Valve to Prevent Condensation on LEDs, ASB Housing, Honeycomb Diffuser Design, IP65 Water and Dust Resistance, Battery Working 4 to 12 Hours

Stock Code: 117-0019 - SFQ-150C Solar LED Flood Light 150W + Remote Control

2100 Lumens, as bright as a 150W incandescent, using only 15W LED power, 15W Solar Power Panel, 90° Beam Angle, Battery Capacity: 15 000mAh, 3.2V LiFePO4 Battery, 6000K Cool White Colour Temperature, Timer Setting via remote, Breather Valve to Prevent Condensation on LEDs, ASB Housing, Spherical Diffuser Design, IP65 Water and Dust Resistance, 2m Cable for Panel

Stock Code: 117-0020 - SFQ-300C Solar LED Flood Light 300W + Remote Control

4200 Lumens, as bright as a 300W incandescent, using only 30W LED power, 30W Solar Power Panel, Battery Capacity: 30 000mAh, 3.2V LiFePO4 Battery, 90° Beam Angle, 6000K Cool White Colour Temperature, Timer Setting via Remote, Breather Hole to Prevent Condensation on LEDs, Durable Aluminum Housing, Spherical Diffuser Design, IP65 Water and Dustproof, 2m Cable for Panel

---

MAJOR TECH SOLAR PIR LED LIGHTS



Stock Code: 117-0021 - SB-6CB Solar PIR LED Brick Light LED 6W 900Lm

900 Lumens. 6 Watt. Cool White. Battery Capacity: 3 000mAh. 3.7 V Lithium Battery. Solar Panel installed on top of the wall light. 6 Meter PIR Sensor Range. 140° Beam Angle. IP65 Waterproof and Dust Proof



Stock Code: 117-0022 - SFP-20C Solar PIR LED Flood Light 20W 900Lm

900 Lumens. 20 Watt. 5V / 1W Solar Power Panel. Battery Capacity: 2 600mAh. 3.7V Lithium Battery. 4 Meter PIR Detection. 120° Beam Angle. IP54 Waterproof and Dust Proof

---

DAY / NIGHT SENSOR 12V AC/DC



Stock Code: 117-0023 - Day Night Switch Sensor 12VDC/12VAC 10A

The 12V Day Night Switch automates the switching on & off of any light or product under 6A load via the built-in photocell. Never forget to activate anything overnight again. This automatic on/off switch can be installed quickly and easily.

TRI-COLOUR LED WORK LIGHT



Stock Code: 117-0024 - Tri Color LED Work Light 12V 1.2A 1080Lum IP69K

White | Amber | Red, Dimmable

DIMMABLE TOUCH DOWN LIGHT



Stock Code: 117-0025 - Down Light Black 68mm

Touch Dimmable

MAJOR TECH

CABLE SHEARS

Stock Code: 120-0001 - KDC22 22mm Cable Shear
Max cross section 22mm^2, Max diameter cable 6mm^2 **Not suitable for cutting steel wire armoured cable**



Stock Code: 120-0002 - CS0338 38mm Cable Shear
Max diameter cable 10mm^2, Max cross section 38mm^2 **Not suitable for cutting steel wire armoured cable**



Stock Code: 120-0003 - CS0340 38mm Cable Shear
38mm^2 Max cross section, 7mm^2 Max cable diameter **Not suitable for cutting steel wire armoured cable**



Stock Code: 120-0160 - CS0360 60mm Cable Shear
Max diameter cable 20mm^2, Max cross section 60mm^2 **Not suitable for cutting steel wire armoured cable**



Stock Code: 120-0017 - DP0106 165mm Diagonal Cutting Plier
HRC 58-63 suitable for both hard & soft wire



Stock Code: 120-0018 - DP0108 210mm Diagonal Cutting Plier
HRC 58-63 suitable for both hard & soft wire



Stock Code: 120-0019 - ETSC0104 Mini Diagonal Cutter
Ideal for cutting wires and will come in handy with most electronic and robotic equipment



CLAMP METERS

Stock Code: 120-0004 - K2056R 1000A AC-DC True Rms Digital Clamp Meter
6039 count backlit LCD display with 61 segment bar graph, Ø40mm Cable Clamp size, Measurement of AC/DC Current up to 1000A, Measurement of AC/DC voltage up to 600V, Temperature Measurement -50°C to 700°C, Capacitance to 4mF, Resistance to 60MΩ, Frequency Measurement to 10kHz, Continuity Buzzer and Diode Test, Peak Hold and Data Hold, Relative Mode, MIN/MAX recording mode, Double Moulded housing provides comfortable palm grip, CAT III 1000V and CAT IV 600V



Stock Code: 120-0005 - K2300R 100A Professional ACDC Open Jaw Clamp Meter
1049 count negative LCD display, Open Jaw Sensor, Ø10mm Cable Clamp size, Measures DC Current and AC Current up to 100A, NCV – Non-Contact Voltage Detector, Microprocessor DCA Zero, Data Hold function, Auto Power Off, CAT III 300V and CAT II 600V



Stock Code: 120-0006 - MT730 600A Contractor AC Clamp Meter
6000 count backlit LCD display, Ø33mm Cable Clamp size Measurement of DC voltage and AC TRMS voltage up to 1000V, Capacitance to 100mF, Temperature measurement from -20°C to 1000°C, INRUSH Current Measurements, VFD – Variable Frequency Drive voltage value, NCV – Non-Contact Voltage Detector, Built-In Flashlight, Continuity buzzer and Diode Test, Peak Mode and Data Hold function, Auto Power Off



Stock Code: 120-0007 - MT770 1000A AC Clamp Meter
6000 count backlit LCD display, Ø33mm Cable Clamp size Measurement of DC voltage and AC TRMS voltage up to 1000V, Capacitance to 100mF, Temperature measurement from -20°C to 1000°C, INRUSH Current Measurements, LoZ – Low impedance mode prevents false readings due to "Ghost" voltage, NCV – Non-Contact Voltage Detector, Built-In Flashlight, Continuity buzzer and Diode Test, Peak Mode and Data Hold function, Auto Power Off



Stock Code: 120-0008 - MT777 1000A AC-DC TRMS Clamp Meter
6000 count TFT colour LCD display, Ø33mm Cable Clamp size, Measurement of AC, AC+DC TRMS and DC voltage up to 1000V, Capacitance to 100mF, Trend Capture Function, 100 Graph Data Review, INRUSH Current Measurements, VFD – Variable Frequency Drive voltage value, LoZ – Low impedance mode prevents false readings due to "Ghost" voltage, NCV – Non-Contact Voltage Detector, Built-In Flashlight, Continuity buzzer and Diode Test, Peak Mode, Min/Max and Data Hold function, Auto Power Off, Optional MT740 Flexible Coil Clamp for measurement 3000A AC



Stock Code: 120-0009 - MTD70T 600A AC TRMS Digital Clamp Meter

Measures AC Current to 600A, Measures AC & DC Voltage to 600V, Resistance to 20MΩ, 28mm conductor size, 2000 count LCD display with backlight, Continuity and buzzer test, Data hold functions, Non-Contact Voltage, Auto power off, Low battery indication



Stock Code: 120-0010 - MTD73A 800A AC Clamp Meter

Measures AC Current to 800A, Measures AC & DC Voltage to 600V, Temperature measurement -40°C to 1000°C, Resistance to 40MΩ, Frequency to 10MHz, Capacitance to 40mF, 28mm conductor size, 4000 count LCD display with backlight, Continuity and buzzer test, Data hold and Duty Cycle function, Non-Contact Voltage, Auto power off, Low battery indication



Stock Code: 120-0174 - MT760 100A AC/DC Clamp Meter

Current measurement from 1mA, Measures AC and DC current to 100A, Ø17mm Cable Clamp size, 2000 count backlit LCD display, Measurement of DC voltage and AC voltage up to 600V, Capacitance to 20mF, VFC – Variable Frequency Drive voltage value, Microprocessor Zero adjustment, NCV – Non-Contact Voltage Detector, Continuity buzzer and Diode Test, Data Hold function, Auto Power Off



CRIMPING TOOLS

Stock Code: 120-0154 - CTR0310 1.5mm-10mm Non-Insulated Crimping Tool

1.25mm^2; 2.5mm^2; 4.6mm^2; 8.0-10.0mm^2



Stock Code: 120-0155 - CTR0334 2.5mm-6mm MC4 Solar Crimping Tool

2.5mm^2, 4.0mm^2, 6mm^2



Stock Code: 120-0157 - CTR03120 Hex Crimping Tool 6-120mm

Professional crimping tools offer unbeatable value and performance for every application! This range features high-quality drop forged crimpers and full ratchet mechanisms with controlled calibrator assembly to comply with ISO 9000 standard requirements.



Stock Code: 120-0158 - KDBNC01 Crimping Tool BNC for RG58 RG59 RG62

Ratchet BNC crimping tool. Hexagonal crimping type. Comfort grip handles. For RG58, RG59 and RG62 ethernet cables. Ratchet mechanism for maximum grip. Professional quality drop forged jaws. Automatic release with manual override



Stock Code: 120-0159 - CTR156 1.5mm-6mm Hex Crimping Tool

Crimp tool for hexagon terminals from 1.5mm-6.0mm. Terminal sizes: 1.5mm, 2.5mm, 4.0mm, 6.0mm, Ratchet mechanism for maximum grip. Professional quality drop forged jaws. Automatic release with manual override.



Stock Code: 120-0011 - CTR011 Universal 4 In 1 Crimping Tool

Crimps terminal sizes: 1.5mm^2 to 6mm^2, Strip cables: 0.75mm^2 - 6mm^2, Blue, red, yellow terminal type



Stock Code: 120-0012 - CTR0316 1.25mm-16mm Crimping Tool

1.25mm^2; 2.0mm^2; 5.5mm^2; 8.0mm^2; 16.0mm^2



Stock Code: 120-0013 - CTR0323 Ratchet Crimping Tool

RED: 0.5mm – 1.0mm^2, BLUE: 1.5mm – 2.5mm^2, YELLOW: 4.0mm – 6.0mm^2



Stock Code: 120-0014 - CTR0333 1.5mm-6mm Crimping Tool

Automotive and white goods crimp tool for terminals. Terminal sizes: 1.5mm, 2.5mm, 6.0mm



Stock Code: 120-0015 - CTR03650 Hex Crimping Tool

6mm^2; 10mm^2; 16mm^2; 25mm^2; 35mm^2; 50mm^2



Stock Code: 120-0016 - CTR0510 Bootlace Ferrule Crimping Tool

0.5mm^2; 0.75mm^2; 1.0mm^2; 1.5mm^2; 2.5mm^2; 4.0mm^2; 6.0mm^2



Stock Code: 120-0175 - CTRJ45 Modular Crimping Tool for RJ12 RJ45

Features: Terminal Type: RJ45, RJ12 and RJ45 Perforation. Terminal Pins: 8 Pin RJ45, 6 Pin RJ12. Terminal Crimp: Modular Connector. Overall Length: 140mm. Release: Push the Lock Button. Wire Cutter: Perforation RJ45. Dove Tail Clip Crimper



Stock Code: 120-0163 - CTR1020 Adjustable Indent Crimping Tool

Non-Insulated Terminals 10mm^2 – 120mm^2



PIPE CUTTER

Stock Code: 120-0020 - PC0310 PVC Pipe Cutter

Cleanly and easily cuts PVC and other synthetic plastic conduit and pipes, Robust, heavy duty aluminium die cast construction, Stainless steel heat treated cutting blades, cuts up to 35mm max outside diameter, High quality patented "Dagger" blade cuts with minimum conduit distortion and lasts three times longer than a conventional blade



TIN SNIP

Stock Code: 120-0021 - TS015 Universal Tin Snip

Material: Drop forged chrome vanadium steel blades, Handle: Vinyl sleeving with finger guards, Cutting Blades: Induction hardened serrated edge blades for a stronger grip, Blade serrations spread cutting force across jaws improving cut quality and tool life, Cutting: Straight cut up to 1.2mm cold rolled steel or 0.7mm AISI 304 stainless steel, Superior Design prevents tears at end of cuts by controlling blade bypass and minimizes folding and burrs, Spring loaded handles allow for fast, effortless cutting



DAY / NIGHT CONTROL SWITCHES

Stock Code: 120-0022 - DNS6 6A Day Night Control Switch Sensor

6 Amps, 5 - 15 LUX, Compatible with LED, incandescent & fluorescent, quartz and halogen lighting

Stock Code: 120-0170 - DNS25 25A Day Night Control Switch Sensor

The DNS25 day/night control switches turn the lights on at dusk and turn off the lights at dawn. It is not only convenient but also practical as it can turn a bank of lights on and off automatically, especially when manual control becomes physically tedious due to large distances involved. DNS25 Day/Night Sensor is ideal for light industrial, commercial, housing applications, office or park lights, street lights, garden lights and outdoor lighting.
Application: Entrances, Gates, Offices



BACKPACKS

Stock Code: 120-0025 - Major Tech TBP5 Backpack Empty Tool Bag

Portable workstation. Excellent solution for installers and repair technicians that need to transport tools while still having their hands free whether for climbing ladders or carrying bulky replacement parts. Removable sleeve with pockets of various sizes and configurations to hold a multitude of tools and small parts. Great for HVAC, satellite/cable television, telecom/networking, stadium lighting, and wind turbine technicians or any trade where convenient hands-free tool transport is desired.



Stock Code: 120-0026 - Major Tech TBP7 Yellow Backpack Empty Tool Bag

Yellow PVC Coated Mesh Fabric. Inner tool Board 600D Polyester. Portable workstation. Excellent solution for installers and repair technicians that need to transport tools while still having their hands free whether for climbing ladders or carrying bulky replacement parts. Removable sleeve with pockets of various sizes and configurations to hold a multitude of tools and small parts.
Size: 550mm (L) x 430mm (W) x 210mm (D)



HACKSAW

Stock Code: 120-0029 - HSA0306 155mm Adjustable Hacksaw

High grade HSS blade for cutting metal or wood, fully adjustable for 3 angles



Stock Code: 120-0030 - HSP0312 300mm Professional Hacksaw

Versatile key hole saw section, Additional 45° blade position for use at awkward angles

---

HAMMERS

Stock Code: 120-0031 - HDC0610 1.25Kg Club Hammer

The 1.25kg Club Hammer is a robust and reliable tool, built for maximum strength and safety. It features head-to-shaft reinforcement for durability and secure use. The head is made from drop-forged 1.25kg steel, constructed according to DIN 6475 standards to ensure maximum strength and safety. The fiberglass handle further enhances the tool's overall durability and strength, making it a reliable choice for your hammering needs.



Stock Code: 120-0032 - HDP0316 450G Ball Pin Hammer

The 450g Ball Pein Hammer is a versatile tool built for a range of tasks. It features a drop-forged 450g carbon steel head with a mirror polish finish for precision striking. To ensure comfort and efficiency during use, this hammer is equipped with a shock-absorbing rubber grip and a balanced head. The fiberglass handle enhances the tool's overall strength, making it a dependable choice for various hammering needs.



Stock Code: 120-0033 - HDS0316 450G Steel Claw Hammer

The 450g Steel Claw Hammer is a professional-grade tool designed for precision and durability. Its solid 450g carbon steel head provides one-piece construction for exceptional quality. The accurately machined claw has fine gripping edges to prevent splintering, ensuring precise results. The balanced head zone is tempered for safety, and the tool features a finely polished one-piece steel shaft and head. With a comfortable and efficient heavy-duty, shock-absorbing rubber grip on the handle, this hammer is your reliable choice for professional-quality work.



Stock Code: 120-0034 - HP0335 100G Pin Hammer

The 100g Pin Hammer is a precision tool designed for delicate tasks. Its features include a drop-forged 100g steel head with mirror-polished faces for precision striking. To ensure comfortable and efficient use, this hammer is equipped with a shock-absorbing rubber grip and a balanced head. The fiberglass handle provides maximum strength, making it a reliable choice for your precision hammering needs.



METRIC KEY SET

Stock Code: 120-0035 - HK0308 9 Piece Metric Hex Key Set

1,5mm^2, 2mm^2, 2.5mm^2, 3mm^2, 4mm^2, 5mm^2, 6mm^2, 8mm^2, 10mm^2



HOLESAW KIT

Stock Code: 120-0036 - KHS093 Electricians Hole saw Kit

Hole saws: 1 x KHS20 20mm, 1 x KHS25 25mm, 1 x KHS32 32mm, 1 x KHS38 38mm 1 x KHS40 40mm, 1 x KHS51 51mm
Arbor's: AB19, AB45
Pilot Drills: 1 x PD1, 1 x PD2



KNIFES & BLADES



Stock Code: 120-0037 - MPK0901N Folding Knife

Stock Code: 120-0038 - SB0306 Spare Blades

Stock Code: 120-0039 - UK0306 Utility Knife

MULTIMETERS



Stock Code: 120-0027 - MTD84 Compact True RMS Auto Ranging Multimeter

6000 count with backlit LCD display, Smart Mode automatically identifies DCV, ACV, Resistance and continuity, Measures DC voltage up to 1000V and AC voltage to 750V, Temperature measurement from -20°C to 1000°C, Capacitance to 10mF, Frequency to 10MHz, Duty Cycle, REL mode and Data Hold, Auto Power Off, NCV – Non-Contact Voltage Detector



Stock Code: 120-0040 - MT21 Compact Multimeter

600V AC/DC Voltage, 10A DC Current, Resistance to 2000k, Battery Test 1.5V & 9V Batteries, 2000 Count LCD Display, Over mould Rubber Housing, Integrated Test Lead Holder



Stock Code: 120-0041 - MT22 Compact Multimeter

Measures ACV and DCV up to 1000V, Min/Max Reading, Temperature between -50°C to 1000°C, Fused 10A Range, Diode Test & Continuity Buzzer, Data Hold, Duty Cycle, Resistance to 20MΩ, 2000 Count LCD, Full Ranges Protection, Clamp-on Adaptor Range



Stock Code: 120-0042 - MT24 Compact Multimeter

CAT III 600V and CAT II 1000V, MIN/MAX Recordings, AC and DC Voltage 1000V, AC and DC Current 10A, Resistance 60M, Frequency measurement to 10MHz, Capacitance to 4000µF, Temperature -20 to 760˚C, Auto Range with Manual Override, Data Hold, 6000 Count LCD with bar graph, Auto Power Off, Over mould rubber housing, Integrated Test Lead Holder, Backlight for dimly lit areas, Temperature measurement



Stock Code: 120-0043 - MT800 DIY Analogue Multimeter

5 Functions & 16 versatile ranges, Measures AC / DCV 500V, DCA 250mA, Resistance 2kΩ -200kΩ FS, 1.5V – 9V Battery Test, Mirror scale for accurate reading, Recessed input terminals for safe use



Stock Code: 120-0044 - MT827 Large Multimeter Carrying Case

Carrying case for most digital multimeters, Adds extra protection for the meter, Size: 220mm x 110mm x 60mm



Stock Code: 120-0045 - MT832 DIY Analogue Multimeter

DC Current to 10A, Measures Resistance up to 20MΩ, Measures AC and DC Voltage to 1000V, Large Mirror Scale, Continuity Buzzer, Transistor test, 20kΩ/V Sensitivity



Stock Code: 120-0047 - MT1003 True Rms Digital Multimeter

Large 6000 count 320 x 240 TFT colour LCD display, Logging function with Trend Capture for easy review of logged data, Graph 100 Data review, 10kHz bandwidth (Voltage/Current), AC True-RMS measurements, Setup function & Saves measurements, A/D convert fast sampling time, Peak capture (records transients as fast as 500µs), Min/Max/Average with Time stamp (records signal fluctuations), 4-20mA process loop measurements with % reading, 1 x Rechargeable battery and charger included



Stock Code: 120-0048 - MT1881 IP67 Industrial Multimeter

When AC voltage measured, LCD turns red to indicate presence of voltage, Non-contact voltage detector above 110V, LCD turns red, IP67 Dust & waterproof with O-ring sealed casing, Auto range with manual override, Measures frequency range of 10Hz to 10MHz on electronic and electrical circuits, Measures AC and DC voltage to 1000V, Capacitance to 4000µF / Relative mode / Data hold, MIN/MAX recording mode, 6000 Count LCD display and equipped with a 61 segment analogue bar graph, Full ranges protection & Auto power off, Over mould rubber housing & Integrated test lead holder, Blue backlight for dimly lit areas



Stock Code: 120-0049 - MT1882 Industrial Multimeter

IP67 Over mould Dust & waterproof, Auto range with manual override, Temperature between -200°C to 1300°C, Measures frequency range of 10Hz to 10MHz on electronic and electrical circuits, Measures AC and DC voltage to 1000V, Capacitance to 4000µF / Relative mode / Data hold, NCV detection above 110V AC, LCD turns red to indicate presence of voltage, MIN/MAX recording mode, Measures resistance up to 60MΩ, 6000 Count LCD display with a 61 segment analogue bar graph, Full ranges protection & Auto power off, Integrated test lead holder, Blue backlight for dimly lit areas

Stock Code: 120-0050 - MT1883 General Purpose Multimeter



IP67 Dust & Waterproof with O-Ring sealed casing, Manual Range, Measures Frequency 1Hz to 2000KHz on Electronic and Electrical Circuits, Temperature between -20°C to 760°C, Capacitance to 200µF, Measures ACV to 700V and DCV to 1000V, fused AC and DC current up to 20A, Measures Resistance up to 20MΩ, 2000 Count LCD, Full Ranges Protection, Over mould rubber housing, Integrated Test Lead Holder, Backlight for dimly lit areas

Stock Code: 120-0051 - MT1885 Industrial Multimeter



6000 count with 61 Segment Bar graph, Measures DCV up to 1500V & ACV up to 1000V, Temperature measurement from -20°C to 1000°C, AC & DC Micro Amps up to 10A, Capacitance to 100mF, Frequency to 10MHz, Duty Cycle, Relative mode, Automatic NCV where LCD backlight turns red, Min, Max and Data Hold, Auto Power Off, IP67 Dust & waterproof with O-ring sealed casing

Stock Code: 120-0052 - MT1887 IP67 TRMS Pro Industrial Digital Multimeter



40 000 count with 41 Segment bar graph, Measures DCV to 1500V & ACV up to 1000V, Temperature measurement from -50°C to 1000°C, AC & DC Micro Amps up to 10A, 4-20mA% process loop measurements with % reading, Capacitance to 40mF, Frequency to 100MHz, Duty Cycle, Relative mode, Automatic NCV where LCD backlight turns red, Min, Max and Data Hold, Auto Power Off, IP67 Dust & Waterproof

Stock Code: 120-0053 - MTC45 2 In 1 Tone and Probe & Multimeter



2-in-1 Tone and Probe Generator and Digital Multimeter, Tests include wire trace, continuity test, clear/busy/ ringing line test and tip/ring identification, Alligator clips for non-terminated cables and modular connectors for direct connections to telephone or internet wiring, Built-in speaker on probe with sensitivity control, Selectable continuous or variable tone generation, Insulated inductive probe tip prevents shorting conductors, Measures ACV and DCV up to 600V, ACA and DCA up to 200mA, Resistance to 20MΩ, Diode and Continuity, RJ11 modular connectors

Stock Code: 120-0080 - MTC40 Tone and Probe Tester



RJ11 modular connectors, Built-in speaker on probe with sensitivity control, Traces & identifies wires / cables in a bundle or group, insulated inductive probe tip prevents shorting conductors, Tests include wire trace / continuity test clear / busy ringing line test and tip/ring identification

Stock Code: 120-0054 - MTC50 2 In 1 Lan Tester & Multimeter



RJ45 and RJ11 modular connectors, Tests CAT5 installations, remotely test cables 300m away, Locked status wiring, Digital Multimeter, 600V AC/DC, 200mA AC/DC, Resistance 20MΩ, Diode Check, Continuity, 2000 Count LCD

Stock Code: 120-0055 - MTD10 DIY Compact Digital Multimeter



8 Functions & 21 Versatile ranges, 3½ Inch Digital LCD screen, AC/DC Voltage to 500V, Measures DC Current to 10A, Resistance to 2MΩ, Transistor Test for NPN and PNP transistors, Diode Check, Continuity, Data Hold, 1.5V Battery Test, Backlit display, Overload Protection

Stock Code: 120-0069 - MT955 Digital Capacitance Meter



Capacitance to 20mF, 0.1 pF Resolution, Automatic polarity indication, Zero adjustment for low capacitance range, Easy-to-read 31/2-digit 2000 count LCD display, Low battery indication

Stock Code: 120-0070 - MT957 11 000 Count LCR Meter



Provides direct and accurate measurements of inductors, capacitors and resistors with different frequencies and is selectable for auto/manual ranging, 11 000 Count LCD display, Min / Max, Relative mode, Measures inductance to 20H, Resistance 40MΩ, Capacitance

Stock Code: 120-0071 - MT990 Digital Process Current Calibrator



Measuring process signals, General purpose signal injection applications, Current loop calibrator, Load output 0 – 24mA, Calibrator drives load to 500Ω, Adjustable – 199.9mV to +199.9mV DCV source, Powers or measures a two-wire current loop, 4 Functions – current source, current measurement, DC mV source, power and current measurement of two wire loop

Stock Code: 120-0073 - K3132A 1000V Insulation Tester



Three test ranges 250V - 500V - 1000V, Resistance to 500Ω, auto null function, AC voltage measurements to 600V, Live circuit warning, Lock down Test Button for continuous use, 1-2mA output current on insulation test, 200mA short measuring current on continuity range, CAT II 600V and CAT III 300V

Stock Code: 120-0077 - MT500 Analogue Insulation Tester



Three test ranges 250V - 500V - 1000V, Resistance to 500Ω, auto null function, AC voltage measurements to 600V, Live circuit warning, Lock down Test Button for continuous use, 1-2mA output current on insulation test, 200mA short measuring current on continuity range, CAT II 600V and CAT III 300V

Stock Code: 120-0078 - MT550 Digital Insulation Tester



Three test ranges 250V-500V-1000V, 750V AC voltage and 1000V DC voltage ranges, Live Circuit warning and buzzer, Data Hold function 1mA output current on insulation test, 200mA short circuit on continuity range, Continuity Buzzer, Automatic discharge after test, Lock down Test Button for continuous use, Hands free strap and magnet supplied as standard accessories, Rubber over mould housing, Illuminated display

LASER DISTANCE METER

Stock Code: 120-0059 - MT150 Professional 50m Laser Distance Meter



Bluetooth 4.0 with Meter-X support, Distance measuring and estimate tool, Area, Volume calculations, measures up to 50m with 1.5mm accuracy, Indirect measurement using Pythagoras, Addition / Subtraction, Continuous measurement, Min / Max distance tracking, Display illumination and multi-line display, Store 20 measurements, best for indoor applications, Double moulded rubber case

AC VOLTAGE CHECKER

Stock Code: 120-0060 - MT401 AC Voltage Detector



200V – 1000V AC, Easy-to-use just touch the tip to an outlet or cord, when it glows red, it indicates there is voltage in the line, detects voltage without metallic contact, 3-Phase Indication, all outer surfaces are non-conductive for safety, Built-in LED flashlight, Fits into shirt pocket for convenience

Stock Code: 120-0076 - MT470 LED Voltage Tester



Automatically selects ACV, DCV or Continuity test, Measures DCV from 6V to 220V, Measures ACV from 12V to 690V, LED Indication, Continuity buzzer, Auto Power Off,1MΩ input impedance, Polarity Detection

THERMOMETERS

Stock Code: 120-0061 - MT600 Digital Pocket Thermometer



Compact pocket size with carrying case, Temperature -50°C to 200°C / Accuracy ±2°C / 0.1°C Resolution, 65mm Stainless steel sensor probe, Measurement rate: 1 time per second, High and low alarms; Min/Max record mode; Low battery indication, 3½ digital LCD display

Stock Code: 120-0062 - MT605 Pen Type Thermometer



Temperature range: -40° to 250°C, 0.1°C Resolution, 115mm integral probe, Data Hold & auto power off, Min / Max record mode, stainless steel sensor probe, Selectable °C or °F

Stock Code: 120-0063 - MT662 Desktop Thermo-Hygrometer



Triple display low cost combined clock / alarm, temperature and humidity meter, Temperature range from 0°C to 50°C, Humidity range from 10% to 90%., Min / Max, °C or °F, Highest / Lowest temperature, Humidity memory function, Wall mountable and can stand on a desk top

Stock Code: 120-0064 - MT694 Pro Infrared Thermometer + Dual Laser



Spot Ratio 20:1, Temperature -50^{0}C to +1000^{0}C, Response time 150ms, Adjustable emissivity from 0.10 to 1.0, Circular laser sighting, Selectable ^{0}C or ^{0}F, Automatic Data Hold, MIN, MAX, AVG and DIF temperature displays, Set High and Low alarms, Type-K input, Automatic selection range and Display Resolution, Backlit LCD display, 2-meter drop tested, Auto Power Off

LUX METER

Stock Code: 120-0065 - MT940 Digital Light Lux Meter



Check light levels in a wide variety of situations, Accurate test with fast response and auto zero adjustment, 4 measuring ranges for Lux and Foot Candle, Lux range from 0.1 Lux to 200,000 Lux, Foot Candle range from 20FC to 20,000FC, Measurement rate 2 times per second, Peak Hold and Data Hold functions, Symbol and unit display – easy to read, Overrange indication, Auto Power Off

ANEMOMETERS

Stock Code: 120-0067 - MT90 Mini Thermo-Anemometer



Dual Line 4 Digit LCD Display, Air velocity in m/s, km/h, ft/ min, mph, knots, Measures air temperature, Bluetooth BLE, Auto power off

TACHOMETER

Stock Code: 120-0068 - MT952 Contact Non-Contact Tachometer

Combination non-contact and contact digital tachometer for convenient, fast and accurate measuring of high rotational speeds up to 100 000RPM, RPM Contact range 2 – 20 000RPM, RPM Non-contact range 2 – 100 000RPM, Detecting distance 50 – 500mm, 5 Digit backlit LCD, Auto Range, Data Hold, 40 Reading memories, Min / Max / Avg, Resolution 0.1RPM, Built-in laser spot



SOLENOID TESTER PEN

Stock Code: 120-0074 - MT123 Magnetic Solenoid Tester Pen

Easy-to-use, Detects AC current without metallic contact, Built-in LED flashlight, Blue LED light with audible beeper indicator, Test magnetic field (H): 63, 98, 401, 810



EARTH LEAKAGE SOCKET TESTER

Stock Code: 120-0075 - MT310 Earth Leakage Socket Tester

Compact, lightweight and easy to use, Correct Wiring Indication with neon lights, Operates on 216V AC – 264V AC systems, AC Voltage measurement on LCD display, Fixed current settings from 10mA to 35mA, Separate test button, Double injection rubber housing



IR THERMO & BODY TEMP

Stock Code: 120-0079 - MT688 IR Thermo With Body Temp

Measurement range 1cm to 10cm, Body Temperature 32^{o}C to 42.5^{o}C, Surface Temperature 0^{o}C to 60^{o}C, Set Alarm value, Memorize last 32 measurements, Selectable ^{o}C or ^{o}F, Automatic Data Hold, Resolution 0.1^{o}C, Backlit LCD display, Auto Power Off



MAGNETIC STRIP HANGER

Stock Code: 120-0024 - MTMAG Magnetic Strip Hanger

Rubber magnet strip for use on: MT500, MT550, MT560, MT330, MT350, MT985, MT1800 series DMMs



SOLDERING IRONS

Stock Code: 120-0028 - Major Tech S130 Soldering Iron 220V 30W

Features: Electric Soldering Iron. 30 Watt. Fitted with a fine tip. Compact design & comfortable to use. High-quality long life. Ideal for general purpose soldering. Household electrical appliances and capacitors.



Stock Code: 120-0096 - MTD48 Gas Soldering Iron and Torch Kit

Flaming welding and brazing temperatures 1300°C, Soldering and hot air shrink temperature 500°C, Refillable gas torch with adjustable flame control, Continuous flame lock mechanism, Aluminium body for ruggedness and protective cap with pocket clip, flame off button & safety locks ensures that the tool cannot be accidentally ignited, Butane gas operated with built-in gas igniter, Melting and fusing, Plastic pipe bending and Modelling, Plastic fusing and repair



FISH TAPE



Stock Code: 120-0083 - FTS30 30m Fish Tape

30m length, tough plastic housing, to pull electrical and telecommunication cables through conduit, Draw-wire manufactured from carbon steel, Button to allow the draw-wire to return to original position, Windows to see the amount of draw-wire in the roll

Stock Code: 120-0084 - FTS60 60m Fish Tape

60m length, tough plastic housing, to pull electrical and telecommunication cables through conduit, Draw-wire manufactured from carbon steel, Button to allow the draw-wire to return to original position, Windows to see the amount of draw-wire in the roll

NUT DRIVER SETS



Stock Code: 120-0057 - KTIN0513 Metric Nut Driver Set **Discontinued when sold out **

Stock Code: 120-0058 - KTN0309 Nut Driver Set

MEASURING TAPE



Stock Code: 120-0085 - HV0305 5m Tape Measure
Stock Code: 120-0167 - HV0303 3m Tape Measure
Stock Code: 120-0168 - HV0375 8m Tape Measure

Best quality tape measurement, Class I accuracy power tape, Rubberized moulded housing, Easy to release, Powerful non-slip brake for blade, Shock absorbing device, Reinforced hook, Magnetic tip, Nylon coating on tape

PUNCHDOWN TOOL



Stock Code: 120-0086 - KDKP01 Punch down Tool

Universal – can be used with either Krone or 110 style blades, High and low impact adjuster, Lockable storage in handle for replacement blades, Blades easily and quickly changed, Datacom tool

DIGITAL CALIPER



Stock Code: 120-0087 - KTV150 Digital Caliper

Selectable mm or inches with zero adjustment function, Measurement length – 150mm with resolution of 0.01mm, 1.5V Silver oxide battery supplied included

COB LIGHTS



Stock Code: 120-0088 - MPL0407 3W Cob Headlamp

90° Tilt, Battery pack, 3 Light modes: 100% light, 30% light & flashing light (Strobe function), Adjustable head strap, Aluminium & ABS housing, 3W COB LED, uses 3 x AAA Batteries (Not included)



Stock Code: 120-0177 - MPL0408 245Lm Rechargeable Headlamp + Hand Motion

245 Lumens. 5W COB LED and 3W XPE LED. Multiple Lighting Modes: COB LED: High, Low, and Strobe settings. XPE LED: High and Low settings. Hand Motion: On/Off with the Wave of your hand. Easily turn the headlamp on or off with a wave of your hand with the Hand Motion Sensor. IPX4 Water Resistant Rating. Made with tough silicone material for durability. 1200mAh Li-Ion Rechargeable battery. C-Type Charging for convenience

INSPECTION MIRROR



Stock Code: 120-0090 - PIM1 Inspection Mirror

SPRING HOOK



Stock Code: 120-0091 - SH175 Spring Hook

Best way to reposition springs, soft grip on shaft, 205mm length, Hook 1 – Push, Hook 2 – Pull

SPIRIT LEVEL

Stock Code: 120-0092 - SLM24 600mm Spirit Level

3 Way horizontal, vertical and 45° angle finding, Tough, hardened aluminium, Accuracy 0.5mm per 1 metre (0.0286°) in normal position, Vials have a bluish tint with additives for UV protection, Fixed all round viewing, Protective end caps, Shock resistant vials

SCISSORS



Stock Code: 120-0093 - SSC1 Sharp Point Scissors

TWEEZER SET



Stock Code: 120-0094 - STS0304 Stainless Steel Tweezer Set

UNIVERSAL KEY



Stock Code: 120-0095 - UKEY01 Universal Key

Multi-purpose key fits gas, electric cupboards, ventilation systems, stop valves, made from die-cast zinc, fits square, 3-square and double pin, Supplied with slotted and Philips bits

PIR'S



Stock Code: 120-0152 - PIR32 360° PIR Sensor Through Hole

Features: 360° Detection Field, White Housing, automatically turns on lights when motion and body heat is detected, 3 – 2000 LUX (Adjustable), Installation height 2m - 4m, identify day and night automatically, Time-delay and ambient light adjustment, Detection distance 6m max, Power consumption 0.5W, Detection moving speed 0.6 – 1.5m/s.



Stock Code: 120-0153 - PIR36 360° PIR Sensor Flush Mount

Features: 360° Detection Field, detects body movement, 1200 Watts Incandescent lamps or 300 Watts Energy saving lamps, 3 – 2000 LUX (Adjustable), Identify day and night automatically, Time-delay and ambient light adjustment, SENS adjustable, Installation height 2m – 4m, Detection distance 6m (max), Power consumption 0.45W



Stock Code: 120-0097 - PIR43 Pir Mini Alarm

Compact, wide detecting area, Portable and easy to install, Ideal for commercial use, Functions as an annunciator as well as an alarm, Detection moving speed 0.6 – 1.5m/s, Unit can be installed on a wall horizontally or vertically or simply place on a desktop, uses 1 x 9V Battery (not included)

Stock Code: 120-0098 - PIR44 180deg PIR Motion Sensor IP65

3 – 2000 LUX (Adjustable), 180° Detection Area, 12m Detection Distance, automatically turns on lights when motion and body heat is detected, Time-delay and ambient light adjustment, identify day and night automatically, Rated Load 1200W (Incandescent Lamps), 600W (LED / CFL), IP65 Rating - Outdoor & Indoor Installations, White Housing



Stock Code: 120-0099 - PIR31 180deg Mini PIR Sensor White

3 – 2000 LUX (Adjustable), Detection Area - 360° Ceiling Installations, 120° Wall Installations, Detection Distance - 6m Ceiling Installations, 8m Wall Installations, automatically turns on lights when motion and body heat is detected, Time-delay and ambient light adjustment, identify day and night automatically, Rated Load - 800W (Incandescent Lamps), 400W (LED / CFL), IP Rating - Sensor - IP65, Controller - IP20



PLIERS

Stock Code: 120-0100 - EP0106 165mm Electricians Plier

HRC 58-63 suitable for both hard & soft wire, individually tested to 10 000V



Stock Code: 120-0101 - EP0108 203mm Electrician Plier

HRC 58-63 suitable for both hard & soft wire, individually tested to 10 000V



Stock Code: 120-0102 - EPC0109 Electricians Plier with Crimper

HRC 58-63 suitable for both hard & soft wire, individually tested to 10 000V

Stock Code: 120-0103 - ETBP0104 Mini Combination Plier

Ideal for cutting wires and will come in handy with most electronic and robotic equipment



Stock Code: 120-0104 - ETLP0104 Mini Long Nose Plier

Ideal for cutting wires and will come in handy with most electronic and robotic equipment



Stock Code: 120-0105 - GJP0310 255mm Groove Joint Plier Water Pump Plier

With a curved jaw grip and easily adjustable jaw opening, they're versatile for various tasks



Stock Code: 120-0106 - LP0106 170mm Long Nose Plier

HRC 58-63 suitable for both hard & soft wire, individually tested to 10 000V

Stock Code: 120-0107 - LP0108 205mm Long Nose Plier

HRC 58-63 suitable for both hard & soft wire, individually tested to 10 000V



Stock Code: 120-0108 - MGP0310 250mm Locking Plier

30mm Max jaw opening



SCREWDRIVERS

Stock Code: 120-0109 - KTE0206 Engineers Screwdriver Set

Magnetic tips, Ideal for electrical or mechanical use



Stock Code: 120-0110 - KTEP04P2 Stubby Phillips Screwdriver

Stock Code: 120-0111 - KTES0406 Stubby Slot head Screwdriver



Stock Code: 120-0113 - KTK0707SG 1000V Insulated Screwdriver Set

Fully insulated for heavy duty for professional use up to 1000V AC and 1500V DC working to IEC 60900

Stock Code: 120-0114 - KTKTSD07 7Pc Screwdriver Set



Stock Code: 120-0115 - KTPS0208 Precision Screwdriver Set

Ideal for all electronics industry use with hardened tips, Swivel tops aid fast fixing of screws



Stock Code: 120-0116 - TSD0320P PZ2 Terminal Driver

Clear colour coded top for slot/crosshead

Stock Code: 120-0117 - TSD0320S 3.5mm Terminal Driver

Clear colour coded top for slot/crosshead



Stock Code: 120-0118 - VNS1407 140mm Neon Screwdriver

Detects voltage from 110V – 250V AC, Electrical orange colour for high visibility, long life neon light, Ideal to test mains circuits to see if they are live, Tough all moulded construction & sealed for safety



SOCKET SETS

Stock Code: 120-0119 - RSS22 22Pcs Socket Set with Metal Case

15 x socket 3/8": - 6/7/8/9/10/11/12/13/14/15/16/17/18/19/22mm, 2 x spark plug socket 3/8" x 16,21mm, 1 x quick release ratchet handle 72 teeth, 1 x sliding T-bar 10", 1 x universal joint 3/8", 2 x extension bars 3" & 6"

Stock Code: 120-0120 - RSS27 27Pcs Socket Set with Metal Case

20 x socket ½": 8/9/10/11/12/13/14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32mm, 2 x spark plug socket ½" x 16,21mm, 1 x quick release ratchet handle 72 teeth, 1 x universal joint ½", 2 x extension bars 5" & 10", 1 x 3/8" F x ½" M 3-way adaptor



Stock Code: 120-0121 - RSS34 34Pcs Socket Set with Metal Case

13 x socket 1/4": - 4/4.5/5/5.5/6/7/8/9/10/11/12/13/14mm, 2 x extension bars 3" & 6", 1 x slide T-bar 120mm, 1 x universal joint, 1 x quick release ratchet handle 72 teeth, 12 x socket bits: - Slotted: 4.6mm, Phillips: #0, #1, #2, #3, Hex: 3,4,5,6,7,8mm, 1 x screwdriver handle 150mm, 3 x hex: 1.5, 2, 2.5mm

RACHET WRENCH

Stock Code: 120-0122 - RWS06 Ratchet Wrench Set

6 Piece Set, Sizes: 8mm^2, 10mm^2, 12mm^2, 13mm^2, 14mm^2, 17mm^2, Rotates 360° Clockwise and Anticlockwise, 12 Gripping Teeth, High Torque Values, CRV and Carbon Steel, Mirror Finish



ADJUSTABLE SPANNERS

Stock Code: 120-0123 - AS0306 155mm Adjustable Spanner

Deep etched metric graduations for fast pre-adjustment of size

Stock Code: 120-0124 - AS0312 300mm Adjustable Spanner

Deep etched metric graduations for fast pre-adjustment of size



APPLIANCE SURGE PROTECTOR

Stock Code: 120-0125 - MTD6 Appliance Surge Protector

Indicates when the power is on, Monitors line voltage, smooths off surge automatically and protects your appliance, Simple plug-in feature



TEST LEADS & ADAPTORS

Stock Code: 120-0126 - HDT3909 Wide Grip Crocodile Clip Set

CAT III 600V and CAT IV 1000V, 10A rating, Approx. 36mm Jaw opening, Approx. size 82 x 36mm, use with 4mm safety socket test leads HDT3081 and HDT3051



Stock Code: 120-0127 - HDT3916 Power Pincher Clip Set

CAT IV 600V and CAT III 1000V, 5A Rating, Spring wire clip set, Flexible insulated shank, Approx. size 155 x 49mm, use with 4mm safety socket test leads HDT3081 and HDT3051



Stock Code: 120-0128 - HDT3917 Wide Jaw Crocodile Clip Set

CAT IV 600V and CAT III 1000V, 16A Rating, Approx. 23mm jaw opening, Approx. size 94 x 42mm, use with 4mm safety socket test leads HDT3081 and HDT3051



Stock Code: 120-0129 - HDT3925 Crocodile Clip Set

Wide opening grip claw with an insulated shank, Approximate size 160 x 49mm, use with 4mm safety socket test leads HDT3081 and HDT3051, 10A Rating



Stock Code: 120-0130 - HDT3926 Long Shank Hook Clip Set

2A Rating, Hook clamp with an insulated shank, Approximate size 160 x 49mm, use with 4mm safety socket test leads HDT3081 and HDT3051



Stock Code: 120-0132 - HDT3051 Modular Test Set

CAT IV 600V and CAT III 1000V, 10A rating, Safety shrouds with standard 4mm safety plugs, highly flexible PVC insulation 0.8mm^2 wire, Straight connector on both ends, Recommended accessories for - HDT3907, HDT3908, HDT3909, HDT3916, HDT3917, HDT3923, HDT3925, HDT3926



Stock Code: 120-0133 - HDT3081 Modular Lead Set Straight to Right Angle

CAT IV 600V and CAT III 1000V, 10A rating, Safety shrouds with standard 4mm safety plugs, highly flexible PVC insulation 0.8mm^2 wire, Straight connector on one end, Recommended accessories for - HDT3907, HDT3908, HDT3909, HDT3916, HDT3917, HDT3923, HDT3925, HDT3926



Stock Code: 120-0134 - HDT3907 Modular 2mm Test Lead Probe Set

CAT IV 600V and CAT III 1000V, 10A rating, 2mm Hard tip points, Approximate size 102 x 10mm, use with 4mm safety socket test leads HDT3081 and HDT3051



Stock Code: 120-0135 - HDT3923 Modular Sharp Tip Probe Set

CAT IV 600V and CAT III 1000V, 6A Rating, Sharp 8mm point tip, Protective caps, Approx. size 100 x 21mm, use with 4mm safety socket test leads HDT3081 and HDT3051



Stock Code: 120-0136 - MT660 General Purpose Probe

General Purpose Probe, Range -30°C – 250°C, Exposed thermocouple with PTFE Insulation, General purpose use in heating and refrigeration industries, Ideal for Radiator fans, water and air temperatures



Stock Code: 120-0137 - MT805 DIY Meter Test Lead Set

Test probes with PVC insulation and 2mm sharp tips design for easy, reliable grip in tight work places, 4mm safety right angle test probes, Cable length: 1m, 10A



Stock Code: 120-0138 - MT820 Economy Test Lead Set

The MT820 is an economically priced test probe set with one red and one black probe, and has a PVC insulation and 4mm lantern tips with crocodile clips, it is recommended for general purpose measurements, and has 4mm safety right-angle test probes, Cable Length: 1m, 10A



Stock Code: 120-0156 - MT802 Type-K Temperature Adaptor

Type-K Temperature plug adaptor. For Standard 4mm banana connectors. Plug for multimeters and clamp meters.



TIMERS

Stock Code: 120-0139 - MTD3 24Hr Analogue Programmable Timer

Programming timer is a simple and quick procedure, Time duration of required working time of appliance can be set by pushing in joint slices, Real time can be set by turning disc in direction of arrow until marked point indicates current time, Switching loads up to 3500W, IE60730 Safety Standard



Stock Code: 120-0141 - MTD7 8 On Off Digital Programmable Timer



20 On/Off operation, Large LCD display with real time display, 1 Second to 7 Day Time Setting with Reset Button, built in rechargeable Ni-MH battery to maintain real time clock and programmed times when there is a power failure, IEC60730 Safety Standard

Stock Code: 120-0142 - MTD8 20A Digital Programmable Timer



Resistive Load: - 30A max., 4400W max., Inductive / Motor Load: - 20 A max., Din Rail and Samite Rail Mounted, Advanced weekly settings, Repeat programs with 16 ON/OFF settings, 18 pulse settings, and a manual ON/OFF switch, Lithium battery back up in the event of a power failure, MANUAL button changes between Manual ON/OFF, ON AUTO and AUTO OFF, Terminology: ON (Always ON), OFF (Always OFF), AUTO ON (Timer remains ON until the next OFF programmed setting) / AUTO OFF (Timer remains OFF until next programmed ON setting and turns OFF as per programmed OFF settings), AUTO OFF – Automatically turns the timer ON and OFF as per the programmed settings, While programming any function, 30 seconds of inactivity will exit all setting menu

Stock Code: 120-0143 - MTD12 18 On Off Digital Programmable Timer



16A 7 button operation, Large LCD Display with real time and day display, count down timer, switching loads up to 3500W, Ideal for schools, factories and offices as a siren can be connected to the output indicating starting times, tea and lunch

TOOLKIT

Stock Code: 120-0144 - TKE1217N Electronic Tool Kit 24Pcs



EP0106: 160mm Combination Pliers, DP0106: 165mm Diagonal Cutting Pliers, LP0106: 165mm Long Nose Pliers, ETSC0104: 110mm Precision Diagonal Cutter, ETLP0104: 125mm Precision Long Nose Plier, ETBP0104: 120mm Precision Combination Plier, UK0306: Utility Knife, KTPS0208: 8 Piece Precision Screwdriver Set, KTE2006: 6mm Tip – 200mm Flat Screwdriver, KTK0707SG: 7 Piece 1000V Screwdriver Set

Stock Code: 120-0164 - TKH1 DIY Tool Kit 13Pcs



TKC1: Zip Up Tool Bag, HV0303: 3m Tape Measure, HK0308: Metric Hex Key Set, EP160: 160mm Combination Pliers, DP160: 165mm Diagonal Cutting Pliers, LP160: 170mm Long Nose Pliers, KTE0206: Screwdriver Set, AS0306: 155mm Adjustable Spanner

Stock Code: 120-0165 - TKE1209 Compact Electricians Tool Kit 8Pcs



TKC2: Zipper Tool Bag, LP0106: 1000V Insulated Long Nose Plier (165mm), EP0106: 1000V Insulated Plier (165mm), KDC22: Cable Shears (22mm^2), VNS1407: 3mm Neon Screwdriver, HV0303: 3m Measuring Tape, KTK04P2: P2 1000V Insulated Screwdriver, KTK04S5: 5.5mm Slot Head 1000V Insulated Screwdriver, UK0306: Utility Knife

FLASHLIGHT

Stock Code: 120-0166 - MFL100 LED Flashlight 3W Aluminum



Assorted colors. Battery Life 8-9 Hours. Up to 50 Lumens. Black Lanyard.

STRIPPERS

Stock Code: 120-0145 - CS03410 Coaxial Cable Stripper



Strips cable: 4mm^2 to 10mm^2, Rotary coaxial cable stripper, Finger opening in handle for ease of rotation, Easy adjustable to strip inner and outer core in one operation, 3 Blade Model.

Stock Code: 120-0146 - SP1006 160mm Stripping Plier



Tested: Individually tested to 10 000V, Size: 160mm, Strips Cables: 0.3 to 6mm^2

Stock Code: 120-0147 - WS0310 Automatic Wire Cutter and Stripper 1.0mm



Automatic Wire Stripper, Strips cable: 1.0mm^2 to 3.2mm^2, automatically adjusts to cable size in easy one-handed operation, Strips stranded and solid conductors of 1.0mm^2 to 3.2mm^2, Built-in wire cutter, Insulated crimper Yellow, Red & Blue, non-insulated 1,5 – 2,5, 4-6mm^2

Stock Code: 120-0148 - WS1032 Automatic Wire Stripper 1.00mm-3.2mm



Ideal for production when stripping lighter gauge wires, automotive wiring, instrumentation wire and avionic wire, Knife type steel blade, Delayed action prevents crushing or cutting of wires, Zinc Alloy body with PVC handle grips

Stock Code: 120-0149 - WS220 Wire Stripper 0.75mm




Hardened and precision ground steel jaws, Wire sizes 0.75mm^2 to 6.00mm^2, Built-in wire cutter, Adjust to most wire sizes

---

LED STRIP

Stock Code: 120-0150 - Linear LED Strip Blue 10W-m 24V Sold per 1m



>900 Lumens per Meter, 10 Watt Per Meter, 24V DC, IP20 Rating, create linear lighting without the use of a profile, very flexible, High lumen output, High-quality LED's and PCB to ensure a longer lifespan, Strong 3M adhesive tape for a better installation

Stock Code: 120-0151 - Linear LED Strip White 6500K 10W-m 24V Sold per 1m



1000 Lumens per Meter, 10 Watt Per Meter, 24V DC, IP20, create linear lighting without the use of a profile, very flexible, High lumen output, High-quality LED's and PCB to ensure a longer lifespan, Strong 3M adhesive tape for a better installation

---

PHASE ROTATION METER



Stock Code: 120-0169 - MT930 Phase Rotation Meter

Large LCD Display, Phase rotation indication, 3-Phase Indication, checks phase sequence and open phase simultaneously, Double injection rubber housing, Small lightweight and portable, can measure a wide range of 3-phase power source from 40V to 850V AC, Large-size crocodile clips

---

CIRCUIT BREAKER FINDER



Stock Code: 120-0171 - MT190 Circuit Breaker Finder

Automatic scanning technology, Identifies Circuit Breakers & Fuses, Microprocessor is self-calibrating, Operates on 240VAC 50Hz circuits, Built-in 30mA RCD Test in Transmitter, Correct wiring indication, Visual and audible indication, 500m detection distance from the Receiver

---

CONTINUITY & BELL TESTER



Stock Code: 120-0172 - MT100 Continuity & Bell Tester with Carry Case

Remotely identify and label two wires using flashing remote probes, Distance 3000m (26 Gauge min), Lightweight and pocket size

---

WALL SCANNER



Stock Code: 120-0176 - MT300 Wall Scanner

Equipped to detect metal, wires, pipes, wood, studs, and live AC cables, Newly designed positioning hole, accurately and swiftly marks edges and centres of metal, streamlining your projects, 3-level sensitivity adjustment, this scanner elevates measurement accuracy to ensure you find your target with pinpoint precision, It illuminates yellow or red based on proximity to the target, turning green when no target is present, Audible beep guides user, with continuous alarms leading the user to the target's centre, The high-performance anti-jamming chip guarantees accuracy, Positioning hole to accurately & swiftly marks edges & centres, Backlight LCD Display, Velcro Strips eliminates damage to surfaces, Depth range: - Metal: 120mm, Non-ferrous metal (copper): 100mm, AC line: 50mm, Copper wire (single strand): 40mm, Wood: 2mm, Depth Mode:38mm, Exact Mode: 20mm

---

SOLDERING IRON TIPS

Stock Code: 120-0173 - MTD46/MTD48 Soldering Iron Tip



SMART DEVICES

Stock Code: 120-0081- Major Tech MTS11 Smart Socket 220V 16A 3680W

Smart App Compatibility: Easily access advanced features by downloading the free Major Tech Hub Smart App. Energy Consumption Insights: Gain in-depth insights into your energy consumption through the Smart App. Advanced Timer Functions: Enjoy precise control over your devices with a variety of timer options, including weekly, daily, hourly, or per minute settings. Voice Control: Seamlessly integrates with popular third-party voice control platforms such as Alexa, Google Assistant, and SmartThings



Stock Code: 120-0082 - Major Tech MTS21 Smart Energy Meter 220V 65A 15kW

Provides in-depth analysis of energy consumption via the smart app. Displays Voltage, Current, Active Power, Power Factor and Frequency. Load Protection – the app can be set to alert and trigger an automatic device shutdown. Din Rail Compatible (35mm). Dual Mode: Wi-Fi and Bluetooth



Stock Code: 120-0140 - Major Tech MTS22 Smart Prog Timer 220V 30A 4.4kW

The App offers a quick view of both historical and real-time energy usage. Timer Setup Options – countdown, schedule, circulate, random and inching. Precise control over when and how the timer operates. Din Rail & Samite/mini rail Compatible (35mm). Dual Mode: Wi-Fi and Bluetooth. 50/60Hz Rated Frequency. 30A/4400W resistive load. 100 – 240V AC Voltage rating.




MOTORS

BRUSHED MOTORS


Stock Code: 125-0001 - Brushed Motor 3-6VDC 0.35-0.4A 2-4KRPM

Length: 25mm, Diameter: 21mm, Shaft Diameter: 2mm, Shaft Length: 9mm Voltage: 3-6VDC Main Dimensions: 25 x 15 x 20mm Rated Voltage: 3VDC Current: 0.35-0.4A, 3V Speed: 20000RPM 6V Speed: 40000RPM




Stock Code: 125-0002 - Brushed Motor 3VDC 0.37A 6K3RPM

Brushed Motor 3VDC 0.37A 6K3RPM



Stock Code: 125-0003 - Brushed Motor 3VDC 3A 7KRPM

DC Brush Miniature 3V 9000RPM No Load, Torque-20.0G.CM Dm-24, Lm-30.5, Ls-42, FS-2.0mm




Stock Code: 125-0005 - Brushed Motor 6VDC 0.18A 18K5RPM

DC Brush Motor, 1.5-6VDC, 0.18A, 18500 RPM No Load Speed. DIA-23.5, L-30.5, SF-2.0mm




Stock Code: 125-0006 - Brushed Motor 12V 0.8A 3000RPM

DC Brush Motor, DC Carbon Brushed, 12V FLC-0.83A, FLS-2880 RPM Dm-36 Lm-50 Ls-70 FS-3.175mm, Weight-165g




Stock Code: 125-0007 - Brushed Motor 12V 0.4A 6000RPM

DC Motor 12V Micro Motor 365SM, 6000RPM, Shaft Dia: 2.3mm, Shaft Length: 12mm, Motor OD=27.7mm, Length = 51mm



Stock Code: 125-0008 - Brushed Motor 12V 8.5A 5584RPM

DC Brush Motor Ideal for Bait Boats, 6V-18VDC FLC-8.45, FLS-5584RPM, FLT-1380g.cm, 79W, DIA-51.8, L-85, SF-6.35mm




Stock Code: 125-0009 - Brushed Motor 12V 4.5A 13K2RPM

DC Brush Motor, 12V FLC-4.5A, FLS-14,000 RPM Dm-36 Lm-59 Ls-75 FS-3.175mm, Weight-217g




GEARED MOTORS



6V

Stock Code: 125-0010 - Geared Motor 6V 0.11A 7.5RPM

Miniature Brus DC Motor, OAD-24.4x57.5mm, Ratio=1:355, V-6VDC, FLC-0.11A, OP-0.2W, No Load=11RPM, With Load FLS-7.5RPM, T-1.8KG.CM



Stock Code: 125-0011 - Geared Motor 6V 0.2A 20RPM

Miniature Planetary Geared Motor, With 4mm Centre Shaft, 6VDC, 0.2A, 20RPM, 1:190

12V

Stock Code: 125-0012 - Geared Motor 12V 1.6A 11RPM




Miniature Geared Brush Motor, Ratio-1/506, Output Speed-11RPM, FLC-1.6A, Torque-5.3KG.CM, Direction of Rotation= CCW

Stock Code: 125-0013 - Geared Motor 12V 0.3A 13RPM

Geared DC Brush Motor, 12VDC 0.5AMPS, 13RPM Reduction Ratio - 516:1, Torque 10.7kg/cm, 6mm Shaft

Stock Code: 125-0014 - Geared Motor 12V 0.3A 65RPM




Miniature Geared Brush Motor, 12VDC, 1:120 Ratop, 65RPM, Torque-6kg.cm, 6mm Shaft

Stock Code: 125-0015 - Geared Motor 12V 1.6A 270RPM


DC Geared Round Brushed Motor, 12VDC, FLC-1.6A, 1:22 Reduction, 270RPM, 2.3KG/CM, L-55mm, Gearbox DIA=37mm, Thick- 22mm

HYDROELECTRIC GENERATORS

Stock Code: 125-0016 - Hydroelectric Generators 12VDC 0.22A
12V DC 220mA, 10W High Power Flow Generator Factory Outlets, 5m Head max, 20mm Fittings



PUMPS



Stock Code: 125-0017 - Mini Water Pump 12VDC 450mA 2L-Min 2m
Ideal For Drinking Dispensers, 100% Waterproof, 5W



Stock Code: 125-0018 - Water Pump 6-12VDC 2L-Min
90x40x35mm, 0.5-0.7A, Self Priming



Stock Code: 125-0025 - Mobi Mist Water Pump 21 Series 12VDC 2-4A
GPM/LPM: 1.0/3.8. PSI/BAR: 40/2.8



DUAL MOTOR DRIVERS

Stock Code: 125-0022 - Dual Motor Driver L298N 2A 5V-35V
The L298N driver module, using ST's L298N chip can directly drive two 7-24 DC motor, and provides a 5V output interface can 5V single-chip circuitry to supply, support 3.3VMCU control, you can easily control the DC motor speed and direction, you can also control the 2-phase stepper motor, smart car essential. Using L298N made by ST company as the control chip, the module has such characteristics as strong driving ability, low calorific value and strong anti-interference ability.



Stock Code: 125-0024 - Dual Motor Driver High Power Full H-Bridge 43A
Double BTS7960 large current (43 A) H bridge driver. Just need four lines from MCU to driver module (GND. 5V. PWM1. PWM2). Size: 4x5 x1.2cm. Able to reverse the motor forward, two PWM input frequency up to 25kHZ. The supply voltage 5.5V to 27V. Maximum Current: 43A. Input level: 3.3V-5V



OSCILLATING MOTOR

Stock Code: 125-0019 - Oscillating Motor 3VDC 75mA 11000RPM
11KRPM / 11,000RPM VO-1.8-3.8VDC, VN-3V, IC-75mA, D-8mm, TH-3.4mm



SERVO MOTOR

Stock Code: 125-0020 - Servo Motor 180-Deg 5V Micro Analogue
4.8-5.0V, 180 Deg, 0.12 Sec/60 Degrees, (4.8v), Torque-1.8kg.cm (4.8v), Weight- 9g, Size: 23×12.2x29mm



STEPPER MOTOR

Stock Code: 125-0023 - Geared Stepper Motor with Driver Board 5V
5V Geared Stepping Motor and ULN2003 Drive Board



Stock Code: 125-0021 - Stepper Motor 5V 0A5 6Wire 4Phase 7-5Deg Unip

Nema-10, 7.5-DEG, 4-Phase, 5V, 0.5A, 10E, 2mm Shaft Diameter, Holding Torque-120G.CM, Detent T-45G.CM, 6 Wires, Size: 25x15mm



PANEL METERS

COUNTER



Stock Code: 130-0007 - Digital Counter Rhomberg Up Down 5 Digit
Size 36x72mm, 0.56-inch LED Display, Panel Cut Out 33x68.5mm, Weight 130g, Temp -10°C - 40°C, Range 0-99999

0.28" VOLT METER (DC)



Stock Code: 130-0008 - 0.28 Volt Meter 0-100VDC 3 Wire Red
2 Wire 0-40VDC, 3 Wire 0-100VDC, PSU 4-40VDC <20MA

Stock Code: 130-0009 - 0.28 Volt Meter 0-100VDC 3 Wire Green
2 Wire 0-40VDC, 3 Wire 0-100VDC, PSU 4-40VDC <20MA

Stock Code: 130-0010 - 0.28 Volt Meter 0-100VDC 3 Wire Blue
2 Wire 0-40VDC, 3 Wire 0-100VDC, PSU 4-40VDC <20MA

0.56" VOLT METER (DC)



Stock Code: 130-0011 - 0.56 Volt Meter 0-200VDC 3 Wire Red - 0-200VDC, PSU 4.5-30VDC
Stock Code: 130-0012 - 0.56 Volt Meter 0-200VDC 3 Wire Green - 0-200VDC, PSU 4.5-30VDC
Stock Code: 130-0013 - 0.56 Volt Meter 0-200VDC 3 Wire Blue - 0-200VDC, PSU 4.5-30VDC
Stock Code: 130-0036 - 0.56 Volt Meter 5-120VDC 2 Wire Red
Measure Range: 4.5-120VDC, PSU: 4.5-120VDC, Dimensions: 48mm x 29mm x 22mm



Stock Code: 130-0043 - 0.56 Volt Meter HV 0-3800VDC 3 Wire Red for PV
Solar PV String Compatible. DC Measurement Range:0 - 3800V. Operating Temperature: -10C to 60C. Operating Voltage: 5V-12VDC / Operating Current: 40mA. Measurement Accuracy: 0.3 Perc. Refresh Rate: 3Hz

---

0.56" AMP METER (DC)



Stock Code: 130-0016 - 0.56 Amp Meter Digital 0-10ADC
Power Supply: DC4.5-28V, Size: 48x29x21 mm

0.56" VOLT & AMP METER (DC)



Stock Code: 130-0018 - 0.56 Dual Volt & Amp Meter 0-100VDC 0-10ADC R&B - 0-100VDC 10ADC, PS 4.5-30VDC

Stock Code: 130-0019 - 0.56 Dual Volt & Amp Meter 0-100VDC 0-100ADC R&B - With External Shunt

---

0.56” VOLT METER (AC)



Stock Code: 130-0014 - 0.56 Volt Meter 70-500VAC 2 Wire Red - 70-500VAC, PSU AC <17MA
Stock Code: 130-0015 - 0.56 Volt Meter 70-500VAC 2 Wire Blue - 70-500VAC, PSU AC <17MA

VOLT METER ROUND 28MM (DC) IP65



Stock Code: 130-0024 - Volt Meter Round Display 28mm 12-60VDC Red
Stock Code: 130-0025 - Volt Meter Round Display 28mm 12-60VDC Green
Stock Code: 130-0034 - Volt Meter Round Display 28mm 12-60VDC Blue
Stock Code: 130-0035 - Volt Meter Round Display 28mm 12-60VDC White

---

VOLT METER ROUND DISPLAY (AC) IP65

22MM



Stock Code: 130-0033 - Volt Meter Round Display 22mm 15-500VAC White

28MM

Stock Code: 130-0021 - Volt Meter Round Display 28mm 50-450VAC Red
Stock Code: 130-0022 - Volt Meter Round Display 28mm 50-450VAC Green
Stock Code: 130-0023 - Volt Meter Round Display 28mm 50-450VAC Blue
Stock Code: 130-0044 - Volt & Amp Meter Round 28mm 50-500V CT100A White
Stock Code: 130-0045 - Volt & Amp Meter Round 28mm 50-500V CT100A Yellow

---

VOLT & AMP METER ROUND 28MM (AC) IP65



Stock Code: 130-0029 - Volt & Amp Meter Round 28mm 50-500V CT100A Red
Stock Code: 130-0030 - Volt & Amp Meter Round 28mm 50-500V CT100A Green
Stock Code: 130-0031 - Volt & Amp Meter Round 28mm 50-500V CT100A Blue

---

FREQUENCY METER ROUND 28MM IP65



Stock Code: 130-0026 - Frequency Meter Round Display 28mm 0-99Hz Red - 50-450VAC
Stock Code: 130-0027 - Frequency Meter Round Display 28mm 0-99Hz Green - 50-450VAC
Stock Code: 130-0028 - Frequency Meter Round Display 28mm 0-99Hz Blue - 50-450VAC

AC DIGITAL MULTIFUNCTIONAL METER + CT



Stock Code: 130-0017 - AC Digital Multifunctional Meter + CT

Multi-Function Digital LCD Display, Power Monitor, Voltage-Current Power Multimeter, 100A 80-260VAC, Supplied with CT Coil

KWH METERS



Stock Code: 130-0032 - Orbis Analogue Single Phase KWH Meter 230VAC 25A

Stock Code: 130-0020 - Digital Single Phase KWH Meter 230VAC 63A

ROUND VOLT & AMP METER



Stock Code: 130-0046 - Round Dual Volt & Amp Meter 12-24VDC 0-15ADC Blue

Input Voltage: 12-24V. Current Rating: 15 Amp. Diameter: 29mm. Connect to positive of battery, negative of the load, and negative of battery.

RUNNING HOUR METER



Stock Code: 130-0041 - Digital LCD Running Hour Meter 8 Digit

8-digit, Size 55.7x30.8mm, Panel Cut Out 50x25mm

TACOMETER



Stock Code: 130-0042 - Digital Tachometer with Display 8-24VDC 10-9999RPM

Model: CF5135C-Z. Microcontroller: STM8S003F3. Proximity Sensor: NJK-5002C. Display Type: LED display. Display Colour: Blue. Working Voltage: 8-24V DC. Current: 30-200mA. Measurement Range: 10-9999rpm. Accuracy: 0.1P. Display Refresh Rate: >3 times/sec. Installation Dimensions: 76 x 39mm. Dimensions: 79 x 32 x 42mm. Net Weight: 108g

PCB

METAL SPACER M3 M/F



Stock Code: 135-0001 - Metal Spacer Male to Female M3x5
Stock Code: 135-0002 - Metal Spacer Male to Female M3x10
Stock Code: 135-0013 - Metal Spacer Male to Female M3x15
Stock Code: 135-0004 - Metal Spacer Male to Female M3x20
Stock Code: 135-0005 - Metal Spacer Male to Female M3x25
Stock Code: 135-0006 - Metal Spacer Male to Female M3x30
Stock Code: 135-0007 - Metal Spacer Male to Female M3x35

METAL SPACER M3 F/F



Stock Code: 135-0008 - Metal Spacer Female to Female M3x5
Stock Code: 135-0009 - Metal Spacer Female to Female M3x10
Stock Code: 135-0010 - Metal Spacer Female to Female M3x15
Stock Code: 135-0011 - Metal Spacer Female to Female M3x20
Stock Code: 135-0012 - Metal Spacer Female to Female M3x25
Stock Code: 135-0013 - Metal Spacer Female to Female M3x30
Stock Code: 135-0014 - Metal Spacer Female to Female M3x35

PCB HOLDER DIN RAIL CLIP



Stock Code: 135-0015 - Plastic PCB Holder Din Rail Clip 43mm (Pair)

PLASTIC SPACER



Stock Code: 135-0016 - Plastic Spacer 5mm OD=5 ID=3.2
Stock Code: 135-0017 - Plastic Spacer 10mm OD=7 ID=3.6
Stock Code: 135-0018 - Plastic Spacer 15mm OD=5 ID=3.2

SELF ADHESIVE STANDOFF



Stock Code: 135-0024 - Plastic Spacer Self Adhesive Standoff 20x20mm

PLASTIC SPACER LOCK-LOCK



Stock Code: 135-0019 - Plastic Spacer Lock-Lock 4.8mm
Stock Code: 135-0020 - Plastic Spacer Lock-Lock 6.4mm
Stock Code: 135-0021 - Plastic Spacer Lock-Lock 9.4mm
Stock Code: 135-0022 - Plastic Spacer Lock-Lock 15.9mm
Stock Code: 135-0023 - Plastic Spacer Lock-Lock 19mm

POWER SUPPLIES & TRANSFORMERS

IC DC-DC CHIP



Stock Code: 140-0001 - IC Dip Converter DC-DC TC7660CPA

The TC7660 is a pin-compatible replacement for the industry standard 7660 charge pump voltage converter. It converts a +1.5V to +10V input to a corresponding -1.5V to -10V output using only two low-cost capacitors, eliminating inductors and their associated cost, size and electromagnetic interference (EMI).

MEAN WELL DC-DC STEP DOWN



12V

Stock Code: 140-0002 - Mean Well DC-DC Step Down 12VDC O=5VDC 10A

I=12V (9-18V) O=5V @ 10A

24V

Stock Code: 140-0003 - Mean Well DC-DC Step Down 24VDC O=12VDC 2.1A

I=24VDC (19-36V) O=12VDC (11-16V) @ 2.1A

Stock Code: 140-0073 - Mean Well DC-DC Step Down 24VDC O=12VDC 8.5A

I=24VDC (19-36VDC) O=12VDC (11-16VDC) @ 8.5A

48V

Stock Code: 140-0004 - Mean Well DC-DC Step Down 48VDC O=12VDC 1.25A

I=48VDC (36-72V) O=12VDC (10.8-13.2V) @ 1.25A

Stock Code: 140-0005 - Mean Well DC-DC Step Down 48VDC O=12VDC 2.1A

I=48VDC (36-72V) O=12VDC (11-16V) @ 2.1A

Stock Code: 140-0006 - Mean Well DC-DC Step Down 48VDC O=12VDC 4.2A

I=48VDC (36-72V) O=12VDC @ 4.2A

Stock Code: 140-0007 - Mean Well DC-DC Step Down 48VDC O=12VDC 8.5A

I=48VDC (36-72V) O=12VDC @ 8.5A

Stock Code: 140-0008 - Mean Well DC-DC Step Down 48VDC O=12VDC 12.5A

I=48VDC (36-72V) O=12VDC @ 12.5A

Stock Code: 140-0009 - Mean Well DC-DC Step Down 48VDC O=24VDC 2.1A

I=48VDC (36-72V) O=24VDC (23-30V) @ 2.1A

Stock Code: 140-0064 - Mean Well DC-DC Step Down 48VDC O=12VDC 27.5A 350W

I=48VDC (36-72V) O=12VDC @ 27.5A 350W

Stock Code: 140-0010 - Mean Well DC-DC Step Up 12V O=24V 2.1A

I=12V (9.2-18V) O=24V @ 2.1A

80V

Stock Code: 140-0067 - Mean Well DC-DC Step Down 80VDC O=12VDC 16.7A 200W

I=80VDC (72-144VDC) O=12VDC (11-16VDC) @ 16.7A 200W

100V

Stock Code: 140-0077 - Mean Well DC-DC Step Down 110VDC O=24VDC 4.2A

I=110VDC (67.2-143VDC) O=24VDC (11-16VDC) @ 4.2A 100W

PCB MOUNT PSU



Stock Code: 140-0012 - PCB Mount PSU I=220VAC O=5VDC 400mA

The HI-LINK HLK-2M05 is a highly popular, compact, and fully isolated AC/DC step-down power supply module. Designed for direct PCB mounting, it takes a universal AC input (typically 220V, but supports 90V–264V) and steps it down to a stable 5V DC output, providing up to 400mA (2W of power).

BUCK DC-DC STEP DOWN



Stock Code: 140-0013 - Buck DC-DC Step Down I=3.2-46V O=1.25-35V 3A CV - LM2596

This module is a general DC-DC power supply module, which is suitable for the voltage conversion requirement of the product. Input: 3-40V Output: 1.25V-35V Maximum current: 3A Adjust the use of 3296 adjustable resistance.



Stock Code: 140-0014 - Buck DC-DC Step Down I=4-38V O=1.2-37V 5A CV - XL4005 XL4015

Wide 8V to 36V Input Voltage Range, Output Adjustable from 1.25V to 32V, Maximum Duty Cycle 100%, Minimum Drop Out 0.3V, Fixed 180KHz Switching Frequency, 5A Constant Output Current Capability, Internal Optimize Power MOSFET, High efficiency up to 96%, Excellent line and load regulation, built in thermal shutdown function, built in current limit function, Built in output short protection function.



Stock Code: 140-0015 - Buck DC-DC Step Down I=5-32V O=0.8-30V 5A CV CC - XL4015

Input voltage 5V - 32VDC, output voltage 0.8V - 30VDC, Output current 5A (max), Conversion efficiency 95% (highest), Output ripple <50 mV, Switching frequency 300KHz, Operating temperature -45 ° C to + 85 ° C, Size 51mmx26mm x14mm (L * W * H)



Stock Code: 140-0062 - Buck DC-DC Step Down I=5-40V O=1.2-35V 9A CV CC

Input voltage: 5-40V, Output voltage: 1.2-35V (continuously adjustable), Output Current: 9A (power tube temperature exceeds 65°C please add cooling fan), Constant current range:0.2-9A (adjustable), Output Power: Maximum power is about 300W (power tube temperature exceeds 65°C please add cooling fan)



Stock Code: 140-0016 - Buck DC-DC Step Up Down I=5-30V O=1-30V 10A CV CC

Input Voltage: 4.5-30V the input voltage must not exceed 30V, Output Voltage: 1.25-30V adjustable, CV., Output Current: 0-12A 100W with larger heatsink up to 200W, Operating Temperature: -40 to + 85 degrees, Dimensions: 60 mm x 51 mm x 22 mm



Stock Code: 140-0017 - Buck DC-DC Step Down I=6-40V O=1.2-36V 20A CV CC

Input Voltage: 6V to 40V DC (10V to 40V is suggested), Output Voltage: 1.2V to 36V DC, Output Current: 20A (max.), 15A (suggested), Efficiency: 95% (24V to 12V, 20A), Output Ripple: ≤50mV, Wiring Method: Terminal, Short Circuit Protection: Self-recovery (cannot short circuit for long time), When input and output is common grounded, no-load CV output constant voltage, CC output constant current



Stock Code: 140-0071 - Enclosure for Buck DC-DC Step Down 3A

Enclosure for Buck DC-DC Step Down 3A



Stock Code: 140-0072 - Enclosure for Buck DC-DC Step Down 5A

3D printed plastic enclosure for 140-0014 Buck DC-DC Step Down I=4-38V O=1.2-37V 5A CV XL4005 XL4015

BUCK DC-DC STEP UP



Stock Code: 140-0019 - Buck DC-DC Step Up I=3-30V O=4-35V 3A CV - XL6009

Wide 5V to 32V Input Voltage Range, Positive or Negative Output Voltage Programming with a Single Feedback Pin, Current Mode Control Provides Excellent Transient Response, 1.25V reference adjustable version, Fixed 400KHz Switching Frequency, Maximum 4A Switching Current, SW PIN Built in Over Voltage Protection, Excellent line and load regulation, EN PIN TTL shutdown capability, Internal Optimize Power MOSFET, High efficiency up to 94%, Built in Frequency Compensation, Built in Soft-Start Function, Built in Thermal Shutdown Function, Built in Current Limit Function



Stock Code: 140-0020 - Buck DC-DC Step Up I=3.5-40V O=0-40V 3A CV + Display - LM2577

Dc-Dc Step-Up Adjustable Converter Module with Digital Voltmeter Display. Based On the Lm2577. In=3.5-35v, out=0-38v, Turn Preset Clockwise Only to Required Output Voltage



Stock Code: 140-0021 - Buck DC-DC Step Up I=8-48V O=10-50V 10A CV CC

Input voltage: DC8.5V-48V, Output voltage: 10-50V continuously adjustable, Output power: = input voltage * 10A, such as: input 12V * 5A = 60W, input 24V * 5A = 120W, input 36V * 5A = 180W, input 48V * 5A = 240W, Temperature: -40 to + 85 degrees (ambient temperature is too high, please enhance heat dissipation), Over-current protection: yes (input exceeds 13A, the output voltage is automatically reduced, and there is a certain range of error.), Input reverse connection protection: yes, (less than 5A if you need more reverse current, please connect a diode in the input), Module size: About Length 70mm width 36mm height 13mm

Stock Code: 140-0176 - Buck DC-DC Step Up I=8-60V O=12-80V 20A CV CC



BUCK DC-DC STEP UP & STEP DOWN



Stock Code: 140-0175 - Buck DC-DC Step Down AND Step Up 3A CV - I=3.8-32V O=1.25-35V

Input Voltage: 3.8-32V, Output Voltage: 1.25V-35V, Input Current: 3A, Working Temperature: -40°C - +85°C, Size: 48x25x14mm

---

MEAN WELL PLUG IN PSU

5V

Stock Code: 140-0022 - Mean Well Plug in PSU 220VAC O=5VDC 1A DC Lead



The Mean Well GS06E-1P1J is a compact, wall-mounted AC/DC switching adapter. It converts standard 220V–240V AC wall power into a regulated 5VDC output at up to 1A (5W), making it ideal for low-power devices, routers, and hobbyist electronics

Stock Code: 140-0023 - Mean Well Plug in PSU 220VAC O=5VDC 2.4A DC Lead



The Mean Well GS15E-1P1J is a wall-mount, single-output AC-DC industrial power adapter. It provides an output of 5V DC at 2.4A (12W max) and features a 2-pin European (Europlug) AC input.

9V

Stock Code: 140-0024 - Mean Well Plug in PSU 220VAC O=9VDC 2A DC Lead



A highly reliable 18W AC-DC industrial wall-mount power adapter. It features a fixed 2-pin Europlug, outputs 9V at 2A, and connects via a 2.1 × 5.5 × 11mm center-positive barrel plug.

12V

Stock Code: 140-0025 - Mean Well Plug in PSU 220VAC O=12VDC 1.5A DC Lead



The GST18E12-P1J is an 18W AC/DC wall-mount switching power adapter manufactured by Mean Well. It features a universal input (85 - 264 VAC) and provides a regulated 12 VDC output at 1.5A. It uses a 2-pin European (Europlug) AC input and a standard center-positive 2.1mm × 5.5mm DC barrel connector.

Stock Code: 140-0026 - Mean Well Plug in PSU 220VAC O=12VDC 2.08A DC Lead



The GST25E12-P1J is a 25W wall-mount AC-DC power adapter manufactured by MEAN WELL. It provides a regulated 12V DC output at 2.08A and features a standard 2-pin European (Europlug) AC input. This highly reliable, energy-efficient (Level VI) unit is designed for small consumer electronics and industrial devices.

15V

Stock Code: 140-0027 - Mean Well Plug in PSU 220VAC O=15VDC 1.2A DC Lead



The Mean Well GST18E15-P1J is an 18W, wall-mount AC/DC industrial power adapter. It converts 90–264V AC input to a stabilized 15V DC output at 1.2A, and connects via a 2.1mm x 5.5mm center-positive barrel plug. It features a 2-pole Europlug.

24V

Stock Code: 140-0028 - Mean Well Plug in PSU 220VAC O=24VDC 1.04A DC Lead



The GST25E24-P1J is a 25W wall-mount AC/DC "green" power supply manufactured by Mean Well. It provides a stabilized output of 24V DC at 1.04A and features a standard 2-prong Europlug. Its outputs via a 2.1mm center-positive barrel connector and meets Level VI energy efficiency standards.

UNREGULATED PSU



Stock Code: 140-0029 - Unregulated PSU 220VAC O=3,4.5,6,7.5,9,12V 500mA

Power Supply Ac-Dc Wall Adaptor Variable 0.5a Selectable 1.5/3/4.5/6/7.5/9/12 Unregulated, Voltage Polarity Selectable

Stock Code: 140-0030 - Unregulated PSU 220VAC O=3,4.5,6,7.5,9,12V 1000mA

Power Supply Ac-Dc Wall Mount Adaptor - Black, Input:220vac, Output: 1.5-3-4.5-6-7.5-9-12 @ 1a Unregulated, Dc Power Sock = 5.0x2.5, 5.0x2.1, 4.0x1.75, 2.35x0.7mm,

REGULATED PSU



Stock Code: 140-0069 - Regulated PSU 220VAC O=3,4.5,6,7.5,9,12V 2000mA

A universal switch-mode regulated power supply (PSU) designed to replace standard wall adapters. It takes a standard 220V–240V AC input and converts it to adjustable, stable DC voltage outputs for various household and musical electronics.

WALL MOUNT CHARGERS



Stock Code: 140-0178 - Camelion Dual USB Wall Charger I=220V O=2x5V 2.4A

Power Supply Adapter 2pin to 2 X Usb Socket, 12w



Stock Code: 140-0179 - USB Wall Charger I=220V O=5V@3A 9V@2A 12V@1.5A

Wall Mount Power Supply / Charger, USB Type A Socket, Quick Charger 3.0, Input: 110-240vac, Output: 5vdc @ 2.4a, 9vdc @ 1.8a, 12vdc @ 1.5a

---

MEAN WELL DIN RAIL PSU



Stock Code: 140-0074 - Mean Well Din Rail PSU 220VAC O=12VDC 1.25A

Slim, Industrial Din Rail Power Supply / Dc-Dc Converter. Input: 85-264vac / 120-370vdc Output: 10.8-13.8vdc (Adj) 1.25a



Stock Code: 140-0075 - Mean Well Din Rail PSU 220VAC O=12VDC 3.3A

40 Watt Single Output Industrial Din Rail Power Supply, Input: 85-264vac / 120-370vdc, Output: 12v @ 3.33a

Stock Code: 140-0031 - Mean Well Din Rail PSU 220VAC O=12VDC 5A.

Single Output Industrial Din Rail Power Supply 12v 5a 60w. Input=85-264vac / 120-370vdc. Output=12-15vdc



Stock Code: 140-0076 - Mean Well Din Rail PSU 220VAC O=24VDC 1.5A

Single Output Industrial, Slim Din Rail Power Supply Input=85-264vac, 120-370vdc, Output=21.6-29vdc 1.5a



Stock Code: 140-0032 - Mean Well Din Rail PSU 220VAC O=24VDC 3.2A

Single Output Industrial, Din Rail Mount Power Supply Input: 90-264vac Output: 24vdc 3.2a 75w

Stock Code: 140-0188 - Mean Well Din Rail PSU 220VAC O=24VDC 5A

120 Watt Single Output Industrial Din Rail Power Supply Input: 90-264vac / 127-370vdc Output: 24vdc @ 5a

---

MEAN WELL DESKTOP PSU

5V



Stock Code: 140-0068 - Mean Well Desktop PSU 220VAC O=5VDC 5A DC Lead

25 Watt Single Output Desktop "Green" Power Supply With 2.1mm Dc Plug, Input: 90-264vac, Output: 5vdc @ 5a

12V

Stock Code: 140-0034 - Mean Well Desktop PSU 220VAC O=12VDC 1.5A DC Lead

Single Output Desktop Power Supply With 2.1mm Dc Plug. Input: 85-264vac Output: 12v @ 1.5a 18w, 93x54x36

Stock Code: 140-0035 - Mean Well Desktop PSU 220VAC O=12VDC 2.08A DC Lead



A 25W desktop green power adapter that outputs 12V DC at up to 2.08A. Featuring a 2.1x5.5mm center-positive barrel plug and universal AC input (85–264V)

Stock Code: 140-0036 - Mean Well Desktop PSU 220VAC O=12VDC 5A DC Lead

Single Output Desktop "Green" Power Supply With 2.1mm Dc Plug Input: 90-264vac Output: 12v @ 5a 60w

15V

Stock Code: 140-0037 - Mean Well Desktop PSU 220VAC O=15VDC 1.2A DC Lead

18 Watts Single Output Desktop "Green" Power Supply With 2.1mm Dc Plug, Input: 85-264vac Output: 15v @ 1a2



Stock Code: 140-0038 - Mean Well Desktop PSU 220VAC O=15VDC 2.6A DC Lead

40 Watts Single Output Desktop "Green" Power Supply With 2.1mm Dc Plug, Input: 90-264vac, Output: 15vdc @ 2.67a 40w, Requires Power Lead / Cable

Stock Code: 140-0039 - Mean Well Desktop PSU 220VAC O=15VDC 4A DC Lead

60 Watt Ac-Dc Single Output Desktop "Green" Power Supply With 2.1mm Dc Plug Input: 90-264vac, Output: 15v @ 4a

18V

Stock Code: 140-0187- Mean Well Desktop PSU 220VAC O=18VDC 2.22A DC Lead

Single Output Desktop "Green" Power Supply With 2.1mm Dc Plug, Input: 90-264vac, Output:18v @ 2.22a 40w

24V

Stock Code: 140-0040 - Mean Well Desktop PSU 220VAC O=24VDC 2.5A DC Lead

Single Output Desktop "Green" Power Supply With 2.1mm Dc Plug Input: 90-264vac Output: 24v @ 2.5a 60w

PD Power Desktop PSU

Stock Code: 140-0164 - PD Power Desktop PSU 220VAC O=12VDC 1A

Output: 12V 1A 0~1A 12W, Input: 100 ~ 245VAC | 50 ~ 60Hz | 3A/240VAC, Over Voltage: 13.8 ~16.2V, Protection type: Shut down o/p voltage, re-power on to recover, Safety Standards: CE approved, Dimensions: 9 x 5 x 3 cm, AC Cable length: 1.2m, DC Cable length: 1m



GS DESKTOP PSU

Stock Code: 140-0165 - GS Desktop PSU 220VAC O=12VDC 2A

Stock Code: 140-0166 - GS Desktop PSU 220VAC O=12VDC 3A

Stock Code: 140-0167 - GS Desktop PSU 220VAC O=12VDC 4A

Stock Code: 140-0168 - GS Desktop PSU 220VAC O=12VDC 5A



MEAN WELL OPEN FRAME PSU

5V

Stock Code: 140-0041 - Mean Well Open PSU 220VAC O=5VDC 3A

15 Watt Single Output Enclosed Power Supply, Input: 85-264 Vac, Output: 5vdc @ 3 Amp 15w.



Stock Code: 140-0182 - Mean Well Open PSU 220VAC O=5VDC 5A

25 Watt Single Output Enclosed Power Supply Suitable for High Reliability, Input: 88-264vac, Output:4.75-5.5vdc @ 5.0 Amp 25w

Stock Code: 140-0065- Mean Well Open PSU 220VAC O=5VDC 12A

60 Watt Ingle Output Enclosed Power Supply Suitable for High Reliability, Input: 88-264vac, Output: 5vdc @ 12a 60w

Stock Code: 140-0042 - Mean Well Open PSU 220VAC O=5VDC 14A

60 Watt Ingle Output Enclosed Power Supply Suitable for High Reliability, Input: 88-264vac, Output: 5vdc @ 12a 60w

12V

Stock Code: 140-0044 - Mean Well Open PSU 220VAC O=12VDC 1.3A

15w Single Output Enclosed Power Supply Suitable for High Reliability, Input: 85-264vac, Output: 12vdc @ 1.3 Amp 15.6w



Stock Code: 140-0045 - Mean Well Open PSU 220VAC O=12VDC 2.1A

25 Watt Single Output Enclosed Power Supply, High Reliability, Input: 88-264vac / Dc, Output: 10.8-13.2vdc@2.1 Amp 25.2w

Stock Code: 140-0046 - Mean Well Open PSU 220VAC O=12VDC 3A

35 Watt Single Output Enclosed Switching Power Supply Input: 88 ~ 264 Vac, Output: 12 Vdc @ 3.0 Amp

Stock Code: 140-0047 - Mean Well Open PSU 220VAC O=12VDC 6A

75 Watt Single Output Enclosed Switching Trimmable Power Supply Unit, Input=85-264vac / 120-373vdc, Output=10.2-13.8vdc.

Stock Code: 140-0066 - Mean Well Open PSU 220VAC O=12VDC 8.5A

100 Watt Enclosed Switching Single Output Power Supply, Input: Input: 85-264vac / 120-373vdc, Output: 12vdc 8.5a

Stock Code: 140-0048 - Mean Well Open PSU 220VAC O=12VDC 12.5A

150 Watt Enclosed Single Output Switching Power Supply, Input: Input: 85-264vac / 120-373vdc, Output: 12vdc 12.5a

Stock Code: 140-0049 - Mean Well Open PSU 220VAC O=12VDC 16.5A

200 Watt Single Output Enclosed Switching Power Supply Input: 90-132vac / 180-264vac Output: 12vdc @ 16.5a

Stock Code: 140-0050 - Mean Well Open PSU 220VAC O=12VDC 17A

200 Watt Single Output Enclosed Switching Power Supply Input: 90-132vac / 180-264vac Output: 12vdc @ 16.5a

Stock Code: 140-0052 - Mean Well Open PSU 220VAC O=12VDC 29A

350 Watt Enclosed Switching Single Output Power Supply, Input: 90-264vac Output: 12vdc 29a

15V

Stock Code: 140-0054 - Mean Well Open PSU 220VAC O=15VDC 7A

100 Watt, Enclosed Switching, Single Output Power Supply, Input: 85-264vac Output: 15vdc 7a

Stock Code: 140-0055 - Mean Well Open PSU 220VAC O=15VDC 10A

150 Watt Single Output Enclosed Switching Power Supply, Input: 85-264vac Output: 15vdc 10a 150w

24V

Stock Code: 140-0056 - Mean Well Open PSU 220VAC O=24VDC 1.5A



140-

Stock Code: 140-0057 - Mean Well Open PSU 220VAC O=24VDC 2.2A

50 Watt Single Output Enclosed Power Supply Suitable for High Reliability, Input: 85-264vac / 120-373vdc, Output: 24vdc @ 2.2a 52.8w

Stock Code: 140-0058 - Mean Well Open PSU 220VAC O=24VDC 4.5A

100 Watt, Enclosed Switching, Single Output Power Supply, Input: 85-264vac Output=21.6-28.8vdc / 24vdc 4.5a

Stock Code: 140-0059 - Mean Well Open PSU 220VAC O=24VDC 6.5A

150 Watt Single Output Enclosed Switching Power Supply, Input: 85-264vac Output: 24vdc 6.5a

Stock Code: 140-0060 - Mean Well Open PSU 220VAC O=24VDC 8.3A 8.8A

200 Watt, Enclosed Switching Single Output Power Supply, Input: 90-264vac Output: 24vdc 8.8a, Adj. Output= 21.6 ~ 28.8v

Stock Code: 140-0061 - Mean Well Open PSU 220VAC O=24VDC 14.6A

350 Watt Enclosed Switching Single Output Power Supply, Input: 90-264vac Output: 21.6-28.8vdc 14.6a

48V

Stock Code: 140-0183 - Mean Well Open PSU 220VAC O=48VDC 21A 1000W

1000 Watt Enclosed Switching Single Output Power Supply, Remote Sense, Dc-Ok, Remote On-Off, Aux, Input: 90-264 Output: 48vdc @ 21amps Trimmed Between 40%-110%

GS OPEN FRAME PSU



Stock Code: 140-0169 - GS Open PSU 220VAC O=12VDC 3A 36W

Stock Code: 140-0170 - GS Open PSU 220VAC O=12VDC 5A 60W

Stock Code: 140-0171 - GS Open PSU 220VAC O=12VDC 10A 120W

Stock Code: 140-0172 - GS Open PSU 220VAC O=12VDC 15A 180W

Stock Code: 140-0173 - GS Open PSU 220VAC O=12VDC 20A 240W

Stock Code: 140-0174 - GS Open PSU 220VAC O=12VDC 30A 360W

FIVESTAR OPEN PSU

Stock Code: 140-0063 - Fivestar Open PSU 220VAC O=12VDC 3A

OPEN TRANSFORMERS (AC-AC)



5.5VA

Stock Code: 140-0085 - Transformer Open I=220V 5.5VA O=6+6V
Stock Code: 140-0086 - Transformer Open I=220V 5.5VA O=9+9V
Stock Code: 140-0087 - Transformer Open I=220V 5.5VA O=12+12V
Stock Code: 140-0088 - Transformer Open I=220V 5.5VA O=15+15V
Stock Code: 140-0089 - Transformer Open I=220V 5.5VA O=18+18V
Stock Code: 140-0090 - Transformer Open I=220V 5.5VA O=24+24V
Stock Code: 140-0091 - Transformer Open I=220V 5.5VA O=30+30V

13.5VA

Stock Code: 140-0095 - Transformer Open I=220V 13.5VA O=6+6V
Stock Code: 140-0096 - Transformer Open I=220V 13.5VA O=9+9V
Stock Code: 140-0097 - Transformer Open I=220V 13.5VA O=12+12V
Stock Code: 140-0098 - Transformer Open I=220V 13.5VA O=15+15V
Stock Code: 140-0099 - Transformer Open I=220V 13.5VA O=18+18V
Stock Code: 140-0100 - Transformer Open I=220V 13.5VA O=24+24V
Stock Code: 140-0101 - Transformer Open I=220V 13.5VA O=30+30V

25VA

Stock Code: 140-0105 - Transformer Open I=220V 25VA O=6+6V
Stock Code: 140-0106 - Transformer Open I=220V 25VA O=9+9V
Stock Code: 140-0107 - Transformer Open I=220V 25VA O=12+12V
Stock Code: 140-0108 - Transformer Open I=220V 25VA O=15+15V
Stock Code: 140-0109 - Transformer Open I=220V 25VA O=18+18V
Stock Code: 140-0110 - Transformer Open I=220V 25VA O=24+24V
Stock Code: 140-0111 - Transformer Open I=220V 25VA O=30+30V

40VA

Stock Code: 140-0117 - Transformer Open I=220V 40VA O=6+6V
Stock Code: 140-0118 - Transformer Open I=220V 40VA O=9+9V
Stock Code: 140-0119 - Transformer Open I=220V 40VA O=12+12V
Stock Code: 140-0120 - Transformer Open I=220V 40VA O=15+15V
Stock Code: 140-0121 - Transformer Open I=220V 40VA O=18+18V
Stock Code: 140-0122 - Transformer Open I=220V 40VA O=24+24V
Stock Code: 140-0123 - Transformer Open I=220V 40VA O=30+30V

60VA

Stock Code: 140-0129 - Transformer Open I=220V 60VA O=6+6V
Stock Code: 140-0130 - Transformer Open I=220V 60VA O=9+9V
Stock Code: 140-0131 - Transformer Open I=220V 60VA O=12+12V
Stock Code: 140-0132 - Transformer Open I=220V 60VA O=15+15V
Stock Code: 140-0133 - Transformer Open I=220V 60VA O=18+18V
Stock Code: 140-0134 - Transformer Open I=220V 60VA O=24+24V
Stock Code: 140-0135 - Transformer Open I=220V 60VA O=30+30V

120VA

Stock Code: 140-0137 - Transformer Open I=220V 120VA O=6+6V
Stock Code: 140-0138 - Transformer Open I=220V 120VA O=9+9V
Stock Code: 140-0139 - Transformer Open I=220V 120VA O=12+12V

Stock Code: 140-0140 - Transformer Open I=220V 120VA O=15+15V
Stock Code: 140-0141 - Transformer Open I=220V 120VA O=18+18V
Stock Code: 140-0142 - Transformer Open I=220V 120VA O=24+24V
Stock Code: 140-0143 - Transformer Open I=220V 120VA O=30+30V

ISOLATION TRANSFORMER

50VA

Stock Code: 140-0148 - Transformer Open Isolation I=230V 50VA O=230V

STEP DOWN OPEN TRANSFORMERS 220VAC - 110VAC



Stock Code: 140-0157 - Transformer Open I=220V O=110V 6VA
Stock Code: 140-0158 - Transformer Open I=220V O=110V 25VA
Stock Code: 140-0159 - Transformer Open I=220V O=110V 40VA
Stock Code: 140-0160 - Transformer Open I=220V O=110V 100VA
Stock Code: 140-0161 - Transformer Open I=220V O=110V 300VA
Stock Code: 140-0162 - Transformer Open I=220V O=110V 500VA

Stock Code: 140-0186 - Transformer Open Auto I=220V O=110V 2000VA

STEP DOWN ENCLOSED TRANSFORMERS 220VAC - 110VAC



Stock Code: 140-0181 - Transformer Enclosed I=220V O=110V 2500W

VARIAC



Stock Code: 140-0070 - Variac 1PH Enclosed 4A 220VAC = 0-240VAC

TRUCK DC-DC

Stock Code: 140-0184 - Truck DC-DC I=24VDC O=12VDC 20A

PRINTERS & CARTRIDGES

LABEL MACHINE



Stock Code: 145-0001 - Brother P-Touch Label Machine 6-12mm

With your new Brother P-touch label maker, you can create a wide variety of custom, self-adhesive labels. This label maker uses Brother "TZe" tapes from 0.13" (3.5mm) to 0.47" (12mm) widths. "TZe" tape cassettes are available in many colors and sizes

---

LABEL TAPE

9MMX8M

Stock Code: 145-0002 - Brother HTZ Label Tape 9mm X 8m Black on White

Stock Code: 145-0003 - Brother HTZ Label Tape 9mm X 8m Black on Yellow



12MMX8M

Stock Code: 145-0004 - Brother HTZ Label Tape 12mm X 8m Black on White

Stock Code: 145-0005 - Brother HTZ Label Tape 12mm X 8m Black on Yellow

---

PROGRAMMERS

PIC PROGRAMMER




Stock Code: 150-0001 - PIC Kit 3-3.5

RELAYS


YELLOW RELAYS

Stock Code: 155-0051 - Relay Yellow 6VDC 1A SPDT
Stock Code: 155-0052 - Relay Yellow 9VDC 1A SPDT
Stock Code: 155-0053 - Relay Yellow 12VDC 1A SPDT
Stock Code: 155-0054 - Relay Yellow 24VDC 1A SPDT


REED RELAYS

Stock Code: 155-0037 - Relay Reed 5V 0.5A SPST
Stock Code: 155-0038 - Relay Reed 12V 0.5A SPST
Stock Code: 155-0039 - Relay Reed 24V 0.5A SPST

RZ RELAYS (N4078)

Stock Code: 155-0040 - Relay RZ N4078 5VDC 2A DPDT (N4078-2C)
Stock Code: 155-0041 - Relay RZ N4078 12VDC 2A DPDT (N4078-2C)
Stock Code: 155-0042 - Relay RZ N4078 24VDC 2A DPDT (N4078-2C)

LZ RELAYS (N72)

Stock Code: 155-0022 - Relay LZ NT72 5VDC-6VDC 10A SPDT (NT72-2C)
Stock Code: 155-0023 - Relay LZ NT72 12VDC 10A SPDT (NT72-2C)
Stock Code: 155-0024 - Relay LZ NT72 24VDC 10A SPDT (NT72-2C)





NT73 RELAYS

Stock Code: 155-0062 - Relay NT73 5VDC 10A SPDT 5 Pin (NT73-2C)
Stock Code: 155-0063 - Relay NT73 9VDC 10A SPDT 5 Pin (NT73-2C)
Stock Code: 155-0029 - Relay NT73 12VDC 10A SPDT 5 Pin (NT73-2C)
Stock Code: 155-0030 - Relay NT73 24VDC 10A SPDT 5 Pin (NT73-2C)





SIEMENS OPEN RELAYS



Stock Code: 155-0043 - Relay Siemens Open 12VDC 45A
Stock Code: 155-0044 - Relay Siemens Open 24VDC 45A

CLOSED RELAYS 45A



Stock Code: 155-0020 - Relay Closed 12VDC 45A SPDT
Stock Code: 155-0021 - Relay Closed 24VDC 45A SPDT

NT75 RELAYS

5V




Stock Code: 155-0067 - Relay JQX MX1 MX2 NT75 5VDC 8A DPDT (NT75-2C)

12V

Stock Code: 155-0031 - Relay JQX MX1 MX2 NT75 12VDC 5A DPDT (NT75-2C)
Stock Code: 155-0032 - Relay JQX MX1 MX2 NT75 12VDC 10A SPDT (NT75-1C)

24V




Stock Code: 155-0033 - Relay JQX MX1 MX2 NT75 24VDC 5A DPDT (NT75-2C)
Stock Code: 155-0034 - Relay JQX MX1 MX2 NT75 24VDC 10A SPDT (NT75-1C)

NT75 RELAYS (16A)



Stock Code: 155-0035 - Relay NT75 12VDC 16A DPST (NT75-1C)
Stock Code: 155-0036 - Relay NT75 24VDC 16A DPST (NT75-1C)

48VDC RELAYS



Stock Code: 155-0006 - Relay 48VDC 10A SPDT
Stock Code: 155-0007 - Relay 48VDC 5A DPDT

FINDER RELAYS

Stock Code: 155-0074 - Relay Base Finder 55 Series 8 Pin 10A Din Rail

Socket for 55 series relays. FOR RELAY: Series 5532....40. DESCRIPTION: Surface/DIN mnt socket (screw terminal) with retaining clip. PLUG-IN LED: Accepts plug-in LED, diode, timing modules (plugs directly into socket)



Stock Code: 155-0075 - Relay Finder 55 Series 8 Pin 10A 230VAC

55 series miniature industrial relays. Plug-in termination. 2, 3 and 4 pole versions. AC and DC coil voltages. Plug-in or direct PCB mounting. Lockable test/override button (plug-in version only). Mechanical flag indication of relay status (plug-in version only). SERIES: 55 series. CURRENT: 10A. DESCRIPTION: Miniature plug-in relay. CONTACT: 2 changeovers. COIL VOLTAGE: 240 VAC. DIMENSIONS(MM): 37.2 x 20.7 x 27.7



Stock Code: 155-0076 - Relay Finder 55 Series 8 Pin 10A 12VDC


55 series miniature industrial relays. Plug-in termination. 2, 3 and 4 pole versions. AC and DC coil voltages. Plug-in or direct PCB mounting. Lockable test/override button (plug-in version only). Mechanical flag indication of relay status (plug-in version only). SERIES: 55 series. CURRENT: 10A. DESCRIPTION: Miniature plug-in relay. CONTACT: 2 changeovers. COIL VOLTAGE: 12 VDC. DIMENSIONS(MM): 37.2 x 20.7 x 27.7

AC RELAYS

Stock Code: 155-0072 - Relay 12VAC 10A 1CO SPDT PCB
Stock Code: 155-0073 - Relay 12VAC 8A 2CO DPDT PCB



Stock Code: 155-0070 - Relay 24VAC 10A 1CO SPDT PCB
Stock Code: 155-0071 - Relay 24VAC 8A 2CO DPDT PCB
Stock Code: 155-0004 - Relay 230VAC 10A SPDT
Stock Code: 155-0005 - Relay 230VAC 5A DPDT




PLUG IN RELAYS

8 PIN

Stock Code: 155-0008 - Relay 8 Pin 12VDC 10A 2CO
Stock Code: 155-0009 - Relay 8 Pin 230VAC 10A 2CO






11 PIN

Stock Code: 155-0001 - Relay 11 Pin 12VDC 10A 3CO
Stock Code: 155-0002 - Relay 11 Pin 24VDC 10A 3CO
Stock Code: 155-0059 - Relay 11 Pin 48VDC 10A 3CO
Stock Code: 155-0003 - Relay 11 Pin 230VAC 10A 3CO






AUTO RELAYS

Stock Code: 155-0010 - Relay Auto 12VDC 30A 40A SPDT 5 Pins
Stock Code: 155-0011 - Relay Auto 24VDC 30A SPDT 5 Pins
Stock Code: 155-0060- Relay Auto 48VDC 40A SPDT 5 Pin
Stock Code: 155-0061 - Relay Auto Heavy Duty 12VDC 70A Large Lugs





CURRENT CONTROL RELAYS



Stock Code: 155-0056 - Zamel Current Control Relay Mini-D 230VAC 16A

SOLID STATE RELAY PCB MOUNT



Stock Code: 155-0050 - Relay Solid State PCB DC-DC SIL I=5VDC O=30VDC 4A
Stock Code: 155-0066 - SSR PCB DC-AC SIL I=4-32VDC O=24-280VAC 3A

SOLID STATE RELAYS

AC-AC



Stock Code: 155-0055 - Relay Solid State SSR I=50-280VAC O=24-240VAC 25A
Stock Code: 155-0064 - Relay Solid State SSR I=50-280VAC O=24-240VAC 40A
Stock Code: 155-0065 - Relay Solid State SSR I=50-280VAC O=24-240VAC 100A

DC-DC

Stock Code: 155-0057 - Relay Solid State SSR I=3-32VDC O=24-300VDC 40A
Stock Code: 155-0058 - Relay Solid State SSR I=3-32VDC O=24-300VDC 100A

DC-AC

Stock Code: 155-0045 - Relay Solid State SSR I=4-32VDC O=24-480VAC 25A
Stock Code: 155-0046 - Relay Solid State SSR I=4-32VDC O=24-480VAC 40A
Stock Code: 155-0047 - Relay Solid State SSR I=4-32VDC O=24-240VAC 100A

VARIABLE

Stock Code: 155-0048 - Relay Solid State SSR I=0-470K O=0-280VAC 25A
Stock Code: 155-0049 - Relay Solid State SSR I=0-470K O=0-280VAC 40A

PCB MOUNT RELAY BASE





Stock Code: 155-0017 - Relay Base 5 Pin PCB Mount

Stock Code: 155-0018 - Relay Base 8 Pin PCB Mount

DIN RAIL MOUNT RELAY BASE



Stock Code: 155-0019 - Relay Base 8 Pin Cream (ZME5)

RELAY BASES



8 PIN

Stock Code: 155-0014 - Relay 8 Pin Base C42 (ZVO)





11 PIN

Stock Code: 155-0015 - Relay 11 Pin Base C43 (ZVU) (BUV)

Stock Code: 155-0016 - Relay 11 Pin Grey Enclosure 76x38x71mm

---

AUTO RELAY BASE





Stock Code: 155-0012 - Relay 5 Pin Auto Relay Socket PCB

Stock Code: 155-0013 - Relay 5 Pin Auto Relay Socket with Wire

---

RELAY MODULE BOARDS



Stock Code: 155-0025 - Relay Module Board 1CH 5V

Stock Code: 155-0026 - Relay Module Board 2CH 5V

Stock Code: 155-0027 - Relay Module Board 4CH 5V

Stock Code: 155-0028 - Relay Module Board 8CH 5V



Stock Code: 155-0068 - Relay Module Board Heavy Duty 1CH 5V 30A

Compatible with Arduino 5V/30A CH Relay Module with N/O and N/C Contacts with Opto Isolated I/P

Stock Code: 155-0069 - Relay Module Board Heavy Duty 1CH 12V 30A

Compatible with Arduino 12V/30A CH Relay Module with N/O and N/C Contacts with Opto Isolated I/P

RESISTORS

1/4W (0.25W) & 1/2W (0.5W)






VALUE	1/4W 1%	1/4 W 5%	1/2W 1%	1/2W 5%
0R		Stock Code: 160-0150		
1R	Stock Code: 160-0001	Stock Code: 160-0151		Stock Code: 160-0350
1R1	Stock Code: 160-0002			
1R2	Stock Code: 160-0003	Stock Code: 160-0152		Stock Code: 160-0351
1R5	Stock Code: 160-0004	Stock Code: 160-0153		Stock Code: 160-0352
1R8	Stock Code: 160-0005	Stock Code: 160-0154		Stock Code: 160-0353
2R2	Stock Code: 160-0006	Stock Code: 160-0155		Stock Code: 160-0354
2R7		Stock Code: 160-0156		Stock Code: 160-0355
3R3	Stock Code: 160-0007	Stock Code: 160-0157		Stock Code: 160-0356
3R6	Stock Code: 160-0008			
3R9	Stock Code: 160-0009	Stock Code: 160-0158		Stock Code: 160-0357
4R3	Stock Code: 160-0010			
4R5	Stock Code: 160-0011			
4R7	Stock Code: 160-0012	Stock Code: 160-0159		Stock Code: 160-0358
5R1	Stock Code: 160-0013			
5R6	Stock Code: 160-0014	Stock Code: 160-0160		Stock Code: 160-0359
6R8	Stock Code: 160-0015	Stock Code: 160-0161		Stock Code: 160-0360
8R2	Stock Code: 160-0016	Stock Code: 160-0162		Stock Code: 160-0361
9R1	Stock Code: 160-0017			
10R	Stock Code: 160-0018	Stock Code: 160-0163	Stock Code: 160-0235	Stock Code: 160-0362
11R	Stock Code: 160-0019		Stock Code: 160-0236	
12R	Stock Code: 160-0020	Stock Code: 160-0164	Stock Code: 160-0237	Stock Code: 160-0363
13R	Stock Code: 160-0021		Stock Code: 160-0238	
15R	Stock Code: 160-0022	Stock Code: 160-0165	Stock Code: 160-0239	Stock Code: 160-0364
16R	Stock Code: 160-0023		Stock Code: 160-0240	
18R	Stock Code: 160-0024	Stock Code: 160-0166	Stock Code: 160-0241	Stock Code: 160-0365
20R	Stock Code: 160-0025		Stock Code: 160-0242	
22R	Stock Code: 160-0026	Stock Code: 160-0167	Stock Code: 160-0243	Stock Code: 160-0366
24R	Stock Code: 160-0027			
27R	Stock Code: 160-0028	Stock Code: 160-0168	Stock Code: 160-0244	Stock Code: 160-0367
30R	Stock Code: 160-0029		Stock Code: 160-0245	
33R	Stock Code: 160-0030	Stock Code: 160-0169	Stock Code: 160-0246	Stock Code: 160-0368
36R	Stock Code: 160-0031		Stock Code: 160-0247	
39R	Stock Code: 160-0032	Stock Code: 160-0170	Stock Code: 160-0248	Stock Code: 160-0369
43R	Stock Code: 160-0033		Stock Code: 160-0249	
47R	Stock Code: 160-0034	Stock Code: 160-0171	Stock Code: 160-0250	Stock Code: 160-0370
51R	Stock Code: 160-0035		Stock Code: 160-0251	
56R	Stock Code: 160-0036	Stock Code: 160-0172	Stock Code: 160-0895	Stock Code: 160-0371
62R	Stock Code: 160-0037		Stock Code: 160-0252	
68R	Stock Code: 160-0038	Stock Code: 160-0173	Stock Code: 160-0254	Stock Code: 160-0372
75R	Stock Code: 160-0039		Stock Code: 160-0253	
82R	Stock Code: 160-0040	Stock Code: 160-0174	Stock Code: 160-0255	Stock Code: 160-0373
91R	Stock Code: 160-0041		Stock Code: 160-0256	
100R	Stock Code: 160-0042	Stock Code: 160-0175	Stock Code: 160-0257	Stock Code: 160-0374
110R	Stock Code: 160-0043		Stock Code: 160-0258	
120R	Stock Code: 160-0044	Stock Code: 160-0176		Stock Code: 160-0375
130R	Stock Code: 160-0045		Stock Code: 160-0896	
150R	Stock Code: 160-0046	Stock Code: 160-0177	Stock Code: 160-0259	Stock Code: 160-0376
160R	Stock Code: 160-0047		Stock Code: 160-0260	
180R	Stock Code: 160-0048	Stock Code: 160-0178	Stock Code: 160-0261	Stock Code: 160-0377
200R	Stock Code: 160-0049		Stock Code: 160-0262	
220R	Stock Code: 160-0050	Stock Code: 160-0179	Stock Code: 160-0263	Stock Code: 160-0378
230R			Stock Code: 160-0897	
240R	Stock Code: 160-0051			
250R	Stock Code: 160-0052			

VALUE	1/4W 1%	1/4 W 5%	1/2W 1%	1/2W 5%
270R	Stock Code: 160-0053	Stock Code: 160-0180	Stock Code: 160-0264	Stock Code: 160-0379
300R	Stock Code: 160-0054		Stock Code: 160-0265	
330R	Stock Code: 160-0055	Stock Code: 160-0181	Stock Code: 160-0266	Stock Code: 160-0380
360R	Stock Code: 160-0056		Stock Code: 160-0267	
390R	Stock Code: 160-0057	Stock Code: 160-0182	Stock Code: 160-0268	Stock Code: 160-0381
430R	Stock Code: 160-0058		Stock Code: 160-0269	
470R	Stock Code: 160-0059	Stock Code: 160-0183	Stock Code: 160-0270	Stock Code: 160-0382
510R	Stock Code: 160-0060		Stock Code: 160-0271	
560R	Stock Code: 160-0061	Stock Code: 160-0184	Stock Code: 160-0272	Stock Code: 160-0383
620R	Stock Code: 160-0062		Stock Code: 160-0273	
680R	Stock Code: 160-0063	Stock Code: 160-0185	Stock Code: 160-0274	Stock Code: 160-0384
750R	Stock Code: 160-0064		Stock Code: 160-0275	
820R	Stock Code: 160-0064	Stock Code: 160-0186	Stock Code: 160-0276	Stock Code: 160-0385
910R	Stock Code: 160-0066		Stock Code: 160-0277	
1K	Stock Code: 160-0067	Stock Code: 160-0187	Stock Code: 160-0278	Stock Code: 160-0386
1K1	Stock Code: 160-0068		Stock Code: 160-0279	
1K2	Stock Code: 160-0069	Stock Code: 160-0188	Stock Code: 160-0280	Stock Code: 160-0387
1K3	Stock Code: 160-0070		Stock Code: 160-0281	
1K5	Stock Code: 160-0071	Stock Code: 160-0189	Stock Code: 160-0282	Stock Code: 160-0388
1K6	Stock Code: 160-0072		Stock Code: 160-0283	
1K8	Stock Code: 160-0073	Stock Code: 160-0190	Stock Code: 160-0284	Stock Code: 160-0389
2K	Stock Code: 160-0074		Stock Code: 160-0285	
2K2	Stock Code: 160-0075	Stock Code: 160-0191	Stock Code: 160-0286	Stock Code: 160-0390
2K4	Stock Code: 160-0076		Stock Code: 160-0287	
2K7	Stock Code: 160-0077	Stock Code: 160-0192	Stock Code: 160-0288	Stock Code: 160-0391
3K	Stock Code: 160-0078		Stock Code: 160-0289	
3K3	Stock Code: 160-0079	Stock Code: 160-0193	Stock Code: 160-0290	Stock Code: 160-0392
3K6	Stock Code: 160-0080		Stock Code: 160-0291	
3K9	Stock Code: 160-0081	Stock Code: 160-0194	Stock Code: 160-0292	Stock Code: 160-0393
4K3	Stock Code: 160-0082		Stock Code: 160-0293	
4K7	Stock Code: 160-0083	Stock Code: 160-0195		Stock Code: 160-0394
5K1	Stock Code: 160-0084		Stock Code: 160-0294	
5K6	Stock Code: 160-0085	Stock Code: 160-0196	Stock Code: 160-0295	Stock Code: 160-0395
6K2	Stock Code: 160-0086		Stock Code: 160-0296	
6K8	Stock Code: 160-0087	Stock Code: 160-0197	Stock Code: 160-0297	Stock Code: 160-0396
7K5	Stock Code: 160-0088		Stock Code: 160-0298	
8K2	Stock Code: 160-0089	Stock Code: 160-0198	Stock Code: 160-0299	
9K1	Stock Code: 160-0872		Stock Code: 160-0300	Stock Code: 160-0397
9K3	Stock Code: 160-0090			
10K	Stock Code: 160-0091	Stock Code: 160-0199	Stock Code: 160-0301	
11K	Stock Code: 160-0092		Stock Code: 160-0302	Stock Code: 160-0398
12K	Stock Code: 160-0093	Stock Code: 160-0200	Stock Code: 160-0303	
13K	Stock Code: 160-0094		Stock Code: 160-0304	Stock Code: 160-0399
15K	Stock Code: 160-0095	Stock Code: 160-0201	Stock Code: 160-0305	
16K	Stock Code: 160-0096		Stock Code: 160-0306	Stock Code: 160-0400
18K	Stock Code: 160-0097	Stock Code: 160-0202	Stock Code: 160-0307	
20K	Stock Code: 160-0098		Stock Code: 160-0308	Stock Code: 160-0401
22K	Stock Code: 160-0099	Stock Code: 160-0203	Stock Code: 160-0309	
24K	Stock Code: 160-0100		Stock Code: 160-0310	Stock Code: 160-0402
27K	Stock Code: 160-0101	Stock Code: 160-0204	Stock Code: 160-0311	
30K	Stock Code: 160-0102		Stock Code: 160-0312	
33K	Stock Code: 160-0103	Stock Code: 160-0205	Stock Code: 160-0313	Stock Code: 160-0404
36K	Stock Code: 160-0104		Stock Code: 160-0314	
39K	Stock Code: 160-0105	Stock Code: 160-0206	Stock Code: 160-0315	Stock Code: 160-0405
43K	Stock Code: 160-0106		Stock Code: 160-0316	
47K	Stock Code: 160-0107	Stock Code: 160-0207	Stock Code: 160-0317	Stock Code: 160-0406
51K	Stock Code: 160-0108		Stock Code: 160-0318	
56K	Stock Code: 160-0109	Stock Code: 160-0208	Stock Code: 160-0319	Stock Code: 160-0407
62K	Stock Code: 160-0110		Stock Code: 160-0320	
68K	Stock Code: 160-0111	Stock Code: 160-0209	Stock Code: 160-0321	Stock Code: 160-0408
75K	Stock Code: 160-0112		Stock Code: 160-0322	
82K	Stock Code: 160-0113	Stock Code: 160-0210	Stock Code: 160-0323	Stock Code: 160-0409
91K	Stock Code: 160-0114		Stock Code: 160-0324	
100K	Stock Code: 160-0115	Stock Code: 160-0211	Stock Code: 160-0325	Stock Code: 160-0410
110K	Stock Code: 160-0116		Stock Code: 160-0898	
120K	Stock Code: 160-0117	Stock Code: 160-0212	Stock Code: 160-0326	Stock Code: 160-0411
130K	Stock Code: 160-0118		Stock Code: 160-0327	
150K	Stock Code: 160-0119	Stock Code: 160-0213	Stock Code: 160-0328	Stock Code: 160-0412
160K	Stock Code: 160-0120		Stock Code: 160-0329	
180K	Stock Code: 160-0121	Stock Code: 160-0214	Stock Code: 160-0330	Stock Code: 160-0413
200K	Stock Code: 160-0122		Stock Code: 160-0331	
210K			Stock Code: 160-0332	
220K	Stock Code: 160-0123	Stock Code: 160-0215	Stock Code: 160-0333	Stock Code: 160-0414

VALUE	1/4W 1%	1/4 W 5%	1/2W 1%	1/2W 5%
240K	Stock Code: 160-0124		Stock Code: 160-0334	
270K	Stock Code: 160-0125	Stock Code: 160-0216	Stock Code: 160-0335	Stock Code: 160-0415
300K	Stock Code: 160-0126		Stock Code: 160-0336	
330K	Stock Code: 160-0127	Stock Code: 160-0217	Stock Code: 160-0337	Stock Code: 160-0416
360K	Stock Code: 160-0128		Stock Code: 160-0338	
390K	Stock Code: 160-0129	Stock Code: 160-0218	Stock Code: 160-0339	Stock Code: 160-0417
430K	Stock Code: 160-0130		Stock Code: 160-0340	
470K	Stock Code: 160-0131	Stock Code: 160-0866	Stock Code: 160-0341	Stock Code: 160-0418
510K	Stock Code: 160-0132		Stock Code: 160-0342	
560K	Stock Code: 160-0133	Stock Code: 160-0219	Stock Code: 160-0343	Stock Code: 160-0419
620K	Stock Code: 160-0134		Stock Code: 160-0344	
680K	Stock Code: 160-0135	Stock Code: 160-0220	Stock Code: 160-0345	Stock Code: 160-0420
750K	Stock Code: 160-0136		Stock Code: 160-0346	
820K	Stock Code: 160-0137	Stock Code: 160-0221	Stock Code: 160-0347	Stock Code: 160-0421
910K	Stock Code: 160-0138		Stock Code: 160-0348	
1M	Stock Code: 160-0139	Stock Code: 160-0222	Stock Code: 160-0349	Stock Code: 160-0422
1M2	Stock Code: 160-0140	Stock Code: 160-0223		Stock Code: 160-0423
1M5	Stock Code: 160-0141	Stock Code: 160-0224		Stock Code: 160-0424
1M8	Stock Code: 160-0142	Stock Code: 160-0225		Stock Code: 160-0425
2M2	Stock Code: 160-0142	Stock Code: 160-0226		Stock Code: 160-0426
2M7	Stock Code: 160-0144	Stock Code: 160-0227		Stock Code: 160-0427
3M3	Stock Code: 160-0145	Stock Code: 160-0228		Stock Code: 160-0428
3M9		Stock Code: 160-0229		Stock Code: 160-0429
4M7	Stock Code: 160-0146	Stock Code: 160-0230		Stock Code: 160-0430
5M6	Stock Code: 160-0147	Stock Code: 160-0231		Stock Code: 160-0431
6M8		Stock Code: 160-0232		Stock Code: 160-0432
8M2	Stock Code: 160-0148	Stock Code: 160-0233		Stock Code: 160-0433
10M	Stock Code: 160-0149	Stock Code: 160-0234		Stock Code: 160-0434

1W, 5W & 10W





VALUE	1W 5%	5W %	10W %
0R1		Stock Code: 160-0511	Stock Code: 160-0577
0R12		Stock Code: 160-0512	
0R15		Stock Code: 160-0513	Stock Code: 160-0578
0R18		Stock Code: 160-0514	Stock Code: 160-0579
0R22		Stock Code: 160-0515	Stock Code: 160-0580
0R27		Stock Code: 160-0516	Stock Code: 160-0581
0R33		Stock Code: 160-0517	Stock Code: 160-0582
0R39		Stock Code: 160-0518	Stock Code: 160-0583
0R47		Stock Code: 160-0519	Stock Code: 160-0584
0R56		Stock Code: 160-0520	Stock Code: 160-0585
0R68		Stock Code: 160-0521	Stock Code: 160-0586
0R82		Stock Code: 160-0522	Stock Code: 160-0587
1R	Stock Code: 160-0435	Stock Code: 160-0523	Stock Code: 160-0588
1R2	Stock Code: 160-0436	Stock Code: 160-0524	Stock Code: 160-0589
1R5	Stock Code: 160-0437	Stock Code: 160-0525	Stock Code: 160-0590
1R8	Stock Code: 160-0438	Stock Code: 160-0526	Stock Code: 160-0591
2R2	Stock Code: 160-0439	Stock Code: 160-0527	Stock Code: 160-0592
2R7	Stock Code: 160-0440	Stock Code: 160-0528	Stock Code: 160-0593
3R3	Stock Code: 160-0441	Stock Code: 160-0529	Stock Code: 160-0594
3R9	Stock Code: 160-0442	Stock Code: 160-0871	Stock Code: 160-0595
4R7	Stock Code: 160-0443	Stock Code: 160-0530	Stock Code: 160-0596
5R6	Stock Code: 160-0444	Stock Code: 160-0531	Stock Code: 160-0597
6R8	Stock Code: 160-0445	Stock Code: 160-0532	Stock Code: 160-0598
8R2	Stock Code: 160-0446	Stock Code: 160-0533	Stock Code: 160-0599
10R	Stock Code: 160-0447	Stock Code: 160-0534	Stock Code: 160-0600
12R	Stock Code: 160-0448	Stock Code: 160-0535	Stock Code: 160-0601
15R	Stock Code: 160-0449	Stock Code: 160-0536	Stock Code: 160-0602
18R	Stock Code: 160-0450	Stock Code: 160-0537	Stock Code: 160-0603

VALUE	1W %	5W %	10W %
22R	Stock Code: 160-0451	Stock Code: 160-0538	Stock Code: 160-0604
27R	Stock Code: 160-0452	Stock Code: 160-0539	Stock Code: 160-0605
33R	Stock Code: 160-0453	Stock Code: 160-0540	Stock Code: 160-0606
39R	Stock Code: 160-0454	Stock Code: 160-0541	Stock Code: 160-0607
47R	Stock Code: 160-0455	Stock Code: 160-0542	Stock Code: 160-0608
56R	Stock Code: 160-0456	Stock Code: 160-0543	Stock Code: 160-0609
68R	Stock Code: 160-0457	Stock Code: 160-0544	Stock Code: 160-0610
82R	Stock Code: 160-0458	Stock Code: 160-0545	Stock Code: 160-0611
100R	Stock Code: 160-0459	Stock Code: 160-0546	Stock Code: 160-0612
120R	Stock Code: 160-0460	Stock Code: 160-0547	Stock Code: 160-0613
130R			Stock Code: 160-0614
150R	Stock Code: 160-0461	Stock Code: 160-0548	Stock Code: 160-0615
180R	Stock Code: 160-0462	Stock Code: 160-0549	Stock Code: 160-0616
220R	Stock Code: 160-0463	Stock Code: 160-0550	Stock Code: 160-0617
270R	Stock Code: 160-0464	Stock Code: 160-0551	Stock Code: 160-0618
330R	Stock Code: 160-0465	Stock Code: 160-0552	Stock Code: 160-0619
390R	Stock Code: 160-0466	Stock Code: 160-0553	Stock Code: 160-0620
470R	Stock Code: 160-0467	Stock Code: 160-0554	Stock Code: 160-0621
560R	Stock Code: 160-0468	Stock Code: 160-0555	Stock Code: 160-0622
680R	Stock Code: 160-0469	Stock Code: 160-0556	Stock Code: 160-0623
820R	Stock Code: 160-0470	Stock Code: 160-0557	Stock Code: 160-0624
1K	Stock Code: 160-0471	Stock Code: 160-0558	Stock Code: 160-0625
1K2	Stock Code: 160-0472	Stock Code: 160-0559	Stock Code: 160-0626
1K5	Stock Code: 160-0473	Stock Code: 160-0560	Stock Code: 160-0627
1K8	Stock Code: 160-0474	Stock Code: 160-0561	Stock Code: 160-0628
2K2	Stock Code: 160-0475	Stock Code: 160-0562	Stock Code: 160-0629
2K7	Stock Code: 160-0476	Stock Code: 160-0563	Stock Code: 160-0630
3K3	Stock Code: 160-0477	Stock Code: 160-0564	Stock Code: 160-0631
3K9	Stock Code: 160-0478	Stock Code: 160-0565	Stock Code: 160-0632
4K7	Stock Code: 160-0479	Stock Code: 160-0566	Stock Code: 160-0633
5K6	Stock Code: 160-0867	Stock Code: 160-0567	Stock Code: 160-0634
6K8	Stock Code: 160-0480	Stock Code: 160-0568	Stock Code: 160-0635
8K2	Stock Code: 160-0481	Stock Code: 160-0569	Stock Code: 160-0636
10K	Stock Code: 160-0482	Stock Code: 160-0570	Stock Code: 160-0637
12K	Stock Code: 160-0483	Stock Code: 160-0571	Stock Code: 160-0638
15K	Stock Code: 160-0484	Stock Code: 160-0572	Stock Code: 160-0639
18K	Stock Code: 160-0485		Stock Code: 160-0640
22K	Stock Code: 160-0486	Stock Code: 160-0573	Stock Code: 160-0641
27K	Stock Code: 160-0487		Stock Code: 160-0642
33K	Stock Code: 160-0488	Stock Code: 160-0574	Stock Code: 160-0643
39K	Stock Code: 160-0489		
47K	Stock Code: 160-0490	Stock Code: 160-0575	
56K	Stock Code: 160-0491		
68K	Stock Code: 160-0492		
82K	Stock Code: 160-0493		
100K	Stock Code: 160-0494	Stock Code: 160-0871	
120K	Stock Code: 160-0495		
150K	Stock Code: 160-0496		
180K	Stock Code: 160-0497		
220K	Stock Code: 160-0498		
270K	Stock Code: 160-0499		
330K	Stock Code: 160-0500		
390K	Stock Code: 160-0501		
470K	Stock Code: 160-0502		
560K	Stock Code: 160-0503		
680K	Stock Code: 160-0504		
820K	Stock Code: 160-0505		
1M	Stock Code: 160-0506		
1M2	Stock Code: 160-0507		
1M5	Stock Code: 160-0508		
2M2	Stock Code: 160-0509		
10M	Stock Code: 160-0510		

25W, 50W & 100W





VALUE	25W 5%	50W 5%	100W 5%
0R1	Stock Code: 160-0644		
0R12		Stock Code: 160-0706	
0R15	Stock Code: 160-0645	Stock Code: 160-0679	
0R22	Stock Code: 160-0646	Stock Code: 160-0680	
0R27			Stock Code: 160-0
0R33	Stock Code: 160-0647	Stock Code: 160-0681	
0R47	Stock Code: 160-0648		
0R82			Stock Code: 160-0859
1R	Stock Code: 160-0649	Stock Code: 160-0708	Stock Code: 160-0861
1R2			Stock Code: 160-0870
2R2	Stock Code: 160-0650	Stock Code: 160-0899	Stock Code: 160-0691
3R3	Stock Code: 160-0651		Stock Code: 160-0869
3R9	Stock Code: 160-0886	Stock Code: 160-0877	
4R7	Stock Code: 160-0652	Stock Code: 160-0682	Stock Code: 160-0692
5R6	Stock Code: 160-0653	Stock Code: 160-0683	Stock Code: 160-0885
6R8	Stock Code: 160-0654	Stock Code: 160-0882	Stock Code: 160-0893
8R2	Stock Code: 160-0655		
10R	Stock Code: 160-0656	Stock Code: 160-0878	Stock Code: 160-0694
12R	Stock Code: 160-0914		Stock Code: 160-0887
15R	Stock Code: 160-0657		Stock Code: 160-0863
18R	Stock Code: 160-0658	Stock Code: 160-0684	
22R	Stock Code: 160-0659	Stock Code: 160-0890	Stock Code: 160-0873
27R		Stock Code: 160-0856	Stock Code: 160-0879
33R	Stock Code: 160-0660	Stock Code: 160-0857	Stock Code: 160-0880
39R	Stock Code: 160-0854	Stock Code: 160-0855	Stock Code: 160-0707
47R	Stock Code: 160-0661	Stock Code: 160-0853	Stock Code: 160-0693
56R	Stock Code: 160-0662		Stock Code: 160-0903
68R	Stock Code: 160-0883	Stock Code: 160-0685	Stock Code: 160-0865
82R			Stock Code: 160-0858
100R	Stock Code: 160-0663	Stock Code: 160-0686	Stock Code: 160-0881
150R	Stock Code: 160-0664	Stock Code: 160-0687	
180R	Stock Code: 160-0665		
220R	Stock Code: 160-0666	Stock Code: 160-0868	Stock Code: 160-0891
270R		Stock Code: 160-0688	
330R	Stock Code: 160-0667		
470R	Stock Code: 160-0668		
560R	Stock Code: 160-0669		
680R		Stock Code: 160-0915	
1K	Stock Code: 160-0670		Stock Code: 160-0884
1K8	Stock Code: 160-0671		
2K2	Stock Code: 160-0672	Stock Code: 160-0689	
2K5	Stock Code: 160-0673		
3K3	Stock Code: 160-0674	Stock Code: 160-0913	
4K7	Stock Code: 160-0675	Stock Code: 160-0900	
5K6	Stock Code: 160-0676		
8K2	Stock Code: 160-0892		
10K	Stock Code: 160-0677	Stock Code: 160-0894	
15K	Stock Code: 160-0875		
18K	Stock Code: 160-0678		
22K		Stock Code: 160-0690	

RESISTOR KITS



Stock Code: 160-0695 - Resistor Kit Carbon Film ¼W 0R-10M 100 Each - 86 Values 100 of Each Value
Stock Code: 160-0696 - Resistor Kit Carbon Film ½W 1R-10M 100 Each - 84 Values 100 of Each Value
Stock Code: 160-0697 - Resistor Kit Carbon Film ¼W 1R-10M 20 Each - 100 Values 20 of Each Value
Stock Code: 160-0698 - Resistor Kit Carbon Film 1/2W 1R-10M – 85 Values 20 of Each Value

RESISTOR PACKS (RESISTOR NETWORK)



Stock Code: 160-0699 - Resistor Pack 9 Pin 470E
Stock Code: 160-0700 - Resistor Pack 9 Pin 1K
Stock Code: 160-0701 - Resistor Pack 9 Pin 2K2
Stock Code: 160-0702 - Resistor Pack 9 Pin 4K7
Stock Code: 160-0703 - Resistor Pack 9 Pin 6K8
Stock Code: 160-0704 - Resistor Pack 9 Pin 10K
Stock Code: 160-0705 - Resistor Pack 9 Pin 100K

THERMISTORS NTC




Stock Code: 160-0709 - Thermistor NTC 220R 270R
Stock Code: 160-0710 - Thermistor NTC 470R
Stock Code: 160-0711 - Thermistor NTC 1K
Stock Code: 160-0712 - Thermistor NTC 2K 2K2
Stock Code: 160-0713 - Thermistor NTC 4K7
Stock Code: 160-0714 - Thermistor NTC 10K
Stock Code: 160-0715 - Thermistor NTC 20K
Stock Code: 160-0716 - Thermistor NTC 47K
Stock Code: 160-0874 - Thermistor NTC 100K

POTENTIOMETER LINEAR 17MM



SINGLE







Stock Code: 160-0717 - Pot Linear 17mm 1K
Stock Code: 160-0718 - Pot Linear 17mm 2K
Stock Code: 160-0719 - Pot Linear 17mm 5K
Stock Code: 160-0720 - Pot Linear 17mm 10K
Stock Code: 160-0721 - Pot Linear 17mm 20K
Stock Code: 160-0722 - Pot Linear 17mm 50K
Stock Code: 160-0723 - Pot Linear 17mm 100K
Stock Code: 160-0862 - Pot Linear 17mm 220K
Stock Code: 160-0725 - Pot Linear 17mm 500K

DUAL

Stock Code: 160-0726 - Pot Lin Dual 17mm 20K
Stock Code: 160-0727 - Pot Lin Dual 17mm 50K


LOG POT






Stock Code: 160-0728 - Pot Log 17mm 5K
Stock Code: 160-0729 - Pot Log 17mm 100K
Stock Code: 160-0730 - Pot Log Dual 17mm 10K + Switch
Stock Code: 160-0731 - Pot Log Dual 17mm 10K X2

POTENTIOMETER LINEAR 24MM


SINGLE



Circuit diagram


Stock Code: 160-0732 - Pot Lin 24mm 100E
Stock Code: 160-0733 - Pot Lin 24mm 200E 220E
Stock Code: 160-0734 - Pot Lin 24mm 500E
Stock Code: 160-0735 - Pot Lin 24mm 1K
Stock Code: 160-0736 - Pot Lin 24mm 2K
Stock Code: 160-0737 - Pot Lin 24mm 5K
Stock Code: 160-0738 - Pot Lin 24mm 10K
Stock Code: 160-0739 - Pot Lin 24mm 20K 22K
Stock Code: 160-0740 - Pot Lin 24mm 50K
Stock Code: 160-0741 - Pot Lin 24mm 100K
Stock Code: 160-0742 - Pot Lin 24mm 200K
Stock Code: 160-0773 - Pot Lin 24mm 470K 500K
Stock Code: 160-0744 - Pot Lin 24mm 1M
Stock Code: 160-0745 - Pot Lin 24mm 2M


3 WATT





Stock Code: 160-0746 - Pot 3-Watt 43mm 20E 22E
Stock Code: 160-0747 - Pot 3-Watt 43mm 50E
Stock Code: 160-0748 - Pot 3-Watt 43mm 100E
Stock Code: 160-0749 - Pot 3-Watt 43mm 220E
Stock Code: 160-0750 - Pot 3-Watt 43mm 470E 500E
Stock Code: 160-0751 - Pot 3-Watt 43mm 1K
Stock Code: 160-0752 - Pot 3-Watt 43mm 2K 2K2
Stock Code: 160-0753 - Pot 3-Watt 43mm 4K7 5K
Stock Code: 160-0754 - Pot 3-Watt 43mm 10K
Stock Code: 160-0755 - Pot 3-Watt 43mm 22K
Stock Code: 160-0876 - Pot 3-Watt 43mm 5K6


PIHER POT




Stock Code: 160-0901 - Pot Lin 21mm 10K Metal Shaft - Piher
Stock Code: 160-0902 - Pot Lin 17mm 10K with Switch Metal Shaft - Piher

KNOBS

COLOURED



Stock Code: 160-0756 - Knob Red
Stock Code: 160-0757 - Knob Blue
Stock Code: 160-0758 - Knob Green
Stock Code: 160-0759 - Knob Yellow

BLACK




Stock Code: 160-0760 - Knob Black 15mm
Stock Code: 160-0761 - Knob Black 20mm
Stock Code: 160-0762 - Knob Black 24mm
Stock Code: 160-0763 - Knob Black 35mm

SILVER




Stock Code: 160-0764 - Knob Black 19mm
Stock Code: 160-0765 - Knob Black 27mm
Stock Code: 160-0766 - Knob Black 33mm
Stock Code: 160-0767 - Knob Black 45mm

MULTITURN KNOBS



Stock Code: 160-0768 - Multi Turn Dial Small H516
Stock Code: 160-0769 - Multi Turn Dial Large 46x26x6.35mm

POINTER KNOB



Stock Code: 160-0770 - Knob Pointer

KNOB WITH NUMBERS



Stock Code: 160-0888 - Knob with Numbers Small

POTENTIOMETER DIAL SCALE




Stock Code: 160-0864 - Potentiometer Dial Scale 0 to 100 - ID=10mm OD=40mm

---

MULTITURN POT 3950K



Stock Code: 160-0771 - Pot 10 Turn Multi Turn 100R
Stock Code: 160-0772 - Pot 10 Turn Multi Turn 500R
Stock Code: 160-0773 - Pot 10 Turn Multi Turn 1K
Stock Code: 160-0774 - Pot 10 Turn Multi Turn 2K
Stock Code: 160-0775 - Pot 10 Turn Multi Turn 5K
Stock Code: 160-0776 - Pot 10 Turn Multi Turn 10K
Stock Code: 160-0777 - Pot 10 Turn Multi Turn 20K
Stock Code: 160-0778 - Pot 10 Turn Multi Turn 50K
Stock Code: 160-0779 - Pot 10 Turn Multi Turn 100K




SINGLE TURN POT 2W IP65




Stock Code: 160-0904 - Pot 20mm Panel Mount Single Turn IP65 2W 500R
Stock Code: 160-0905 - Pot 20mm Panel Mount Single Turn IP65 2W 1K
Stock Code: 160-0906 - Pot 20mm Panel Mount Single Turn IP65 2W 2K
Stock Code: 160-0907 - Pot 20mm Panel Mount Single Turn IP65 2W 5K
Stock Code: 160-0908 - Pot 20mm Panel Mount Single Turn IP65 2W 10K
Stock Code: 160-0909 - Pot 20mm Panel Mount Single Turn IP65 2W 20K
Stock Code: 160-0910 - Pot 20mm Panel Mount Single Turn IP65 2W 50K
Stock Code: 160-0911 - Pot 20mm Panel Mount Single Turn IP65 2W 100K
Stock Code: 160-0912 - Pot 20mm Panel Mount Single Turn IP65 2W 500K

TRIMPOT 3296W TOP ADJUST (MULTITURN)



Stock Code: 160-0780 - 3296W Top Adj M-T 50E
Stock Code: 160-0781 - 3296W Top Adj M-T 100E
Stock Code: 160-0782 - 3296W Top Adj M-T 220E
Stock Code: 160-0783 - 3296W Top Adj M-T 500E
Stock Code: 160-0784 - 3296W Top Adj M-T 1K
Stock Code: 160-0785 - 3296W Top Adj M-T 2K
Stock Code: 160-0786 - 3296W Top Adj M-T 5K
Stock Code: 160-0787 - 3296W Top Adj M-T 10K
Stock Code: 160-0788 - 3296W Top Adj M-T 20K
Stock Code: 160-0789 - 3296W Top Adj M-T 50K
Stock Code: 160-0790 - 3296W Top Adj M-T 100K
Stock Code: 160-0791 - 3296W Top Adj M-T 200K
Stock Code: 160-0792 - 3296W Top Adj M-T 500K
Stock Code: 160-0793 - 3296W Top Adj M-T 1M
Stock Code: 160-0794 - 3296W Top Adj M-T 2M


TRIMPOT 3006 SIDE ADJUST (MULTITURN)



Stock Code: 160-0795 - 3006P Side Adj M-T 50E
Stock Code: 160-0796 - 3006P Side Adj M-T 100E
Stock Code: 160-0797 - 3006P Side Adj M-T 220E
Stock Code: 160-0798 - 3006P Side Adj M-T 500E
Stock Code: 160-0799 - 3006P Side Adj M-T 1K
Stock Code: 160-0800 - 3006P Side Adj M-T 2K
Stock Code: 160-0801 - 3006P Side Adj M-T 5K
Stock Code: 160-0802 - 3006P Side Adj M-T 10K
Stock Code: 160-0803 - 3006P Side Adj M-T 20K
Stock Code: 160-0804 - 3006P Side Adj M-T 50K
Stock Code: 160-0805 - 3006P Side Adj M-T 100K
Stock Code: 160-0806 - 3006P Side Adj M-T 200K
Stock Code: 160-0807 - 3006P Side Adj M-T 500K
Stock Code: 160-0808 - 3006P Side Adj M-T 1M
Stock Code: 160-0809 - 3006P Side Adj M-T 2M

TRIMPOT 3386 TOP ADJUST (SINGLE TURN






Stock Code: 160-0838 - Trimpot 3386 Top Adj S-T 50E
Stock Code: 160-0839 - Trimpot 3386 Top Adj S-T 100E
Stock Code: 160-0840 - Trimpot 3386 Top Adj S-T 220E
Stock Code: 160-0841 - Trimpot 3386 Top Adj S-T 500E
Stock Code: 160-0842 - Trimpot 3386 Top Adj S-T 1K
Stock Code: 160-0843 - Trimpot 3386 Top Adj S-T 2K
Stock Code: 160-0844 - Trimpot 3386 Top Adj S-T 5K
Stock Code: 160-0845 - Trimpot 3386 Top Adj S-T 10K
Stock Code: 160-0846 - Trimpot 3386 Top Adj S-T 20K
Stock Code: 160-0847 - Trimpot 3386 Top Adj S-T 50K
Stock Code: 160-0848 - Trimpot 3386 Top Adj S-T 100K
Stock Code: 160-0849 - Trimpot 3386 Top Adj S-T 200K
Stock Code: 160-0850 - Trimpot 3386 Top Adj S-T 500K
Stock Code: 160-0851 - Trimpot 3386 Top Adj S-T 1M
Stock Code: 160-0852 - Trimpot 3386 Top Adj S-T T 2M

TOP ADJUST PT10V (SINGLE TURN)






Stock Code: 160-0810 - PT10V S-T 100E
Stock Code: 160-0811 - PT10V S-T 220E
Stock Code: 160-0812 - PT10V S-T 470E
Stock Code: 160-0813 - PT10V S-T 1K
Stock Code: 160-0814 - PT10V S-T 2K2
Stock Code: 160-0815 - PT10V S-T 4K7
Stock Code: 160-0816 - PT10V S-T 10K
Stock Code: 160-0817 - PT10V S-T 22K
Stock Code: 160-0818 - PT10V S-T 47K
Stock Code: 160-0819 - PT10V S-T 100K
Stock Code: 160-0820 - PT10V S-T 220K
Stock Code: 160-0821 - PT10V S-T 470K
Stock Code: 160-0822 - PT10V S-T 1M
Stock Code: 160-0823 - PT10V S-T 2M

SIDE ADJUST PT10H (SINGLE TURN)





Stock Code: 160-0824 - PT10H S-T 100E
Stock Code: 160-0825 - PT10H S-T 220E
Stock Code: 160-0826 - PT10H S-T 470E
Stock Code: 160-0827 - PT10H S-T 1K
Stock Code: 160-0828 - PT10H S-T 2K2
Stock Code: 160-0829 - PT10H S-T 4K7
Stock Code: 160-0830 - PT10H S-T 10K
Stock Code: 160-0831 - PT10H S-T 22K
Stock Code: 160-0832 - PT10H S-T 47K
Stock Code: 160-0833 - PT10H S-T 100K
Stock Code: 160-0834 - PT10H S-T 220K
Stock Code: 160-0835 - PT10H S-T 470K
Stock Code: 160-0836 - PT10H S-T 1M
Stock Code: 160-0837 - PT10H S-T 2M

SECURITY & SURVEILLANCE

ACCESS CONTROL (KEYPADS)



Stock Code: 165-0001 - Keypad Smart guard Black



Stock Code: 165-0002 - Keypad ET E-pad Access Control

12/24VAC/DC, Weatherproof Stainless Steel Face Plate, Vandal Resistant, Backlit Keys, LED Status Indication, Built-In Buzzer, Anti-Tamper Switch



Stock Code: 165-0003 - Keypad Matrix 4x3 PCB Pins

Black Bezel, Black Keytop, White Characters, With PCB Pins, 24V, 20mA Contacts

---

BEAMS



Stock Code: 165-0005 - Beams Centurion Gate 40m

12/24 VDC or VAC input, Green LED in transmitter illuminates when power supply is on and the R, 40m Maximum distance, Height typically 750mm above ground, IP54 Protection



Stock Code: 165-0006 - Beams Securi-Prod 60m Dual IR Set

Dual Infrared digital pulse beams, requires both beams to be interrupted simultaneously, Distance: 60 metres outdoors, Operating voltage: 13.8VDC, Built-in LCD volt meter for quick alignment, LED indicators for quick installation and walk-test, Output relay: NO and NC, Rated IP66, Supplied with mounting brackets and hardware.

PIR'S



Stock Code: 165-0007 - PIR Optex FlipX Quad 12-18m Pet Friendly + Bracket

Product Specifications: FLX-S-ST FlipX Standard Indoor PIR Sensor with Rotatable Lens. Hardwired indoor PIR with rotatable lens. Wide detection up to 12m, 85 degree, and narrow detection up to 18m. Superior pet tolerance with new pyroelectric element. Variable high mount 2.0-3.0 meters



Stock Code: 165-0008 - PIR Securi-Prod Outdoor with 2 PIR and MW Detector

2 PIR and microwave detection technology, Automatic anti-masking setting, Adjustable detection sensitivity, Wall mount swivel bracket, Pet and 15m long range lenses included



Stock Code: 165-0010 - PIR Paradox DG85 Outdoor + Bracket

Hardwired Outdoor Detector, 11 x 11m Detection, Impact and temperature resistant casing (35°C to 50°C), Patented Digital Motion Detection, extremely reliable and false alarm free, Dual Optical Filtering System, UV protected lens, Dual optics (2 dual opposed element sensors), Digital Dual Opposed Detection, Multilevel sensitivity adjustment, Two operational modes (Bus or Relay operation)



Stock Code: 165-0011 - PIR Takex Outdoor Dual Pet

90° Dual zone or 180° single zone, 2 Dual zone sensor detection with AND or OR mode, Alarm relay output dry contact N/C, N/O selectable, Tamper relay output dry contact N/C, Sensitivity pulse count delay time and day / night operation adjustment, Supply voltage 12-30VDC



Stock Code: 165-0141 - Takex Theft Resistant Bracket and Pin Lock

Theft deterrent bracket for wired outdoor Takex detectors, Flush mount internal pin lock and key mechanism, includes mounting hardware, Chemical wall anchor agent not included, Dimensions: 286 x110 x34mm

---

ALARM'S

Stock Code: 165-0015 - IDS X-series 8 Zone Expander 9-16 Zones for X64



Allows the expansion of 8 to 16 zone inputs, Simple 4 wire connection, End of line resistors for expansion zones (3K3), Optional tamper per zone using double end of line resistors, Programmable loop response time

Stock Code: 165-0016 - Solar Alarm & Light Lamp



Stock Code: 165-0109 - IDS X-series SMS Module for X64



Stock Code: 165-0012 - Alarm PCB Panel 2 Zone

Stock Code: 165-0013 - IDS X64 Panel 8 Zone Exp to 64 Zones



64 Zones (8 onboard), 8 Partitions, 4 Stay profiles, 128 User codes, supports up to 8 keypads, Expandable up to 25 fully programmable outputs (5 outputs onboards), Ability to log up to 1000 events Star or daisy chain modules up to 30, 24VDC Power Input Only.

Stock Code: 165-0014 - IDS X-series LCD Curved Keypad for X64



Stock Code: 165-0017 - SMS Alert 1



Stock Code: 165-0018 - SMS Alert 9

Stock Code: 165-0019 - SMS Alert + Alarm

Stock Code: 165-0083 - SMS Alert Magnetic External Antenna with Cable

Stock Code: 165-0118 - SMS Alert Gate Opener

AJAX (ON ORDER ONLY)

Stock Code: 165-0004 - Ajax Hub 2 Plus Black 200 Devices LTE WIFI IP



Up to 200 detectors, up to 200 app users, up to 25 alarm groups, up to 64 scenarios, Communication channels: LTE, 2 x Sim, Ethernet & Wi-Fi, Visual alarm verification, Operating frequencies - 868.0 - 868.6 MHz, Battery backup - up to 15 hours, Power supply: 110 - 240VAC

Stock Code: 165-0009 - Ajax Rex Black



Environment: Indoors, Supports all Ajax Hubs, Does not support Motion Cam, Maximum connected devices (in a system with one range extender): - Hub, Hub 2 - up to 99, Hub Plus - up to 149, Hub 2 Plus - up to 199, Max Number of Connected ReX per Hub: - Hub – 1, Hub Plus/Hub 2/Hub 2 Plus – 5, Power supply - 110 - 240 VAC, 12V option when using PSU module, Built-in back-up battery: Li-Ion 2Ah, Battery backup - up to 35 hours

Stock Code: 165-0025 - Ajax Motion Protect White



Sensing element: PIR sensor, Motion detection distance: up to 12m, Detection angles: Horizontal - 88.5 degrees, Vertical - 80 degrees, Recommended installation height: 2.4m, Pet immunity: Weight - up to 20kg, Height - up to 50cm, up to 1700m in an open space (in a perfect environment), Operating frequencies - 868.0 - 868.6 MHz, Battery: CR123A battery, 3V, Battery life: up to 5 years, Dimensions: 110 x 65 x 50mm

Stock Code: 165-0100 - Ajax Door Protect White



Installation: Indoors, Activation threshold: Small Magnet - 1cm, up to 1200m in an open space (in a perfect environment), Operating frequencies - 868.0 - 868.6 MHz, Power supply: CR123A battery (pre-installed), Battery life: up to 5 years, Dimensions: Diameter - 20mm, Height - 90mm

Stock Code: 165-0102 - Ajax Motion Protect Outdoor White



Sensing element: Two PIR sensors Installation: Outdoors/indoors, Recommended installation height: 0.8 - 1.3m, Detection angle: Horizontal - 90 degrees, Motion detection distance: Adjustable, 3 - 15m, Pet immunity: Height - up to 80cm, up to 1700m in an open space (in a perfect environment), Battery life: up to 5 years, Protection class: IP55, Dimensions: 183 x 70 x 65 mm

Stock Code: 165-0119 - Ajax Hood for Motion Protect Outdoor White



Mounting method: Dual lock tape, Material: Polycarbonate

Stock Code: 165-0120 - Ajax Dual Curtain Outdoor White



Compatibility: Hub Plus, Hub 2, Hub 2 Plus, ReX, Sensing element: IR sensor, 2 on each side, Motion detection distance: 4 to 15m, Detection angle, horizontal: 4.5 degrees, Possibility to deviate the horizontal viewing angle: Yes, by 3 degrees, Motion detection speed: From 0.3 to 2ms, Pet immunity option: Pets up to 80cm in height, Near area detection: Yes, Protection against false triggering: Yes, Tamper protection: Yes, Protection against masking: Yes, Installation: indoor and outdoor

Stock Code: 165-0121 - Ajax Street Siren Black



Sound volume: 85 - 113dB at a distance of 1m, Power supply: 4 x CR123A, 3V, External supply:12 VDC, 1.5A, Battery life: up to 5 years, up to 1500m in an open space (in a perfect environment), Protection class: IP54, Dimensions: 200 x 200 x 51mm

Stock Code: 165-0122 - Ajax Relay



Power supply: 7 - 24VDC, Maximum load current: 5A at 36 VDC, 13A at 230VAC, Relay: N/O or N/C, Operating frequencies - 868.0 - 868.6 MHz, Dimensions: 39 x 33 x 18 mm

Stock Code: 165-0123 - Ajax Space Control Black



Four-button key fob with command delivery indication, Battery: CR2032 battery, 3V, Battery life: up to 5 years, up to 1300m in an open space (in a perfect environment), Operating frequencies - 868.0 - 868.6 MHz, Dimensions: 65 x 37 x 10mm

Stock Code: 165-0124 - Ajax Fire Protect Black



Smoke-sensitive element: Photoelectric sensor, Temperature-sensitive element: Thermocouple, Volume of built-in siren: 85dB, Battery - 3V - 2 x CR2, 1 X CR2032 battery, Battery life: up to 4 years, up to 1300m in an open space (in a perfect environment), Certification: EN 14604, Dimensions: 132 x 132 x 31 mm

Stock Code: 165-0139 - Ajax Home Siren White



Sound volume level: Adjustable, 81 - 105dB at a distance of 1m, Alarm length: Adjustable, 3 - 180sec, Battery: 2 x CR123A batteries, 3V, Battery life: up to 5 years, up to 2000m in an open space (in a perfect environment), Protection class: IP50, Certification: Grade 2, CE, Dimensions: 75 X 76 X 27mm

Stock Code: 165-0143 - Ajax VHF Bridge Black



Colour: black, Classification: Transponder for communication, Installation: Indoors, Number of potential outputs: 8, Output types: Positive trip and negative trip (depends on the settings), Transmission types: Pulse and bistable (depends on the settings), Compatibility: Hub Plus, Hub 2 (2G), Hub 2 (4G), Hub 2 Plus, Hub Hybrid (2G), Hub Hybrid (4G), Compatible with Ajax range extenders: No, Compatibility with third-party VHF radio transmitters: connects to any

Stock Code: 165-0149 - Ajax Button Black



Command delivery confirmation, Encryption with a modified AES algorithm, Code hopping frequency, two modes: panic/control button, protected from accidental activation, Operates with all Ajax Hubs and range extenders, up to 1300m in an open space (in a perfect environment), Operating frequencies - 868.0 - 868.6 MHz, Battery life of up to 5 years, Protection class: IP55, pre-installed CR2032 battery- Dimensions: 47 x 35 x 13mm

Stock Code: 165-0150 - Ajax Motion Protect Curtain White



Sensing element: Two PIR sensors, Motion detection distance: from 6 to 15 meters, Detection angles: Horizontally - 6 degrees, Vertically - 90 degrees, Recommended installation height: 2.4m, up to 1700m in an open space (in a perfect environment), Operating frequencies: 868.0 - 868.6 MHz, Battery life: up to 3 years, Protection class: IP54, Battery: CR123A, 3V, Dimensions: 134 x 44 x 34mm

Stock Code: 165-0151 - Ajax Button Holder Black



Material: Plastic, Dimensions: 47.1 x 37.9 x 14.2mm

Stock Code: 165-0152 - Ajax VHF Bridge White

Colour: White, Classification: Transponder for communication, Installation: Indoors, Number of potential outputs: 8, Output types: Positive trip and negative trip (depends on the settings), Transmission types: Pulse and bistable (depends on the settings), Compatibility: Hub Plus, Hub 2 (2G), Hub 2 (4G), Hub 2 Plus, Hub Hybrid (2G), Hub Hybrid (4G), Compatible with Ajax range extenders: No, Compatibility with third-party VHF radio transmitters

Stock Code: 165-0153 - Ajax Hub 2 Plus 200 Devices LTE WIFI IP White

Up to 200 detectors, up to 200 app users, up to 25 alarm groups, up to 64 scenarios, Communication channels: LTE, 2 x Sim, Ethernet & Wi-Fi, Visual alarm verification, Operating frequencies - 868.0 - 868.6 MHz, Battery backup - up to 15 hours, Power supply: 110 - 240VAC

Stock Code: 165-0154 - Ajax Rex White

Environment: Indoors, Supports all Ajax Hubs, Does not support Motion Cam, Maximum connected devices in a system with one range extender: - Hub, Hub 2 - up to 99, Hub Plus - up to 149, Hub 2 Plus - up to 199, Max number of connected ReX per Hub: - Hub – 1, Hub Plus/Hub 2/Hub 2 Plus – 5, Power supply - 110 - 240 VAC, 12V option when using PSU module, Built-in back-up battery: Li-Ion 2Ah, Battery backup - up to 35 hours

Stock Code: 165-0155 - Ajax Street Siren White

Sound volume: 85 - 113dB at a distance of 1m, Power supply: 4 x CR123A, 3V, External supply:12 VDC, 1.5A, Battery life: up to 5 years, up to 1500m in an open space (in a perfect environment), Protection class: IP54, Dimensions: 200 x 200 x 51mm



Stock Code: 165-0156 - Ajax Button White

Command delivery confirmation, Encryption with a modified AES algorithm, Code hopping frequency, two modes: panic/control button, protected from accidental activation, Operates with all Ajax Hubs and range extenders, up to 1300m in an open space (in a perfect environment), Operating frequencies - 868.0 - 868.6 MHz, Battery life of up to 5 years, Protection class: IP55, pre-installed CR2032 battery, Dimensions: 47 x 35 x 13mm



Stock Code: 165-0157 - Ajax Button Holder White

Material: Plastic, Dimensions: 47.1 x 37.9 x 14.2mm



Stock Code: 165-0158 - Ajax Space Control White

Four-button key fob with command delivery indication, Battery: CR2032 battery, 3V, Battery life: up to 5 years, up to 1300m in an open space (in a perfect environment), Operating frequencies - 868.0 - 868.6 MHz, Dimensions: 65 x 37 x 10mm



Stock Code: 165-0159 - Ajax Keypad Touchscreen DESFire & BLE Black

Touch IPS display with a diagonal 0f 5 inches, Operation with Secured cards and key fobs, Control via smartphone due to BLE support, Easy security group management, Automation control, Sound notifications about delays, door openings and alarms



Stock Code: 165-0160 - Ajax Motion Cam Outdoor Pho White

Installation method: Outdoors/indoors, Recommended installation height: 0,8 - 1,3m, Compatibility: Hub 2 (2G and 4G), Hub 2 Plus, Hub Hybrid (2G and 4G), Photo on Demand, Sensing element: 2 PIR sensors, Motion detection distance: Adjustable from 3 to 15m, Pet immunity: Up to 80cm tall, Sensitivity: Adjustable up to 3 levels, Sensing element: 2 x PIR sensor, Motion detection distance: Adjustable, from 3 to 15m, Motion detection angles: Horizontal - 90 degrees, Camera angle: Horizontal 105 degrees, Vertical 50 degrees



Stock Code: 165-0161 - Ajax Hub 2 4G 100 Devices LTE IP White

Up to 100 detectors, up to 50 app users, up to 9 alarm groups, up to 32 scenarios, Communication channels: 4G, 2 X Sim, Ethernet, Visual alarm verification, Operating frequencies - 868.0 - 868.6 MHz, Battery backup - up to 16 hours, Power supply: 110 - 240VAC



Stock Code: 165-0162 - Ajax Keypad White

Numeric touch keypad, Clear button, Function button, Arming button, Disarming button, Night mode button, Tamper button, up to 1700m in an open space (in a perfect environment), Battery: 4 x AAA batteries, 3V, Battery life: up to 2 years, Dimensions: 150 x 103 x 14 mm



Stock Code: 165-0174 - Ajax Curtain Outdoor White

Adjustable motion detection distance: up to 8-12 m, 85/75/15 vertical and 8 horizontal viewing angles, Installation on Smart Bracket, angle mount or third-party bracket, Hood and angle mount included, Radio communication range: up to 1,700 m, Battery lifespan: up to 3 years, IP55, built-in tamper and accelerometer, Dual motion detection technology, Pet immunity as an option, Anti-masking, Indoor and Outdoor use



Stock Code: 165-0171 - Ajax Transmitter

Power supply output: 3.3VDC, Battery life: up to 5 years, up to 1700m in an open space (in a perfect environment), Operating frequencies - 868.0 - 868.6 MHz, Dimensions: 100 x 39 x 22mm



Stock Code: 165-0170 - Ajax Home Siren Black

Sound volume level: Adjustable, 81 - 105dB at a distance of 1m, Alarm length: Adjustable, 3 - 180sec, Battery: 2 x CR123A batteries, 3V, Battery life: up to 5 years, up to 2000m in an open space (in a perfect environment), Protection class: IP50, Certification: Grade 2, CE, Dimensions: 75 X 76 X 27mm



Stock Code: 165-0178 - Ajax Fire Protect 2 RB Heat & Smoke White

Interconnected alarm in 20 seconds, Heat and Smoke Sensors, Replaceable battery, Remote control and configuration, Smart Bracket with an adjustable rotation angle, Dust proof smoke chamber and impenetrable for insects, Dual-spectrum optical smoke sensor with false alarm filter



Stock Code: 165-0179 - Ajax Swivel Bracket White

Swivel bracket for Ajax detectors, Compatible with Ajax Motion Protect Outdoor and Motion Cam Outdoor



CCTV PRODUCTS

Stock Code: 165-0020 - UTP Transceiver Balun 1 Channel HD TV CVI AHD AV (2 Pack)

Plug-and-play; Real-time and stable HDCVI/HDTVI/AHD/Analogue transmits, Bayonet Nut Connector (BNC); push-down UTP terminal, Transmission distance up to 500m, ABS (Acrylonitrile-Butadiene-Styrene) shell; built-in extended coaxial, Surge protection, ESD protection



ELECTRIC FENCING

Stock Code: 165-0021 - Electric Fence Indicator HV Timed Light SS Blue

Blue fence light for stainless steel wire, Visible from up to 1km at night and 100m during the day, no batteries required - uses minimal power from the fence, can operate from 0.9kV to 12kV, can be used with most electric fence energizers, highly visible LEDs allow for a 160-degree viewing angle, this allows the light to shine into the secure.



GATE & GARAGE



Stock Code: 165-0022 - Garage Door Magnet Roller Shutter

Die-cast zinc constructed for surface mounting, NC circuit, Weather-resistant. A flexible 300mm stainless steel armor plate which gives complete protection to cable.



Stock Code: 165-0023 - Roller Lever Switch Right Hand Side

INTERCOM PRODUCTS



Stock Code: 165-0027 - Intercom POLO Entry Panel

Stock Code: 165-0028 - Intercom POLO Handset



Stock Code: 165-0026 - Door Chime Wireless 100M Battery Powered

Door Bell, Transmitter range 80m, Radio frequency 433/92MHz, Sound Level 82dB, Call Ringing 2 Tone, Dimensions: - 140x90x35mm, Batteries 1 x 12V remote battery (included) and 3 x C Type alkaline 1

LOCKS & DOOR CLOSERS



Stock Code: 165-0031 - Electric Strike Pre-Impulse

Flush mount striker lock, pre-impulse action, 12VDC or 12VAC Operation

Stock Code: 165-0032 - Striker Lock & Bracket

Stock Code: 165-0029 - Lock for Striker



Lock dimensions: 90mm x 37mm x 15mm, Faceplate dimensions: 146mm x 23mm, Complete with 62mm length cylinder and 3 keys Mounts into door or gat

Stock Code: 165-0030- Housing Only for Gate Lock 25mm AC 25



Stock Code: 165-0033 - Maglock SP300lbs (136Kg) 12VDC

300lbs (136kg) holding force, Operating voltage: 12VDC, Current draw: 300mA/150mA, MOV surge protection, Lock type: Fail-safe, Unmonitored model, CE approved

Stock Code: 165-0034 - Maglock Bracket ZL for SP300 lbs. LK117

Stock Code: 165-0035 - Maglock SP600lbs (272Kg) 12-24VDC & LED

600lbs (272kg) holding force, Dual voltage: 12/24VDC, Current draw: 500mA/250mA, MOV surge protection, Lock type: Fail-safe, monitored with LED and NO and NC relay, Push-off button on armature for instant release, CE approved, Dimensions: 250mm (L) x 41mm (W) x 26mm (D)

Stock Code: 165-0036 - Maglock Bracket ZL for SP600 lbs. LK118

Stock Code: 165-0037 - Solenoid Lock 12VDC 0.6A 7.5W 64x40x28mm



Stock Code: 165-0131 - Door Closer Dormas TS-77 Medium Duty

Quick and easy to install. Fixed strengths for various door widths. Optional back check function.



Stock Code: 165-0176 - Electromagnet 15KG 12VDC 0.25A 3W

Lifting Magnet (Electromagnet). 15Kg Holding Force. 12VDC 0.25A 3W. This is a 12VDC electromagnet with a 15kg lifting force.
A lifting solenoid electromagnet consists of an iron core and a coil to attract magnetic substances, using the magnetic action induced by electric current, only while the current is applied.



POWER SUPPLIES

Stock Code: 165-0038 - Alarm PSU 16VAC 1.25A Plug-In Transformer



Input voltage: 220VAC at 50Hz, Output voltage: 16VAC 1.25Amp, Plug-in transformer in housing, Terminal block for 16VAC connection, Dimensions: 90mm (L) x 50mm (W) x 50mm (H)

Stock Code: 165-0039 - Alarm PSU 16VAC 40VA 2.5A

Input voltage: 220VAC at 50Hz, Output voltage: 16VAC 2.5A (40VA), Transformer in housing with moulded plug, Terminal block for 16VAC connection, Dimensions: 100mm (L) x 75mm (W) x 55mm (H)

Stock Code: 165-0040 - Alarm PSU 12-16VAC 3A 50VA Protected

Input voltage: 220VAC at 50Hz, Output voltage: 12/16VAC (50VA), Transformer in housing with moulded plug, Terminal block for 12/16VAC connections with output protection, Dimensions: 125mm (L) x 72mm (W) x 63mm (H)

Stock Code: 165-0041 - Power Store 13.6VDC 3A Excl 7AH Bat



Input voltage: 190 - 265VAC at 50/60Hz, Output voltage: 13.6VDC 3Amp, Battery backup power supply, uses 7.2/8.0Ah battery, Includes AC fail relay and buzzer, has an SA plug top and 300mm lead, Lockable enclosure, grey epoxy-coated finish, Metal housing dimensions: 203mm (H) x 163mm (W) x 74mm (D)

Stock Code: 165-0042 - Power Store 13.6VDC 5A Excl 17AH Bat

Input voltage: 190 - 265VAC at 50/60Hz, Output voltage: 13.6VDC 5Amp, Battery backup power supply, uses 17Ah battery, Includes SA plug top and 300mm lead, Lockable enclosure, grey epoxy-coated finish, Metal housing dimensions: 295mm (H) x 198mm (W) x 90mm (D)

Stock Code: 165-0113 - GS Power Store 12VDC 3A Metal with Keylock

Stock Code: 165-0114 - GS Power Store 12VDC 3.2A PVC Flame Retardant

Stock Code: 165-0043 - Distribution Box PSU CCTV 9 Way 10A



Input voltage: 100 - 240VAC at 50/60Hz, Output voltage: 12VDC 10Amp, Switch mode power supply, Battery backup power supply, uses 7.2/8.0Ah battery, Includes SA plug top and 300mm lead, Lockable enclosure, grey epoxy-coated finish, Metal housing dimensions: 355mm (H) x 190mm (W) x 83mm (D)

Stock Code: 165-0110 - GS Distribution Box PSU CCTV 6Ch 12VDC 6A 72W

Stock Code: 165-0177 - GS Distribution Box PSU CCTV 8CH 12VDC 60W

Stock Code: 165-0111 - GS Distribution Box PSU CCTV 9Ch 12VDC 10A 120W

Stock Code: 165-0112 - GS Distribution Box PSU CCTV 18Ch 12VDC 20A 240W

Stock Code: 165-0142 - Securi-Prod Distribution Box PSU CCTV 18Ch 12V 20A

Input voltage: 100 - 240VAC at 50Hz, Output voltage: 12VDC 20Amp, Switch mode power supply, 18 CCTV camera connections rated at 1.1Amp each, Includes SA plug top with 300mm lead, Lockable metal enclosure, Dimensions: 315mm (L) x 230mm (W) x 57mm (H)

Stock Code: 165-0053 - Distribution Box PSU CCTV 6 Way 13.6VDV 6.4A

Microprocessor Controlled charging output, Low battery switch off at 10VDC, Buzzer tones on battery low and AC Fail, Resettable Fuse protection on output, Fuse protection on AC input, ABS Plastic enclosure, Input Voltage Range: 110V - 230V AC 50Hz, Output Voltage: 13V - 14.4V Adjustable for 12VDC 17Ah Battery, Max Current output: 6.4A DC / 70Watts, Relay contact rating: 10A, AC Fail output rating: 140mA Positive switching, Operating temp: -3°C to 60°C, Dimensions (lxbxh): 275 x 225 x 97mm, Gross Weight: 1.13kg

RECEIVERS & TRANSMITTERS

SENTRY RECEIVERS



Stock Code: 165-0062 - Receiver Sentry 403 Binary 1 Channel
Stock Code: 165-0063 - Receiver Sentry 433 Binary 1 Channel
Stock Code: 165-0064 - Receiver Sentry 403 Learn B, T, F 1 Channel
Stock Code: 165-0065 - Receiver Sentry 403 Learn B, T, F 3 Channel

SENTRY TRANSMITTERS



Stock Code: 165-0044 - Transmitter Sentry 403 Binary 1 Button (Black)
Stock Code: 165-0045 - Transmitter Sentry 403 Binary 3 Button (Black)
Stock Code: 165-0046 - Transmitter Sentry 403 Learn 1 Button (Grey)
Stock Code: 165-0047 - Transmitter Sentry 403 Learn 3 Button (Grey)
Stock Code: 165-0048 - Transmitter Sentry 433 Binary 1 Button (Yellow)
Stock Code: 165-0049 - Transmitter Sentry 433 Binary 3 Button (Yellow)
Stock Code: 165-0050 - Transmitter Sentry 403 & 433 Dual Learn 4 Button (Green)

NOVA RECEIVER



Stock Code: 165-0067 - Receiver Nova 1 Channel
Stock Code: 165-0068 - Receiver Nova 2 Channel

NOVA TRANSMITTERS



Stock Code: 165-0051 - Transmitter Nova 433 1 Button
Stock Code: 165-0052 - Transmitter Nova 433 2 Button
Stock Code: 165-0054 - Transmitter Nova 433 4 Button

Stock Code: 165-0055 - Transmitter Nova Silicone Button Blue

SHERLOTRONICS RECEIVERS



Stock Code: 165-0069 - Receiver Sherlotronics RX1-150 150m 1 Channel
Stock Code: 165-0070 - Receiver Sherlotronics RX3-150 150m 3 Channel
Stock Code: 165-0071 - Receiver Sherlotronics RX1-500 500m 1 Channel
Stock Code: 165-0173 - Receiver Sherlotronics RX4-500 500m 4 Channel

SHERLOTRONICS TRANSMITTERS



Stock Code: 165-0056 - Transmitter Sherlotronics 1 Button
Stock Code: 165-0057 - Transmitter Sherlotronics 2 Button
Stock Code: 165-0058 - Transmitter Sherlotronics 4 Button
Stock Code: 165-0059 - Transmitter Sherlotronics 6 Button
Stock Code: 165-0138 - Transmitter Sherlo S4 4Ch 1.5Km 403Mhz

SHERLOTRONICS ACCESSORIES



Stock Code: 165-0060 - Transmitter Sherlo 1 Button Wall mount Waterproof



Stock Code: 165-0061 - Transmitter Sherlotronics Wall Holder

Stock Code: 165-0116 - Transmitter Sherlotronics S1 1Ch 500m Stand Alone

Stock Code: 165-0117 - Transmitter Sherlotronics 2Ch for PIR (2 x AA)



APPLICATIONS: Transmission of battery powered PIR's, Transmission of magnetic door contacts, Emergency break glass boxes, Roller shutter door contacts
FEATURES: Alarm and Tamper transmit outputs (2 Channels), Powered by 2 x AA Alkaline batteries, Battery life under normal conditions 3 years or 150 000 triggers, 120 sec Sleep mode on/off, Normally Open or Normally Closed



Stock Code: 165-0132 - Sherlo Transmitter Button Red
Stock Code: 165-0133 - Sherlo Transmitter Button Black
Stock Code: 165-0134 - Sherlo Transmitter Button White
Stock Code: 165-0135 - Sherlo Transmitter Button Green
Stock Code: 165-0136 - Sherlo Transmitter Button Blue
Stock Code: 165-0137 - Sherlo Transmitter Button Yellow

GLUE



Stock Code: 165-0084 - Glue Sestic for Alarm Wire



Stock Code: 165-0125 - Q-Bond Super Glue 5ml

ALARM INDICATORS



Stock Code: 165-0072 - Alarm Indicator Light 12VDC 8mA Red
Stock Code: 165-0073 - Alarm Indicator Light 12VDC 8mA Green
Stock Code: 165-0074 - Alarm Indicator Light 12VDC 8mA Blue

ALARM STATUS INDICATORS



Stock Code: 165-0144 - Armed Status LED Indicator Flexible Blue
Stock Code: 165-0145 - Armed Status LED Indicator Flexible Green
Stock Code: 165-0146 - Armed Status LED Indicator Flexible Red
Stock Code: 165-0147 - Armed Status LED Indicator Flexible Yellow
Stock Code: 165-0148 - Armed Status LED Indicator Flexible White

---

SIRENS



Stock Code: 165-0085 - Siren Compact 15W

Operating voltage: 6 - 12VDC, Current draw: 600mA, 15W horn with built-in siren driver, 108dB at 1 metre, Weather-resistant, ABS plastic design



Stock Code: 165-0086 - Siren 6 Tone 20W

Operating voltage: 12VDC, Current draw: 1.2A, Selectable tones, 20W horn speaker with built-in siren driver, 108dB at 1 metre, Weather-resistant, ABS plastic design



Stock Code: 165-0087 - Siren Cop 30W

Operating voltage: 12VDC, Current draw: 1.2A, 30W horn speaker with built-in siren driver, Two tones selectable, Weather-resistant, ABS plastic design



Stock Code: 165-0088 - Siren Large 12VDC 30W

Operating voltage: 6 - 12VDC, Current draw: 1.2A, 30W horn speaker with built-in siren driver, Selectable yelp sound or wail sound, Adjustable mounting bracket, Weather-resistant, ABS plastic design



Stock Code: 165-0089 - Siren 2 Way Sound Bomb Dual Piezo Mini 80MB 12VDC

Operating voltage: 6 - 12VDC, Current draw 100mA, easily mounted with double-sided tape or screws, Polarity protected, 105 dB at 1 metre

Stock Code: 165-0090 - Siren 4 Way Sound Bomb Quad Piezo Maxi 80MB 12VDC

Operating voltage: 6 - 12VDC, Typical current drain: 130mA at 12VDC, High efficiency, Polarity protected, 118 dB at 1 meter



Stock Code: 165-0092 - Siren 250m 230VAC

90-100dB radius 1 meter, Steel Shell and ABS resin, Continuous Tone (It can't sound for more than 15 minutes), 75(W)x82(L)x83(H)mm, IP44



Stock Code: 165-0091 - Tweeter Piezo Sounder 12V

Operating voltage: 12VDC, Current draw: 150mA

FLASHER / BEEHIVE LIGHT



Stock Code: 165-0076 - Flasher 12V Small Beehive Amber

10W Incandescent flashing light, Flashing rate 1/sec, Weatherproof, 10-14VDC Operation

---

STROBES



Stock Code: 165-0075 - Strobe Mini 12V - Red + Ears

Operating voltage: 12VDC, Current draw: 195mA, Flash frequency: 2.5Hz, Weather-resistant, Materials: ABS and polycarbonate, Dimensions: 7.7cm (D) x 4.5cm (H)



Stock Code: 165-0078 - Strobe Large 12V – Red

Operating voltage: 6 - 12VDC, Current draw: 200mA, non-polarised power input, High intensity, low current lamp, Flashing rate 1/second



Stock Code: 165-0079 - Strobe Beacon 40-80FPM IP53 12V 15W 800MA Red
Stock Code: 165-0080 - Strobe Beacon 40-80FPM IP53 12V 15W 800MA Green
Stock Code: 165-0081 - Strobe Beacon 40-80FPM IP53 12V 15W 800MA Blue
Stock Code: 165-0082 - Strobe Beacon 40-80FPM IP53 12V 15W 800MA Yellow

2.3W, 5-10mA, Flashing Rate: 60FPM (app), Working Temperature: -20°C - +60°C, IP53, 100x75mm



Stock Code: 165-0126 - Strobe Beacon 230VAC Red
Stock Code: 165-0127 - Strobe Beacon 230VAC Green
Stock Code: 165-0129 - Strobe Beacon 230VAC Blue
Stock Code: 165-0130 - Strobe Beacon 230VAC Amber

2.3W, 5-10mA, Flashing Rate: 60FPM (app), Working Temperature: -20°C - +60°C, IP53, 100x75mm



Stock Code: 165-0172 - Strobe LED Red 112-80VDC + Magnetic Base



Stock Code: 165-0181 - Strobe LED Red 24VDC 2W D=70mm Panel Mount

PC BOARDS



Stock Code: 165-0104 - PCB Digital Timer 9 Program
1 sec to 59-minute timer output, 1 minute to 24 hours timer output, Auto door closure Pulse stretcher Counter, count down trigger output, False alarm prevention, Momentary to latching Guard awake timer 230



Stock Code: 165-0105 - PCB Versatile Timer Universal Timer (Single Pulse)
12VDC, 5.7mA standby current, Positive or negative trigger input, Adjustable time from 2 seconds to 3 hours
Stock Code: 165-0128 - PCB Versatile Timer Universal Timer (Continuous Pulse)
12VDC, 5.7mA standby current, Positive or negative trigger input, Adjustable time from 2 seconds to 3 hours



Stock Code: 165-0106 - PCB Lead Acid Charger 13.8V 1A
16v AC Input, 13.8v DC output, automatically charges 7a/h battery, Physical size: 68mm x 44mm.



Stock Code: 165-0107 - PCB Stepper Relay
12VDC, 10mA standby current, pulse on key switch input changes the state of relay, LED output indicates the state of relay, Physical size - 45mm x 41mm



Stock Code: 165-0108 - PCB On Board Relay AC-DC
12v DC or 16v AC operation, Switching current rating 10A@ 12v DC, normally open and closed potential free relay contacts, Back EMF protection



Stock Code: 165-0168 - PCB Two Door Safety Door Interlock Unit
12v DC operation, Dual door controller, NC/NO Relayed output, Dual LED indication on each door, Beeper output audible indicator, Physical size - 76mm x 57mm

SWITCHES



Stock Code: 165-0093 - Switch Emergency Push Button NO NC
Rating: 0.5Amp at 12VDC, Contact: N/O and N/C, Suitable for gluing onto walls
Stock Code: 165-0094 - Switch Bell Push Button NO NC
Rating 0.5Amp at 12VDC, Contact: N/O and N/C, has a bell decal
Stock Code: 165-0095 - Switch Exit Push Button NO NC
N/O and N/C contacts, Rating 0.5A at 12VDC, Large button with Exit decal

Stock Code: 165-0096 - Switch Cut Out Rocker On-Off
Rating 70VAC/DC, Silver contacts for reliable switching, Narrow and fits easily on door frame

Stock Code: 165-0097 - Switch Cut Out Spring Loaded Off-(On)



Stock Code: 165-0098 - Switch Magnetic Door Magnet NC
Large ferrite magnet, Gap width: 22mm take and 26mm break, Used in all conventional alarm installations
Stock Code: 165-0099 - Switch Magnetic Door Magnet NO
Rated at 40V 0.2A, Concealed terminals with easy mounting, Gap width 22mm take and 26mm break, Additional reed switch protection

Stock Code: 165-0101 - Switch Vibration



Stock Code: 165-0103 - Switch Exit Sensor No Touch 12VDC 110x70x37mm
Operating voltage: 12VDC, No-Touch Sensor, Contact: N/O and N/C, Fits standard 4 x 2 box

Stock Code: 165-0115 - Switch Exit Sensor No Touch 12VDC 86x86x37mm

HIKSEMI MICRO SD CARD + ADAPTOR

Stock Code: 165-0167- HIKSEMI 64GB Micro SD Card + Adaptor

64GB Capacity. Up to 92MB/s Read. Up to 20MB/s Write. Class 10. Shockproof X-Ray Proof Temperature-proof



Stock Code: 165-0175 - HIKSEMI 128GB Micro SD Card + Adaptor

128GB Capacity. Up to 92MB/s Read. Up to 20MB/s Write. Class 10. Shockproof X-Ray Proof Temperature-proof

Stock Code: 165-0180 - HIKSEMI 32GB Micro SD Card + Adaptor

32GB Capacity. Up to 92MB/s Read. Up to 20MB/s Write. Class 10. Shockproof X-Ray Proof Temperature-proof

---

EZVIS CAMERAS

Stock Code: 165-0163 - EZVIZ H1C Indoor Wi-Fi Camera 1080p

1080p Resolution. IR Night Vision Up to 10 m (32 ft). Motion Detection. Three Sound-Alert Modes. Sleep Mode for Privacy Protection. 108 Deg Wide-Angle Lens. Micro SD Card slot (supports up to 512GB)



Stock Code: 165-0164 - EZVIZ H6c Pro Wi-Fi PT Camera 2MP 4mm

4mm Fixed Lens. Two-way Audio. Motorized Pan and Tilt 360 Deg Visual Coverage. Smart Night Vision. Motion Detection with Smart Tracking and Smart IR. SD Card Support (up to 256 GB). Power Source 5VDC



Stock Code: 165-0165 - EZVIZ Wi-Fi Bullet Camera H3 5MP 2.8mm Lens

Color Night Vision. 3K Resolution. AI-Powered Human / Vehicle Shape Detection. Waving-Hand Recognition & Control. Active Defense with Strobe Light and Siren. Supports MicroSD Card (Up to 512 GB). IP67



Stock Code: 165-0169 - EZVIZ H8C Outdoor Pan-Tilt Wi-Fi 2MP 4mm Camera

4mm Fixed Lens. Motorized Pan & Tilt for. Audio Pick-up. Two-Way Talk. Active Defense. Color Night. AI-Powered Human Shape Detection. Supports MicroSD Card (Up to 512 GB). Power Source 12VDC 1A 12W. IP65 Weatherproof Design



SENSORS

HALL EFFECT SENSOR

A solid-state device that detects magnetic fields and converts them into electrical signals.



Stock Code: 170-0001 - Hall Effect Sensor Linear

Monolithic Hall Effect Linear Sensor IC 3 Pin SIP 4.5-5.5V 5.0mV/G

GAP SENSOR

A specialized device that measures, detects, or monitors the clearance, space, or void between two surfaces or objects rather than tracking a solid object's outer position.



Stock Code: 170-0002 - Photo Interrupter Gap Sensor TCST1103

Optical Sensor / Gap Sensor / Slotted Sensor / Photo Interrupter 3.1mm Gap & 1mm Aperture

---

ULTRASONIC TRANSDUCERS

An electromechanical device that converts electrical energy into high-frequency sound waves (above the human hearing range, typically 20 kHz to several MHz) and vice versa.



Stock Code: 170-0003 - Ultrasonic Transducer TX 40KHZ

Stock Code: 170-0004 - Ultrasonic Transducer RX 40KHZ

TEMPERATURE SENSORS



Stock Code: 170-0005 - Temperature Sensor DS18B20 -55C to +125C

Programmable 1 Wire Digital Thermometer 0.5% Accuracy

Stock Code: 170-0006 - Temperature Sensor LM35DZ 0C to +100C

PCB Mount Temperature Sensor 4-30VDC TO92 0.5Deg Accuracy

Stock Code: 170-0007 - Temperature Sensor LM335Z -40C to +100C

Linear Temperature Sensor TO92 Package



Stock Code: 170-0009 - NTC Temperature Sensor 10K Steel Head 2m Wire

This temperature sensor with steel head lets you precisely measure temperatures in wet environments with a simple 1-Wire interface. Type: NTC 10K 1 Percent. Measurement Range: -20 to +105C. Resistance: 10K Ohm. Accuracy: 1 Percent. 2-line output. Head Size: 25 x 5mm. Cable Length: 2 meters. Net Weight: 15g

---

MINI LIQUID LEVEL SENSOR



Stock Code: 170-0008 - Mini Liquid Level Sensor Non-Contact

The Mini Liquid Level Sensor uses advanced signal processing and a powerful XKC-Y23A-V chip for non-contact liquid detection. Ideal for hazardous applications, it can detect toxic substances, strong acids, alkalis, and liquids in sealed, high-pressure containers. The sensor is compatible with various liquids and containers, making it highly versatile. It features a 3-Pin JST-XH (2.54mm pitch) connector for easy installation and interfacing (GND, 5V, Output). Perfect for applications where safety and reliability are crucial.

SOLAR & RENEWABLE ENERGY

SUNSYNK INVERTERS



Stock Code: 172-0080 - Sunsynk Hybrid Inverter 48V 3.6kW + WIFI Mod + CT
IP65 Max PV Array Open Circuit Voltage: 425VDC

Stock Code: 172-0002 - Sunsynk Hybrid Inverter 48V 5kW + WIFI Mod + CT
IP65 Max PV Array Open Circuit Voltage: 425VDC

Stock Code: 172-0081 - Sunsynk Hybrid Inverter 48V 7.6kW Rack Mount
IP65 Max PV Array Open Circuit Voltage: 425VDC

Stock Code: 172-0006 - Sunsynk Hybrid Inverter 48V 8kW + WIFI Dongle + CT
IP65 Max PV Array Open Circuit Voltage: 500VDC

Stock Code: 172-0026 - Sunsynk Hybrid Inverter 48V 12kW 3P + WIFI Dongle
IP65 Max PV Array Open Circuit Voltage: 500VDC

Stock Code: 172-0041 - Sunsynk Hybrid Inverter 48V 16kW 1P + WIFI Dongle
IP65 Max PV Array Open Circuit Voltage: 450VDC 22A + 22A 18000W

Stock Code: 172-0035 - Sunsynk Hybrid Inverter HV 50kW 3P + WIFI Dongle
IP65, Battery Voltage Range: 160-800VDC Max PV Array Open Circuit Voltage: 1000VDC

MKS INVERTER



Stock Code: 172-0082 - MKS VMII Hybrid Off-Grid Inverter 24VDC 2.5kW
Pure Sine Wave Inverter. Output Factor 1. Built-in MPPT Solar Charge Controller. Selectable Input Voltage Range for Home. Appliances & Personal Computers. Selectable Charging Current Based on Applications. Configurable AC/Solar Input Priority Via LCD Setting. Compatible To AC Mains or Generator Power. Battery Equalization for Optimized battery Performance & Lifecycle. Parallel Operation with Up to 9 Units Only Available

POWA-PROD PURE SINE WAVE INVERTER



Stock Code: 172-0103 - Powa-Prod Pure Sine Wave Inverter 12V 600W
With Intelligent Charger & LCD Display - SA Socket AC Output

Stock Code: 172-0104 - Powa-Prod Pure Sine Wave Inverter 12V 1000W
With Intelligent Charger & LCD Display - SA Socket AC Output

AXPERT INVERTER



Stock Code: 172-0034 - Hybrid Inverter Axpert VM MPPT 12V 1kW
Transfer Time: 10ms Max PV Array Open Circuit Voltage: 102VDC 17-80VDC

Stock Code: 172-0040 - Hybrid Inverter Axpert VP PWM 24V 3kW
Transfer Time: 10ms Max PV Array Open Circuit Voltage: 80VDC

Stock Code: 172-0121 - Hybrid Inverter Axpert VM II Premium MPPT 24V 3kW
Transfer Time: 10ms Max PV Array Open Circuit Voltage: 450 VDC, Maximum Solar Charge Current: 100A, Maximum AC Charge Current: 80A, Maximum Charge Current: 100A, Dimension: DxWxH 110 x 288 x 390mm, Net Weight: 7.2Kg

Stock Code: 172-0001 - Hybrid Inverter Axpert King 48V 5kW
1:1 Ratio Zero Transfer Rate Hybrid Inverter Max PV Array Open Circuit Voltage: 145VDC

MEANWELL INVERTERS



Stock Code: 172-0044 - Mean Well Inverter DC-AC I=12V O=220V 150W
PLEASE NOTE: Modified Sine Wave Inverter

Stock Code: 172-0047 - Mean Well Inverter DC-AC I=12V O=220V 300W
PLEASE NOTE: Modified Sine Wave Inverter

HALO INVERTER



Stock Code: 172-0100 - Halo Mobile Inverter 1kW with Solar Controller

---

LITHIUM-ION BATTERIES

BSL

Stock Code: 172-0073 - BSL Lithium Battery 51.2V 125Ah 6.4kW

Stock Code: 172-0043 - BSL Lithium Battery 51.2V 135Ah 7kW



51.2V series is designed for lower voltage, lower power and longer run-time applications. They are built with LFP Technology that offers outstanding intrinsic safety and excellent float and cycle life resulting in low cost of ownership.
Features:
Eco-friendly. 15-18 Years Designed service life. Battery monitoring storage history. Maintenance-free, modular, and lightweight. Up to 60% weight saving. Less than 3% self-discharging
Measurements: 442x520x177 58kg

Stock Code: 172-0074 - BSL Lithium Battery 51.2V 172Ah 8.8kW

HUBBLE



Stock Code: 172-0027 - Hubble Lithium AM2 Battery 51V 110Ah 5.5kW
Wall Mount, Specification: 51V 5.5KWh, Rating: 1C, Parallel: up to 15 units per string
Extras: Battery Link & DC cables included
Internal Fire Suppression System: Yes, CAN Bus: Yes, Hubble Cloudlink Ready: Yes

Stock Code: 172-0105 - Hubble Lithium AM-5 Battery 51.2V 100Ah 5.12kW
Wall Mount, Rating: 1C, Parallel: up to 8 units per string, Extras: Battery Link & DC cables included, Internal Fire Suppression System: Yes, CAN Bus: Yes, Hubble Cloudlink Ready: Yes

SOLAR MD



Stock Code: 172-0030 - Solar MD Lithium Battery WM 48V 290Ah 14kW
Stock Code: 172-0132 - Solar MD Lithium Battery WM 48V 8.3kW

Stock Code: 172-0031 - Solar MD Data Logger V2
Stock Code: 172-0096 - Solar MD MSS33 22.2kWh Mini-grid Solution

SUNSYNK



Stock Code: 172-0075 - Sunsynk Battery LFP WM 48V 5.32kWh
Wall Mount, Specification: 51.2V 5.32KWh, Rating: 1C, Parallel: up to 8 units per string, Excluding Battery Link & DC Cables, CAN Bus: Yes, 45kg 450x150x533mm

Stock Code: 172-0036 - Sunsynk Battery LFP WM 48V 10.65kWh
Wall Mount, Specification: 51.2V 10.65KWh, Rating: 1C, Parallel: up to 8 units per string, Excluding Battery Link & DC Cables, CAN Bus: Yes, 90kg 550x160x836mm

Stock Code: 172-0099 - Sunsynk Battery LFP WM 48V 15.97kWh
Wall Mount, Specification: 51.2V 15.97KWh, Rating: 1C, Parallel: up to 8 units per string, Excluding Battery Link & DC Cables, CAN Bus: Yes

PYLONTECH



Stock Code: 172-0070 - Pylontech Lithium Battery US3000C 48V 70Ah 3.5kW

Stock Code: 172-0067 - Pylontech Lithium Battery UP5000 48V 100Ah 4.8kW

LFP



Stock Code: 172-0098 - LFP Battery LiFePO4 12.8V 100aH

NARADA



Stock Code: 172-0008 - Narada Lithium Battery 48V 50Ah 2.4kW (442 x 390 x 132.5mm)
Stock Code: 172-0009 - Narada Lithium Battery 48V 100Ah 4.8kW (440 x 400 x 220mm)

LIGHTING



Stock Code: 172-0085 - Gizzu 10W Solar Lighting Kit
3 x 2W LED lamp. 5V USB to charge mobile devices. Off-the-grid capability (100% solar charge). Highly efficient polycrystalline silicon solar panels. Long battery life cycle.

SOLAR CONNECTORS



Stock Code: 172-0007 - Solar Plug to Socket MC4 Fused 10x38 1000V 10A
Stock Code: 172-0019 - Solar Plug & Socket Set MC4-1MF



Stock Code: 172-0020 - Solar Y3 3 Way Splitter Set 2Pcs
Stock Code: 172-0028 - Solar MC4 Y Adaptor 3 Way Splitter Set 2Pcs



Stock Code: 172-0010 - Solar MC4 Male + Female Replacement Pins 1500V 30A

SOLAR PANELS



Stock Code: 172-0051 - Solar Panel 6V 1 Watt - 0.17A School Project

Stock Code: 172-0033 - Solar Panel 12V 2W Poly 110x136x3mm School Project
Stock Code: 172-0071 - Cinco Solar Panel 30W 21.8V 1.7A 36 Cell Poly - 510 x 450 x 25mm



Stock Code: 172-0042 - Cinco Solar Panel 50W 22V 3.01A 36 Cell Poly
Dimensions: 695 x 510 x 25mm Maximum Power at STC (Pmax): 50W Optimum Operating Voltage (Vmp): 17.8V Optimum Operating Current (Imp): 2.81A Open-Circuit Voltage (Voc): 22.00V Short-Circuit Current (Isc): 3.01A

Stock Code: 172-0022 - Cinco Solar Panel 120W 21.84V 7.06A 36 Cell Poly - 1180 x 680 x 30mm



Stock Code: 172-0108 - Cinco Solar Panel 180W 45.76V 5.22A 72 Cell Poly - 1250 x 992 x 35mm

Stock Code: 172-0037 - Solar Panel JA Solar Mono 380W 41.62V 10.93A - 1769 x 1052 x 35mm

Stock Code: 172-0109 - Solar Panel Longi Mono 435W 49.1V 11.35A - 2094 x 1038 x 35mm

Stock Code: 172-0038 - Solar Panel Canadian Mono 455/460W - 455W 49.3V 11.66A 2108 x 1048 x 35mm 24.3kg

Stock Code: 172-0032 - Solar Panel Canadian Solar 545/550W 49.6V 14A - 2261 x 1134 x 30mm

Stock Code: 172-0021 - Cinco Solar Panel 160W 22.39V 9.53A 36 Cell Poly - 1250 x 992 x 35mm

STICKER BOOK FOR SOLAR

Stock Code: 172-0129 - Electricians Solar Sticker Booklet



MC4 SPANNER

Stock Code: 172-0128 - Solar Connector MC4 Spanner Set of 2
Stock Code: 172-0133 - Solar Connector MC4 Spanner 1 Piece



SOLAR TOOL KIT

Stock Code: 172-0023 - Solar Tool Kit
MC4 Crimper, Wire Stripper 2.5, 4, 6mm, Wire Cutter, MC4 Spanner, Set of MC4 Connectors



SOLAR CONTROLLERS

Stock Code: 172-0005 - Epsolar Tracer 4210AN 40A MPPT 100V - 12/24V @ 40A
Stock Code: 172-0050 - Epsolar Tracer 6420AN 60A MPPT 200V - 12/24/36/48V - 60A



Stock Code: 172-0039 - Victron MPPT Solar Charge Controller 75V 15A



Stock Code: 172-0048 - Solar Regulator PWM 20A
Stock Code: 172-0049 - Solar Regulator PWM 30A
Stock Code: 172-0106 - Solar Charge Controller PWM 40A



MOUNTING ACCESSORIES



Stock Code: 172-0045 - Solar Panel Mounting Water Tank



Stock Code: 172-0046 - Solar Panel IBR Fixture (Per One)

Stock Code: 172-0084 - Solar Panel Tile Roof Hook Complete Galvanized

Stock Code: 172-0097 - Solar Panel Grounding Clip

Stock Code: 172-0102 - Solar Panel Custom Inclined Frame Portrait 30 Deg



Stock Code: 172-0113 - Solar Panel End Clamp 30mm (Per One)
Stock Code: 172-0114 - Solar Panel End Clamp 35mm (Per One)
Stock Code: 172-0115 - Solar Panel End Clamp 40mm (Per One)




Stock Code: 172-0116 - Solar Panel Middle Clamp 30mm (Per One)
Stock Code: 172-0117 - Solar Panel Middle Clamp 35mm (Per One)
Stock Code: 172-0118 - Solar Panel Middle Clamp 40mm (Per One)

Stock Code: 172-0057 - Solar Panel Light Duty Rail 4.45M (Per Length)



Stock Code: 172-0058 - Solar Panel Connector Joiner for Rail (Per One)

Stock Code: 172-0059 - Solar Panel Tile Roof Hook Complete (Per One)



Stock Code: 172-0060 - Solar Panel IBR Short Bracket (Per One)

Stock Code: 172-0107- Solar Panel KlipLok Roof Clamp (Per One)



Stock Code: 172-0122 - Solar Panel M8 x 25 SS Cap Screw Only
Stock Code: 172-0123 - Solar Panel M8 x 30 SS Cap Screw Only
Stock Code: 172-0124 - Solar Panel M8 x 35 SS Cap Screw Only
Stock Code: 172-0125 - Solar Panel Alu Drop in Nut for M8 Bolt

Stock Code: 172-0136 - Solar Panel Small 90Deg Angle for Roof Hook
Stock Code: 172-0025 - Solar Panel Roof Hook Coach Screw 8x60mm



Stock Code: 172-0029 - Solar Panel Cable Clip Stainless Steel

Stainless steel. No cable ties required. Exceptional longevity. Fast assembly. For attachment to edges with 1-3mm in thickness. For cable area 4.0-6.0mm2 (outer diameter 6.0-7.5mm). 2 cables can be mounted in the clip. Excellent choice when installing solar panels. Fast and easy installation of cables without cable ties.

UPS

Stock Code: 172-0083 - Gizzu 60W 65Wh 17600mAh Mini POE DC UPS



Power your Router and ONU (Optical Network Unit) during power outages. Keep your mobile devices charged with dual USB ports
65Wh High-capacity Lithium-ion batteries. Power your CCTV cameras and VoIP phones with Gigabit PoE. Compatible with a wide range of routers. Intelligent protective design with over-charge, over-discharge, and short circuit protection.

INVERTER ACCESSORIES (CABLES, MOUNTING BRACKETS & WIFI DONGLE)

MOUNTING BRACKET

Stock Code: 172-0003 - Inverter Mounting Panel

WIFI DONGLE



Stock Code: 172-0004 - Wifi Module for Axpert King 2020
Stock Code: 172-0134 - Sunsynk V2 Wifi Dongle (Sunsynk App)

SUNSYNK BATTERY CONNECTOR



Stock Code: 172-0119 - Sunsynk Battery Connector Red for 5kW
Stock Code: 172-0120 - Sunsynk Battery Connector Black for 5kW
Stock Code: 172-0126 - Sunsynk Battery Connector Red for 10kW
Stock Code: 172-0127 - Sunsynk Battery Connector Black for 10kW
Sunsynk Red and Black Connectors for Cable from Inverter to battery.

SOLAR MD FUSE



Stock Code: 172-0131 - Solar MD Fuse 200A for SS4143

AUTO VOLTAGE PROTECTOR



Stock Code: 172-0130 - AVP60 Auto Voltage Protector 60A 230V
Disconnect 185V / 260V. Reconnect 190V / 258V. 10 Sec to 10 Min User Adjustable

---

SOLDERING & ACCESSORIES

DESOLDERING IRONS



Stock Code: 175-0045 - Electric Desoldering Iron

GAS SOLDERING IRONS

Stock Code: 175-0030 - Portasol II Black Gas Soldering Iron



The Portasol Pro II is a cordless, butane-powered soldering iron and heat tool. It features built-in Piezo ignition, adjustable power equivalent to 15–90 Watts, and an impressive 2.5-hour run time between 30-second standard butane refills.

Stock Code: 175-0031 - Portasol II Gas Soldering Kit

Stock Code: 175-0074 - Draper Micro Refill Butane / Gas Soldering Iron



The Draper Micro Refill Butane Soldering Iron is a compact (147mm) cordless tool powered by standard butane lighter fuel. It features an instant electronic ignition, adjustable flame control, and provides up to 20 minutes of continuous use per fill.

SOLDERNG IRONS

WELLER

Stock Code: 175-0042 - Weller Red Handle Soldering Iron 120 Watt



The Weller 120-Watt Soldering Iron (commonly associated with the red-handled SI120 heavy-duty or SP120 series) is a powerful, high-mass tool designed for demanding jobs like sheet metal work, light industrial applications, and heavy electronics

Stock Code: 175-0043 - Weller Soldering Iron 200 Watt

A 200-watt Weller soldering iron is a heavy-duty tool designed for high-mass soldering tasks like stained glass, large transformers, and thick copper wiring

BUDGET IRON

Stock Code: 175-0044 - Soldering Iron Budget 220V 30 Watt



For a basic 220V 30W soldering iron, you can get a reliable, budget-friendly tool for between R150 and R300. These entry-level pencil-style irons are ideal for small gauge wires, printed circuit boards (PCBs), and light DIY household repairs

MAGNUM

Stock Code: 175-0062 - Magnum 1000 Soldering Iron 50 Watt - For Magnum 2000 Station



The Magnum 1000SP is a 50W temperature-controlled soldering iron designed to operate with a 24V AC power source, such as the Magnum 2000.It features adjustable temperatures between 200°C and 420°C, thermocouple sensing, burn-proof silicon cables, and zero-leakage current.

Stock Code: 175-0063 - Magnum 1002 Soldering Iron 50 Watt - For Magnum 2002 Station



The Magnum 1002 Soldering Iron (50 Watt) is a 24VAC temperature-controlled soldering iron designed specifically for use with Magnum soldering stations (such as the 2002 and 2004 models). It features a burn-proof silicon cable, a built-in thermocouple for precise heat regulation, and long-life iron-plated tips.

Stock Code: 175-0064 - Magnum Soldering Iron 25 Watt



The Magnum 1230 is a 25W, 220V thermally balanced soldering iron designed for hobbyists, DIY makers, and occasional use. It is a standalone iron that doesn't require a separate soldering station and plugs directly into a wall outlet.

Stock Code: 175-0065 - Magnum 1220 Soldering Iron 60 Watt



The Magnum 1220 is a 220V, 60W temperature-controlled soldering iron that plugs directly into a standard wall outlet without requiring an external workstation. It features adjustable heat settings from 200°C to 420°C, a built-in proportional controller with ± 3% accuracy, and an LED heating-pulse indicator.

Stock Code: 175-0066 - Magnum 1012 Soldering Iron 12V



The Magnum 1012 is a portable 12V 25W DC soldering iron designed for remote work or emergencies where AC power is unavailable. It connects directly to a car battery using the included clips and reaches an operating temperature of about 400°C.

Stock Code: 175-0067 - Magnum Hot Air Pencil SM1004



The Magnum Hot Air Pencil SM1004 is a 24V, 80W precision hot air tool designed specifically for use with the Magnum 3004 Hot Air Station. It is primarily used for non-contact SMD (Surface Mount Device) soldering, component removal, and shrink-wrapping.

SMD ACCESSORIES



Stock Code: 175-0061 - Magnum SMD Removal Kit 3004

SMD Wire, Tweezers AA, Knife Clutch, Solder Removal Wick, SS Blade, Spring Fork with Handle, Spring Hook, Flux Pen with Flux

---

SOLDERNG STATIONS

MAGNUM



Stock Code: 175-0068 - Magnum 2000-1000 Station 50 Watt

General purpose 24vAC 50w transformer station, Safety-spring holder, cleaning sponge, Spare tip storage, Potential balance socket, Supplied with standard SM100003 tip (EW-303)



Stock Code: 175-0069 - Magnum 2002-1002 Station 50 Watt

Stepless temperature selection between 150°C & 450°C (302°F & 842°F), Thermocouple sensing to maintain tip temperature within ± 5°C of selected temperature, Electronic proportional control varies the heating period as required to maintain set temperature, Heating pulse indicator, Units earthed with potential balance socket, Triac switching at zero-crossover point, Robust ABS cabinet, Illuminated rocker switch, Safety-spring holder, Cleaning sponge, Spare tip storage, Potential balance socket, Supplied with standard SM100003 tip (EW-303)

Stock Code: 175-0070 - Magnum 2002-1002 Station 80 Watt

Stepless temperature selection between 150°C & 450°C (302°F & 842°F), Thermocouple sensing to maintain tip temperature within ± 5°C of selected temperature, Electronic proportional control varies the heating period as required to maintain set temperature, Heating pulse indicator, Units earthed with potential balance socket, Triac switching at zero-crossover point, Robust ABS cabinet, Illuminated rocker switch, Safety-spring holder, Cleaning sponge, Spare tip storage, Potential balance socket, Supplied with standard SM100003 tip (EW-303)



Stock Code: 175-0071 - Magnum 2006-1002 1003 Dual Soldering Station 80W

17, Temperature is accurate within ± 5°C of set temperature, cast iron stands, 1002 80w iron: Supplied with standard SM100003 tip (EW-303), 1003 micro iron: Supplied with standard SM100033 tip (RX-307)



Stock Code: 175-0072 - Magnum 3004 Hot Air Station 80 Watt

Hot Air Station 3004 supplied with 1004 Hot Air Pencil, nozzles, SMD removal kit and spring holder

DESOLDER STATION



Stock Code: 175-0073 - Magnum 3000 Desolder Station

Vacuum delay after activation, Temperature boost during vacuum, Separate switch for continual vacuum or blower operations, Temperature control of solder extractor via calibrated dial, Temperature control of Soldering Iron 1000SP (included) via an electronic controller in the handle, Spike suppression and filtering, Safe for use on static sensitive components, High efficiency vane-type vacuum pump, Connection for optional air output, Twin spring safety holder with cleaning sponge, Clog-resistant desoldering handpiece with glass tube to collect solder, Fuse protection on input & 24v output, Vacuum pump is activated by switch on handpiece, Supplied with the SM3000 desoldering kit, Supplied with standard SM100003 tip (EW-303)

SOLDERING IRON TIPS

PORTASOL



Stock Code: 175-0076 - Portasol PROII Tip 1mm P2-1

Stock Code: 175-0025 - Portasol PROII Tip P2-6 2.4mm DF 3-32



Stock Code: 175-0075 - Portasol PROII Tip Hot Blow P2-9

Stock Code: 175-0079 - Portasol PROII Tip Hot Knife

Stock Code: 175-0081 - Portasol PROII Tip Blow Torch P2-12

MAGNUM



Stock Code: 175-0052 - Magnum Tip EW-402 0.4mm

Stock Code: 175-0053 - Magnum Tip EW-301 0.8mm

Stock Code: 175-0054 - Magnum Tip EW-304 1.2mm
Stock Code: 175-0055 - Magnum Tip EW-303 1.6mm
Stock Code: 175-0056 - Magnum Tip EW-305 2.4mm
Stock Code: 175-0057 - Magnum Tip EW-307 3.2mm
Stock Code: 175-0058 - Magnum Tip EW-105 5.5mm
Stock Code: 175-0059 - Magnum Tip PLA TX-388
Stock Code: 175-0060 - Magnum Hot Air Station Nozzle
Stock Code: 175-0032 - Magnum Desolder Tip Plato 1.3mm
Stock Code: 175-0083 - Magnum Tip EW-306 2.0mm





WELLER

Stock Code: 175-0038 - Weller Tip PTH 0.8
Stock Code: 175-0039 - Weller Tip PTF 0.8
Stock Code: 175-0040 - Weller Tip PTK 1.2
Stock Code: 175-0041 - Weller Tip PTAA 1.6
Stock Code: 175-0035 - Weller Tip PTR 1.6
Stock Code: 175-0036 - Weller Tip PTB 2.4
Stock Code: 175-0037 - Weller Tip PTM 3.2





Stock Code: 175-0078 - Weller Tip CT5A7 1.6mm x 62mm

PORTASOL ACCESSORIES

Stock Code: 175-0080 - Portasol Gas Jet Venturi for PROII Gas Solder Iron



MAGNUM ACCESSORIES

Stock Code: 175-0046- Magnum SM1002 Element



Stock Code: 175-0047 - Magnum SM1000SP Element



Stock Code: 175-0048 - Magnum Temperature Assembly Board 1000SP

Stock Code: 175-0049 - Magnum Temperature Assembly Board SM2002PC



Stock Code: 175-0050 - Magnum 1002 Thermocouple

Stock Code: 175-0051 - Magnum 1002 Barrel & Nut

SOLDER ACCESSORIES

Stock Code: 175-0001 - Solder Stand



Stock Code: 175-0002 - Solder Sponge - 76x54x15mm



Stock Code: 175-0003 - Flux Pen

Dispenser For Various Kinds of Flux That Can Be Used. No Flux Agent Included



Stock Code: 175-0004 - Nasco Flux 200G

NASCO's plumbing fluxes, known as NASCO FLUX, is a water soluble, self-cleaning flux that activates on heating. The flux is specialized designed for copper joining and has excellent wetting properties thus ensuring the solder makes a solid joint between the copper fittings.



Stock Code: 175-0005 - Solder Paste Syringe 35G - Fridge



Stock Code: 175-0006 - Nasco Soldering Paste 200G

Non-corrosive flux for general purpose soldering of most materials (except aluminum and stainless steel) • This flux gives excellent" wetting" properties and enables the solder to penetrate the metals to be soldered



Stock Code: 175-0007 - Magnum Solder Paste Dispenser

It works like a miniature caulking gun. Simply pop-in a solder paste syringe, release the back trigger, and ease the plunger into the holding position, and voila -- you ready go. As you gently squeeze, you trigger the back spring, allowing the precise amount needed -- one drop at a time. The Magnum One Hand Solder Paste Dispenser is designed and built by Magnum with you in mind -- enabling your team to perform faster, more expediently -- saving you time and money.



Stock Code: 175-0084 - Flux Gel 10g



SOLDER SUCKERS & ACCESSORIES

BUDGET SOLDER SUCKER

Stock Code: 175-0008 - Solder Sucker Plastic



ALUMINIUM SOLDER SUCKER

Stock Code: 175-0086 - Aluminium Solder Sucker - 218

The Aluminium Solder Sucker is a reliable desoldering tool designed for precision electronics work. Built from full aluminium alloy, it is suitable for all types of solder joints, including through-hole components and surface mount devices (SMD). Its strong suction power, vacuum pump design, and automatic rebound allow for smooth, one-handed operation.



ORYX SOLDER SUCKER & ACCESSORIES

Stock Code: 175-0011 - Oryx O-Ring

Stock Code: 175-0012 - Oryx Foam Washer





SOLDERING ACCESSORIES

CHEMWICK

Stock Code: 175-0013 - Chemwick Desolder Braid

Chem-Wik Rosin is especially designed for today's heat sensitive electronic components. The lighter mass, pure copper braid construction allows for better thermal conductivity, even at low temperatures. Chem-Wik Rosin responds as much as 50% faster than conventional desoldering braids. This design minimizes overheating and requires less "contact" pressure for greater operator control.



SOLDERING WIRE

RESIN FLUX SOLDER



Stock Code: 175-0077 - Solder Wire 0.71mm 2% Resin 1m
Stock Code: 175-0022 - Solder Wire 0.71mm 2% Resin 10m
Stock Code: 175-0014 - Solder Wire 0.5mm 500G 2% Resin
Stock Code: 175-0015 - Solder Wire 0.71mm 250G 2% Resin +/- 87m
Stock Code: 175-0016 - Solder Wire 0.71mm 500G 2% Resin +/- 175m
Stock Code: 175-0017 - Solder Wire 0.9mm 500G 2% Resin
Stock Code: 175-0018 - Solder Wire 1.25mm 500G 2% Resin
Stock Code: 175-0019 - Solder Wire 2mm 500G 2% Resin

SOLDER CLAMP HOLDER ADJUSTABLE



Stock Code: 175-0085 - Soldering Clamp Holder Adjustable
Clamp Size 200mm, 360 Degree Rotation, ABS Grip Metal Base

SPRAYS & CHEMICALS

FERRICH CHLORIDE



Stock Code: 180-0001 - Ferrich Chloride 1L

For development & prototyping etching printed circuit boards

FLUX



Alpha E191/1 Is a Very Efficient Halide-Free and Rosin/Resin free, Low Solids, No-Clean Flux. After Soldering, a Very Small Amount of Barely Visible Residue Is Left Which Is Tack-Free and Non-Corrosive.

Stock Code: 180-0040 - Liquid Flux 200ML

Stock Code: 180-0041 - Liquid Flux 500ML

Stock Code: 180-0002 - Liquid Flux 1L

ALCOHOL



IPA – Isopropyl Alcohol Is a Highly Effective, General Use Cleaning Solvent That Is Used to Clean a Variety of Substrates and Remove a Variety of Soils.

Stock Code: 180-0003 - Alcohol Isopropanol 99.6 Perc 1L

Stock Code: 180-0004 - Alcohol Isopropanol 99.6 Perc 5L

Stock Code: 180-0005 - Alcohol Isopropanol 99.6 Perc 25L

POTTING COMPOUND



Eli-Cast FR/453 is a filler extended two-part Polyurethane Resin, very low shrinkage, low heat development, good dielectric strength, and good impact resistance. Suggested applications. 80°C PCB Encapsulation - Electronic components - Encapsulation/Potting - Transformers - Switchgear - Ballast lighting.

Stock Code: 180-0006 - Resin Potting Comp. Brown 250G

Stock Code: 180-0007 - Resin Potting Comp. Brown 500G

CLIPPER GAS



Stock Code: 180-0008 - Clipper Gas Universal 300ml

CRAMOLIN SPRAYS

Stock Code: 180-0009 - Cramolin Antistatik 200ml



ANTISTATIC Is a Clear and Safe Agent That Instantly Eliminates Static Build-Up Caused by Friction and Low Humidity Conditions. It Prevents Static Electricity That Can Damage Microelectronic Components, Semi-Conductors and Other Highly Sensitive Devices.

Stock Code: 180-0010 - Cramolin Freeze 200ml



It Ensures Rapid and Reliable Cooling Down To -50°C It Quickly Locates Thermal Intermittent Components Due To Heat Induced Failure It is flammable and evaporates immediately without leaving residue

Stock Code: 180-0011 - Cramolin Plastik 400ml



Plastic Coating Spray

Stock Code: 180-0013 - Cramolin Screen-TFT Spray 200ml

Screen Contains Dissolving Substances to Remove Dirt and Greasy Films from Glass, Plastics, Ceramics and Metals. The Additional Antistatic Effect Noticeably Prevents New Soiling. Screen Cleans Gently and Is safe To Use. It Will Not Smear, Stain, Scratch, Streak or Abrade.

KONTAKT CHEMIE SPRAYS



Stock Code: 180-0014 - Kontakt Chemie Antistatic 100 200ml

Inhibits Static Build Up. Helps To Protect Electrical Equipment by Preventing the Build Up of Static Electricity.



Stock Code: 180-0015 - Kontakt Chemie Flux SK10 200ml

Solder-Active Varnish. High-Grade Soldering Varnish Manufacturing, Repair and Service Purposes. Prevents oxidation on printed circuit boards during intermediate storage



Stock Code: 180-0016 - Kontakt Chemie Kontakt 60 200ml

Contact De-Oxidiser, Dissolves Corrosion Layers, Restoring the Metal Contact. Optimum Contact Conditions Are Reached When Residues Dissolved Using Kontakt 60, Are Rinsed Off with Kontakt WL Prior To Protection with Kontakt 61.



Stock Code: 180-0017 - Kontakt Chemie Kontakt 61 200ml

This Mineral Oil-Based Electrical Contact Cleaner Is Designed to Improve the Performance and Lifespan of Electrical Connections. It Cleans, Lubricates, And Protects Contacts from Moisture and Corrosion, Making It Essential for Professionals in Automation and Electronics. The Aerosol Format Allows for Precise Application, Facilitating Effective Maintenance of Electrical Contacts.



Stock Code: 180-0018 - Kontakt Chemie Kontakt PCC 200ml

Flux Residues Dissolver, Removes Flux Residues from Electronic Assemblies, Equipped with Applicator Brush Attached for Mechanical Support. Compatible With Solder Resist Coatings and Commonly Used for Printed Circuit Board Base Materials and Components

Stock Code: 180-0038 - Kontakt Chemie Kontakt PCC 400ml



Stock Code: 180-0019 - Kontakt Chemie Kontakt WL 200ml

Special Cleaner and Wash-Spray, Washes Away Dissolved Oxides, Grease and Dirt (After Usage of Kontakt 60). Effective Agent for Cleaning and Degreasing Electrical Equipment, Circuit Boards and Electronic Components



Stock Code: 180-0020 - Kontakt Chemie Label Off 50 200ml

For Removal of Self-Adhesive Paper Labels Without Damaging the Underlying Surface



Stock Code: 180-0021 - Kontakt Chemie Lub Oil 88 200ml

Aerosol Lubricating Oil, Dissolves Dirt, Does Not Contain Silicon



Stock Code: 180-0022 - Kontakt Chemie Plastik 70 200ml

Plastik/Conformal Film Coating for Protection of Printed Circuit Boards



Stock Code: 180-0023 - Kontakt Chemie Positiv 20 White & Purple 200ml

Photo Sensitive Lacquer (UV) / For Production and Development Etching of PCB'S And Other Applications Requiring an Etch Resist



Stock Code: 180-0024 - Kontakt Chemie Silicone 72 200ml

Silicone Insulator / Lubricant / Protector / Release Agent / Prevents Corona Effect



Stock Code: 180-0025 - Kontakt Chemie Tuner 600 200ml

For Use Where Sensitive Plastics Are Involved

RESOLVE SPRAYS



Stock Code: 180-0027 - Resolve All Purpose Water Repelling 200ml

It Can Be Used on Metals, Rubber, Wood, Glass, Painted Surfaces and Other Substances. ALLPUR Penetrates Quickly to Loosen Corroded Nuts, Bolts, Fastener Screws and Sliding Parts. It Also Works as A Rust Inhibitor and Moisture Retardant to Protect and Lubricate Practically Every Mechanical Parts and Component.



Stock Code: 180-0028 - Resolve Conformal Coating PC Board Varnish 200ml

PCB Varnish, Clear, Self Drying Silicon Resin



Stock Code: 180-0029 - Resolve Dust Buster 300 200ml

Dry Air in A Can, For Easy Removal of Dust From: Camera Lenses, Keyboards, Electronic Devices, Connectors

Stock Code: 180-0030 - Resolve Flux Remover 200ml
Removes Flux Residues, Finger Prints, Water Marks, Dirt & Grease from PCB's



Stock Code: 180-0031 - Resolve Freezer F40 200ml
A Cooling Agent for Thermal Fault Locating



Stock Code: 180-0032 - Resolve Label Remover 350 200ml
Removes Glue from Metal, Glass and Wood

ULTRASOL SPRAYS

Stock Code: 180-0033 - Ultrasol Blow Cleaner 400ml
Cleaning Without Solvents, Minimizes Abrasion Risk, Provides Service to Components in Inaccessible Places, Blows Away Dust, Debry and Lint



Stock Code: 180-0035 - Ultrasol Freezer 400ml
Develops Frost in Designated Area



MULTI PURPOSE LUBRICANT

Stock Code: 180-0037 - Q20 Multi-Purpose Lubricant 300ml
Moisture Repellent for Protecting and Removing Moisture from Wet Ignition Systems on Cars, Trucks, Motorbikes, Marine Engines and Electric Motors



ELECTRICAL CONTACT LUBRICANT

Stock Code: 180-0039 - Spanjaard Electrical Contact Lubricant 1010 500g
A lubricant for heavy duty switchgear. Does not increase electrical resistance during use. Prolongs contact life. Has good lubricating properties, even with heavy wiping contacts. Lowers resistance across contacts. Prevents tracking and shorting out. Eliminates arcing. Does not carbonize or form harmful deposits. Helps remove existing carbon deposits. Is not harmful to plastics and rubbers.



SURGE PROTECTORS

GAS ARRESTORS - Gas Discharge Glass Tube Arrestor

A safety device used in either electrical/electronic circuits or industrial gas/welding lines to block dangerous overvoltage's, reverse gas flows, or flames.



Stock Code: 185-0001 - Gas Arrestor 90V
Stock Code: 185-0002 - Gas Arrestor 220V

MOV'S (METAL OXIDE VARISTORS)

Zinc Oxide Varistor Are Non-Linear Resistors Utilizing Semiconductor Ceramic Element Which Mainly Composed of Zinc Oxide. When The Applied Voltage on Both Termination Reach the Surge Value, The Voltage of Electronic Circuit Would Be Reduced to Protect the Other Components.



Stock Code: 185-0003 - MOV 7D220K 22V 14VAC 18VDC 7mm
Stock Code: 185-0004 - MOV 7D390K 39V 25VAC 31VDC 7mm
Stock Code: 185-0005 - MOV 7D560K 56V 35VAC 45VDC 7mm
Stock Code: 185-0006 - MOV S20K60 100V 60VAC 85VDC 20mm
Stock Code: 185-0007 - MOV 7M90VB 150V 95VAC 125VDC 7mm
Stock Code: 185-0008 - MOV S10K150 240V 150VAC 200VDC 10mm
Stock Code: 185-0009 - MOV 14D391K 390V 250VAC 320VDC 14mm
Stock Code: 185-0010 - MOV 20D391K 390V 250VAC 320VDC 20mm
Stock Code: 185-0011 - MOV 14D431K 430V 275VAC 350VDC 14mm
Stock Code: 185-0012 - MOV 20D431K 430V 275VAC 350VDC 20mm
Stock Code: 185-0047 - MOV 20D471K 470V 300VAC 385VDC 20mm
Stock Code: 185-0013 - MOV 20N511K 510V 320VAC 418VDC 20mm
Stock Code: 185-0014 - MOV 14D681K 680V 420VAC 560VDC 14mm
Stock Code: 185-0015 - MOV 20D681K 680V 420VAC 560VDC 20mm
Stock Code: 185-0048 - MOV 14D471K 470V 300VAC 385VDC 14mm
Stock Code: 185-0049 - MOV S14K150 240V 150VAC 200VDC 14mm

SURGE PROTECTION



Stock Code: 185-0016 - Surge Protection Plug with Indicator
Stock Code: 185-0017 - Surge Protection Mains Power Protector
Stock Code: 185-0018 - Surge Protection Plug With 2 Pin & 3 Pin
Stock Code: 185-0042 - Surge Protect Plug Top Green

TRANSORBS



UNIPOLAR

Stock Code: 185-0019 - 1.5KE13A
Stock Code: 185-0020 - 1.5KE16A
Stock Code: 185-0021 - 1.5KE18A
Stock Code: 185-0022 - 1.5KE 20A
Stock Code: 185-0023 - 1.5KE22A
Stock Code: 185-0024 - 1.5KE33A
Stock Code: 185-0025 - 1.5KE39A
Stock Code: 185-0026 - 1.5KE51A
Stock Code: 185-0027 - 1.5KE75A
Stock Code: 185-0028 - 1.5KE130A
Stock Code: 185-0029 - 1.5KE150A
Stock Code: 185-0030 - 1.5KE180A
Stock Code: 185-0031 - 1.5KE200A
Stock Code: 185-0032 - 1.5KE300A
Stock Code: 185-0033 - 1.5KE350A
Stock Code: 185-0050 - 1.5KE6V8A



BI POLAR

Stock Code: 185-0034 - 1.5KE15CA
Stock Code: 185-0035 - 1.5KE16CA
Stock Code: 185-0036 - 1.5KE18CA
Stock Code: 185-0037 - 1.5KE20CA
Stock Code: 185-0038 - 1.5KE33CA
Stock Code: 185-0039 - 1.5KE36CA
Stock Code: 185-0040 - 1.5KE39CA
Stock Code: 185-0041 - 1.5KE51CA
Stock Code: 185-0042 - 1.5KE68CA
Stock Code: 185-0043 - 1.5KE200CA
Stock Code: 185-0044 - 1.5KE250CA
Stock Code: 185-0045 - 1.5KE300CA
Stock Code: 185-0046 - 1.5KE400CA

SWITCHES

DIP SWITCHES 2.54mm Pitch



Stock Code: 190-0001 - DIP Switch 2 Way - 100mA
Stock Code: 190-0002 - DIP Switch 4 Way - 100mA
Stock Code: 190-0003 - DIP Switch 6 Way - 100mA
Stock Code: 190-0004 - DIP Switch 8 Way - 100mA
Stock Code: 190-0005 - DIP Switch 10 Way - 100mA

FAN PULL SWITCH



Stock Code: 190-0006 - Fan Pull Light Switch - 250V 3A
Stock Code: 190-0007 - Fan Pull Switch 3 Step - 250V 3A

FLOAT SWITCH



Stock Code: 190-0008 - Float Switch Liquid Level Sensor Internal Mount

---

KEYSWITCHES



Stock Code: 190-0009 - Key switch Small B0800 2 Terminal 2KP Round Key
SPST/OFF-ON/90DEG/125V 1A 250V 0.5A
Stock Code: 190-0010 - Key switch Small B0820 2 Terminal 1KP Round Key
SPST/OFF-ON/90DEG/125V 1A 250V 0.5A
Stock Code: 190-0011 - Key switch Small B0829 2 Terminal 1KP Round Key
MOMENTARY ON/OFF-(ON)/90DEG/125V 1A 250V 0.5A
Stock Code: 190-0012 - Key switch Small B0830 2 Terminal 2KP Flat Key
SPST/OFF-ON/90DEG/125V 1A 250V 0.5A
Stock Code: 190-0013 - Key switch Small B0840 2 Terminal 1KP Flat Key
SPST/OFF-ON/90DEG/125V 1A 250V 0.5A
Stock Code: 190-0014 - Key switch Large B0860 2 Terminal 1KP Round Key
SPST/OFF-ON/90DEG/125V 4A 250V 2A
Stock Code: 190-0015 - Key switch Large B0861 2 Terminal 2KP Round Key
SPST/OFF-ON/90DEG/125V 4A 250V 2A
Stock Code: 190-0016 - Key switch Large B0862 2 Terminal 1KP Round Key
MOMENTARY ON/OFF-(ON)/90DEG/125V 4A 250V 2A
Stock Code: 190-0017 - Key switch Large B0931 2 Terminal 2KP Flat Key
SPST/OFF-ON/90DEG/125V 4A 250V 2A
Stock Code: 190-0018 - Key switch Large KS24 4 Terminal 1KP Round Key
MOMENTARY OFF-ON/90DEG/12VDC 5A MAX - Opposing Double Pole

BATTERY CUT OFF SWITCHES



Stock Code: 190-0165 - Battery Cut Off Switch 100A
100A Max.32V DC Car Battery Switch. Mounting Hole: about 29mm. Material: ABS plastic + copper plated silver inner core. Switch Function: 2P SPST OFF-ON. Rated Current: 100A. Voltage: 32V DC max (100A). Intermittent Rating: 150 A. Cranking Rating: 500 A 5 sec. Contact Resistance: 50m ohm max. Insulation Resistance: 500V DC 100m ohm Min. Dielectric Strength: 1000V AC 1 minute, 2000V DC 1 minute.

Stock Code: 190-0223 - Battery Cut Off Switch 200A
200A Max.32V DC Car Battery Switch. Switch Function: 2P SPST OFF-ON. Rated Current: 200A. Voltage: 32V DC max (200A).



Stock Code: 190-0288 - Battery Cut Off Switch 300A On-Off
300A Max.12-24VDC Car Battery Switch. Switch Function: 2P SPST OFF-ON. Rated Current: 300A. Voltage: 12-24VDC max (300A).

Stock Code: 190-0289 - Battery Cut Off Switch 300A On-Off-On
300A Max.12-24VDC Car Battery Switch. Switch Function: 3P DPST ON-OFF-ON. Rated Current: 300A. Voltage: 12-24VDC max (300A).

LATCHING 22MM STAINLESS STEEL PUSH BUTTONS



Stock Code: 190-0253 - Latching Push Button 22mm SS Illum Yellow NO&NC - 250VAC 5A 1NO+1NC
Stock Code: 190-0268 - Latching Push Button 16mm SS Illuminated Red - 12VDC 5A 1NO+1NC
Stock Code: 190-0269 - Latching Push Button 16mm SS Illuminated Green - 12VDC 5A 1NO+1NC
Stock Code: 190-0270 - Latching Push Button 16mm SS Illuminated Blue - 12VDC 5A 1NO+1NC
Stock Code: 190-0271 - Latching Push Button 16mm SS Illuminated White - 12VDC 5A 1NO+1NC
Stock Code: 190-0272 - Latching Push Button 16mm SS Illuminated Yellow - 12VDC 5A 1NO+1NC

SMALL LATCHING PUSH BUTTONS



Stock Code: 190-0275 - Latching Push Button SPST On-Off 27x18x9.7mm - 2 Terminal 12V 0.5A
Stock Code: 190-0019 - Latching Push Button SPST Mini PCB Mount - 6 Terminal 30V 0.1A
Stock Code: 190-0020 - Latching Push Button SPST On-Off Xsmall - 2 Terminal 30V 1A
Stock Code: 190-0021 - Latching Push Button SPST Inline School Project - 250V 1A

ROUND LATCHING PUSH BUTTONS



Stock Code: 190-0022 - Latching Push Button SPST Small Round Red - 2 Terminal 250V 1A
Stock Code: 190-0023 - Latching Push Button SPST Smal Round Black - 2 Terminal 250V 1A
Stock Code: 190-0024 - Latching Push Button SPST Medium Round Red - 2 Terminal 250V 1A
Stock Code: 190-0025 - Latching Push Button SPST Medium Round Green - 2 Terminal 250V 1A
Stock Code: 190-0026 - Latching Push Button 4PDT Large Round ILL Red - 4 Terminal 250V 6A

SQUARE LATCHING PUSH BUTTONS



Stock Code: 190-0027 - Latching Push Button SPST Square Red - 2 Terminal 250V 1A
Stock Code: 190-0028 - Latching Push Button SPST Square Black - 2 Terminal 250V 1A
Stock Code: 190-0029 - Latching Push Button SPST Square White - 2 Terminal 250V 1A

METAL LATCHING PUSH BUTTONS



Stock Code: 190-0030 - Latching Push Button DPDT Metal - 6 Terminal 250V 2A M12 Cutout

WATERPROOF LATCHING PUSH BUTTONS



Stock Code: 190-0031 - Waterproof Latching Push Button SPST Small Red - 4 Terminal 250V 6A M20 Cutout
Stock Code: 190-0032 - Waterproof Latching Push Button SPST Large Red - 3 Terminal 12VDC 10A M22 Cutout

PCB MOUNT LATCHING PUSH BUTTONS



Stock Code: 190-0235 - Latching Push Button Miniature SPDT PCB - 3 Terminal 250V 3A, 125V 5A

MICRO SWITCHES

SUB MINI - Size - 12.8x10x5.7mm (Height Incl Pin Length) Hole Spacing: 6.5mm



Stock Code: 190-0038 - Micro Sub Mini SPDT NO NC Button 250V 1.5A
Stock Code: 190-0039 - Micro Sub Mini SPDT NO NC Lever 18mm 250V 1.5A

MINI - 250V 3A Size - 19.8x10.6mm Hole Spacing: 9.5mm



Stock Code: 190-0040 - Micro Mini SPDT NO NC Button No Lever 250V 3A
Stock Code: 190-0041 - Micro Mini SPDT NO NC Short Lever 14mm 250V 3A
Stock Code: 190-0042 - Micro Mini SPDT NO NC Long Lever 30mm 250V 3A
Stock Code: 190-0043 - Micro Mini SPDT NO NC Lever Roller 18mm 250V 3A

LARGE 5A - 250V 5A Size - 27.8x15.9mm Hole Spacing: 10.3mm



Stock Code: 190-0044 - Micro Large SPST NO NC Button No Lever 250V 5A
Stock Code: 190-0045 - Micro Large SPDT NO NC Short Lever 250V 5A
Stock Code: 190-0046 - Micro Large SPDT NO NC Medium Lever 27mm 250V 5A
Stock Code: 190-0047 - Micro Large SPDT NO NC Long Lever 51mm 250V 5A
Stock Code: 190-0048 - Micro Large SPDT NO NC Short Bent 24mm 250V 5A
Stock Code: 190-0049 - Micro Large SPDT Short Lever Roller 12mm 250V 5A
Stock Code: 190-0050 - Micro Large SPDT Long Lever Roller 25mm 250V 5A

LARGE 16A - 250V 16A Size - 27.8x15.9mm Hole Spacing: 10.3mm



Stock Code: 190-0051 - Micro Large SPDT NO NC Button No Lever 250V 16A
Stock Code: 190-0052 - Micro Large SPDT NO NC Long Lever 51mm 250V 16A
Stock Code: 190-0053 - Micro Large SPDT Short Lever Roller 12mm 250V 16A

SCREW TERMINAL MICRO - 250V 15A Size: 49.2x23.5mm Hole Spacing: 25.4mm



Stock Code: 190-0054 - Micro Screw Term SPDT NO NC Button 250V 15A
Stock Code: 190-0055 - Micro Screw Term SPDT NO NC Push Button 250V 15A
Stock Code: 190-0056 - Micro Screw Term SPDT Push Button Roller 250V 15A
Stock Code: 190-0057 - Micro Screw Term SPDT Long Lever 63mm 250V 15A
Stock Code: 190-0058 - Micro Screw Term SPDT Short Lever Roller 250V 15A
Stock Code: 190-0059 - Micro Screw Term SPDT Long Lever Roller 250V 15A
Stock Code: 190-0280 - Micro Screw Term SPDT NO NC Push Button Short
Stock Code: 190-0282 - Micro Screw Term SPDT Push Button Roller 90 Deg

LIMIT SWITCHES



Stock Code: 190-0276 - Limit Switch Safety 360deg Rotating Head 1C/O IP65 - 250V 3A



Stock Code: 190-0227 - Limit Switch SPDT NO NC with Roller Plunger - 250V 5A
Stock Code: 190-0033 - Limit Switch SPDT NO NC Short Arm + Roller On Lever - 250V 5A
Stock Code: 190-0034 - Limit Switch SPDT NO NC Adj. Roller On Lever - 250V 5A
Stock Code: 190-0035 - Limit Switch SPDT NO NC Spring Wire on Lever - 250V 5A
Stock Code: 190-0036 - Limit Switch SPDT NO NC Adj. Rod On Lever - 250V 5A
Stock Code: 190-0277 - Limit Switch SPDT NO NC with Roller Plunger - 250V 5A
Stock Code: 190-0281 - Limit Switch SPDT NO NC with Top Plunger

---

MERCURY SWITCH (TILT SWITCH)

Stock Code: 190-0037 - Mercury Tilt Switch
L: 9mm, Dia: 3.5mm, Mercury Weight: 0.18g M12 Cutout

NO NC MOMENTARY 22MM STAINLESS STEEL PUSH BUTTONS



Stock Code: 190-0256 - NO Push Button SPST Vandal Resistant IP65 19mm - 2 Terminal 36VDC 2A, S/S
Stock Code: 190-0263 - NO NC Push Button 16mm SS Illuminated Red - 12VDC 5A 1NO+1NC
Stock Code: 190-0264 - NO NC Push Button 16mm SS Illuminated Blue - 12VDC 5A 1NO+1NC
Stock Code: 190-0265 - NO NC Push Button 16mm SS Illuminated Green - 12VDC 5A 1NO+1NC
Stock Code: 190-0266 - NO NC Push Button 16mm SS Illuminated White - 12VDC 5A 1NO+1NC
Stock Code: 190-0267 - NO NC Push Button 16mm SS Illuminated Yellow - 12VDC 5A 1NO+1NC

SUB MINI NO MOMENTARY PUSH BUTTONS



Stock Code: 190-0068 - NO Push Button SPST Sub Mini Red - 2 Terminal 250V 0.5A
Stock Code: 190-0069 - NO Push Button SPST Sub Mini Black - 2 Terminal 250V 0.5A

MINI NO MOMENTARY PUSH BUTTONS- M7 Cutout



Stock Code: 190-0070 - NO Push Button SPST Mini Red - 2 Terminal 250V 0.5A
Stock Code: 190-0071 - NO Push Button SPST Mini Black - 2 Terminal 250V 0.5A
Stock Code: 190-0072 - NO Push Button SPST Mini Green - 2 Terminal 250V 0.5A
Stock Code: 190-0073 - NO Push Button SPST Mini Yellow - 2 Terminal 250V 0.5A
Stock Code: 190-0074 - NO Push Button SPST Mini Blue - 2 Terminal 250V 0.5A
Stock Code: 190-0075 - NO Push Button SPST Mini White - 2 Terminal 250V 0.5A

NO MOMENTARY PUSH BUTTONS - METAL CASING - M12 Cutout



Stock Code: 190-0076 - NO Push Button SPST Small Round Red Metal Casing—250V 1A

NO MOMENTARY PUSH BUTTONS - ROUND - M10 Cutout



Stock Code: 190-0078 - NO Push Button SPST Small Round Red - 2 Terminal 250V 1A
Stock Code: 190-0079 - NO Push Button SPST Small Round Black - 2 Terminal 250V 1A

NO & NC MOMENTARY PUSH BUTTONS



Stock Code: 190-0080 - NO & NC Push Button SPDT On-(On) - 3 Terminal 250V 2A 8mm w/Cap
Stock Code: 190-0081 - NO & NC Push Button DPDT On-Mom - 6 Terminal 250V 2A

NO MOMENTARY PUSH BUTTONS - ROUND - M12 Cutout



Stock Code: 190-0082 - NO Push Button SPST Medium Round Red- 2 Terminal 250V 1A

NO MOMENTARY PUSH BUTTONS - ROUND ILLUMINATED– 19.8mm Cutout



Stock Code: 190-0083 - NO Push Button 4PDT Round ILL Red - 4 Terminal 250V 6A

NO PUSH BUTTONS RAFI

Stock Code: 190-0292 - NO Push Button SPST RAFI Red - 2 Terminal 250V 0.7A, 15.2mm Cutout, IP40 / IP65

NO PUSH BUTTONS 19MM



Stock Code: 190-0247 - NO Push Button SPST 19mm Red
Stock Code: 190-0248 - NO Push Button SPST 19mm Black
Stock Code: 190-0250- NO Push Button SPST 19mm Green
Stock Code: 190-0251 - NO Push Button SPST 19mm Blue
Stock Code: 190-0252 - NO Push Button SPST 19mm White
Stock Code: 190-0253 - NO Push Button SPST 19mm Yellow

SQUARE NO MOMENTARY PUSH BUTTON - M12 Cutout



Stock Code: 190-0085 - NO Push Button SPST Square Red - 2 Terminal 250V 1A
Stock Code: 190-0086 - NO Push Button SPST Square Black - 2 Terminal 250V 1A
Stock Code: 190-0088 - NO Push Button SPST Square Green - 2 Terminal 250V 1A

METAL NO MOMENTARY PUSH BUTTONS



Stock Code: 190-0089 - NO Push Button SPST L-Shape Metal - 2 Terminal 250V 3A M12 Cutout
Stock Code: 190-0090 - NO Push Button DPDT Metal - 6 Terminal 250V 2A M12 Cutout
Stock Code: 190-0091 - NO Push Button SPST Metal Silver - 2 Terminal 250V 4A M19 Cutout

---

GUITAR NO MOMENTARY PUSH BUTTON - M12 Cutout



Stock Code: 190-0092 - NO Push Button TPDT Guitar Foot Switch - 250V 2A

WATERPROOF NO MOMENTARY PUSH BUTTON - M12 Cutout **IP67**



Stock Code: 190-0093 - Waterproof NO Push Button SPST Red Round - 125V 125MA
Stock Code: 190-0094 - Waterproof NO Push Button SPST Blue Round - 125V 125MA
Stock Code: 190-0095 - Waterproof NO Push Button SPST Green Round - 125V 125MA
Stock Code: 190-0096 - Waterproof NO Push Button SPST Black Round - 125V 125MA

MINI NC MOMENTARY PUSH BUTTONS - M12 Cutout



Stock Code: 190-0060 - NC Push Button Mini SPST Red - 2 Terminal 50V 0.3A
Stock Code: 190-0061 - NC Push Button Mini SPST Black - 2 Terminal 50V 0.3A

SQUARE NC MOMENTARY PUSH BUTTON - M12 Cutout



Stock Code: 190-0064 - NC Push Button SPST Square Red - 2 Terminal 250V 1A
Stock Code: 190-0065 - NC Push Button SPST Square Black - 2 Terminal 250V 1A

WATERPROOF NC MOMENTARY PUSH BUTTON - M12 Cutout **IP67**



Stock Code: 190-0066 - Waterproof NC Push Button SPST Red Round - 125V 125MA
Stock Code: 190-0067 - Waterproof NC Push Button SPST Blue Round - 125V 125MA

OTHER SWITCHES







Stock Code: 190-0262 - E10 School Series Switch
Stock Code: 190-0097 - Car Bonnet Switch Pin-2 On-(Off) - 12V 20A M7 Cutout
Stock Code: 190-0098 - Inline Bed Switch White - 250V 1A
Stock Code: 190-0099 - Inline Bed Switch Black - 250V 1A
Stock Code: 190-0100 - Inline Black Footswitch - 250V 1A
Stock Code: 190-0101 - Footswitch with Cable - 250V 10A

RB2 SWITCHES





Stock Code: 190-0102 - RB2 Fixing Collar for NO NC Contact Block
Stock Code: 190-0103 - RB2 Add on Contact Block - Red NC - 250V 10A
Stock Code: 190-0104 - RB2 Add on Contact Block - Green NO - 250V 10A



Stock Code: 190-0105 - RB2 Red Flush Push Button Head
Stock Code: 190-0106 - RB2 Green Flush Push Button Head



Stock Code: 190-0107 - RB2 2 Position Maintained Turning Head
Stock Code: 190-0255 - RB2 3 Position Maintained Turning Head



Stock Code: 190-0108 - RB2 2 Position Maintained Key Switch Head - (Key Removal Left + Right)
Stock Code: 190-0109 - RB2 3 Position Maintained Key Switch Head - (Key Removal Centre)



Stock Code: 190-0110 - RB2 Red Emergency Stop Twist Release Head
Stock Code: 190-0111 - RB2 Red Emergency with Key Release Head

REED SWITCHES



Stock Code: 190-0112 - Reed Switch NO SPST Small - 100V 0.5A
Stock Code: 190-0113 - Reed Switch NO SPST Large - 400V 5A

ROUND ROCKER SWITCHES

15MM



Stock Code: 190-0114 - Round Rocker SPDT On-Off Small 15mm - 3 Terminal 250V 3A

19.8MM



Stock Code: 190-0127 - Round Rocker SPST On-Off Red 19.8mm - 250V 6A

Stock Code: 190-0128 - Round Rocker SPST On-Off Green 19.8mm - 250V 6A

23MM - DOT 12V



Stock Code: 190-0115 - Round Rocker SPST On-Off DOT Red 23mm - 12V 16A

Stock Code: 190-0116 - Round Rocker SPST On-Off DOT Green 23mm - 12V 16A

Stock Code: 190-0117 - Round Rocker SPST On-Off DOT Blue 23mm - 12V 16A

Stock Code: 190-0118 - Round Rocker SPST On-Off DOT Yellow 23mm - 12V 16A

23MM - ILLUMINATED 12V



Stock Code: 190-0123 - Round Rocker SPST On-Off Multi Red 23mm - 12V 20A

Stock Code: 190-0124 - Round Rocker SPST On-Off Multi Green 23mm - 12V 20A

Stock Code: 190-0125 - Round Rocker SPST On-Off Multi Blue 23mm - 12V 20A

Stock Code: 190-0126 - Round Rocker SPST On-Off Multi Yellow 23mm - 12V 20A

23MM - PLAIN BLACK 250V



Stock Code: 190-0129 - Round Rocker SPST On-Off 23mm - 2 Terminal 250V 6A

Stock Code: 190-0130 - Round Rocker SPDT On-On 23mm - 2 Terminal 250V 6A

Stock Code: 190-0131 - Round Rocker SPST On-Off 23mm Square Casing - 2 Terminal 250V 6A

Stock Code: 190-0132 - Round Rocker SPST Off-(On) 23mm - 250V 6A

ROUND WATERPROOF ROCKER SWITCHES IP65



Stock Code: 190-0133 - Waterproof Round Rocker SPST Red On-Off - 3 Terminal 250V 10A

Stock Code: 190-0134 - Waterproof Round Rocker SPST Red On-Off 3T - 3 Terminal 250V 6A

Stock Code: 190-0135 - Waterproof Round Rocker DPST Red On-Off - 4 Terminal 250 10A

SQUARE ROCKER SWITCHES

15X10X17MM



Stock Code: 190-0240- Square Rocker SPST On-Off Small 15x10x17mm

13X19MM



Stock Code: 190-0136 - Square Rocker SPST On-Off 13X19 - 2 Terminal 250V 6A

Stock Code: 190-0137 - Square Rocker SPDT On-Off 13X19 - 3 Terminal 250V 6A

Stock Code: 190-0138 - Square Rocker DPDT On-On 13X19 - 6 Terminal 250V 6A



Stock Code: 190-0139 - Square Rocker SPST On-Off + Led 13X19 - 4 Terminal 250V 6A

Stock Code: 190-0140 - Square Rocker DPST On-Off Red 13X19 - 4 Terminal 250V 6A



Stock Code: 190-0141 - Square Rocker SPDT On-Off-On 13X19 - 3 Terminal 250V 6A

Stock Code: 190-0142 - Square Rocker SPST (On)-Off 13X19 - 2 Terminal 250V 3A

Stock Code: 190-0143 - Square Rocker SPDT (On)-Off-(On) 13X19 - 3 Terminal 250V 6A

RECTANGLE ROCKER (±11X30MM)



Stock Code: 190-0146 - Square Rocker SPST On-Off Red 11X30 - 3 Terminal 250V 10A
Stock Code: 190-0147 - Square Rocker SPST On-Off Green 11X30 - 3 Terminal 250V 10A
Stock Code: 190-0148 - Square Rocker SPST On-Off Orange 11X30 - 3 Terminal 250V 10A



Stock Code: 190-0254 - Square Rocker SPDT On-Off-On 30x11mm - 3 Terminal 250V 16A
Stock Code: 190-0273 - Square Rocker SPST On-Off Red Illuminate 12.8x32mm - 3 Terminal 250V 10A
Stock Code: 190-0274 - Square Rocker SPDT (On)-Off-(On) 30x11 - 3 Terminal 250V 15A
Stock Code: 190-0278 - Square Rocker SPST On-Off 30x14mm - 2 Terminal 250V 16A

WIDE ROCKER SWITCH



Stock Code: 190-0144 - Square Rocker DPST On-Off Wide 20X22 - 4 Terminal 250V 6A
Stock Code: 190-0145 - Square Rocker DPST (On)-Off Wide 20X22 - 4 Terminal 250V 6A

SQUARE ROCKER (±22X30MM)



Stock Code: 190-0149 - Square Rocker DPST On-Off Brown 25X25 - 4 Terminal 250V 16A
Stock Code: 190-0150 - Square Rocker DPST On-Off Red 27X22 - 4 Terminal 250V 16A



Stock Code: 190-0151 - Square Rocker DPST On-Off 25X31 - 4 Terminal 250V 16A
Stock Code: 190-0152 - Square Rocker DPDT On-Off 25X31 - 6 Terminal 250V 16A



Stock Code: 190-0153 - Square Rocker DPDT On-On Red 22X30 - 6 Terminal 250V 10A
Stock Code: 190-0154 - Square Rocker DPDT On-On Amber 22X30 - 6 Terminal 250V 10A
Stock Code: 190-0155 - Square Rocker DPDT On-On Green 22X30 - 6 Terminal 250V 10A



Stock Code: 190-0156 - Square Rocker DPST On-Off Dual 22X30 - 6 Terminal 250V 10A
Stock Code: 190-0157 - Square Rocker DPST (On)-On 22X30 - 4 Terminal 250V 16A
Stock Code: 190-0158 - Square Rocker DPDT On-Off-On 26X21 - 6 Terminal 250V 6A
Stock Code: 190-0159 - Square Rocker DPDT (On)-Off-(On) 22X30 - 6 Terminal 250V 6A
Stock Code: 190-0279 - Square Rocker DPDT On-Off-(On) 22X30- 6 Terminal 250V 10A
Stock Code: 190-0293 - Square Rocker DPST On-Off Red 25X31 H/Duty 30A - 4 Terminal 250V 30A

Stock Code: 190-0160 - Rocker Switch Dust Cover 25X32



SQUARE WATERPROOF ROCKER SWITCHES



Stock Code: 190-0161 - Waterproof Square Rocker SPST On-Off Red IP65



Stock Code: 190-0162 - Waterproof Square Rocker SPST On-Off Red B1324 IP65
Stock Code: 190-0163 - Waterproof Square Rocker DPST On-Off Red IP65



Stock Code: 190-0164 - Waterproof Square Rocker SPST On-Off Red B1326 IP56
Stock Code: 190-0166 - Waterproof Square Rocker DPST Red &Green On-Off-On IP66
Stock Code: 190-0167 - Waterproof Square Rocker SPST On-Off Black IP56

ROTARY SWITCHES



Stock Code: 190-0168 - Rotary Switch 1 Pole 12 Way - 250V 0.15A
Stock Code: 190-0169 - Rotary Switch 2 Pole 6 Way - 250V 0.15A
Stock Code: 190-0170 - Rotary Switch 3 Pole 4 Way - 250V 0.15A
Stock Code: 190-0171 - Rotary Switch 4 Pole 3 Way - 250V 0.15A

SLIDE SWITCHES







Stock Code: 190-0172 - Slide Switch Power 220V-115V DPDT PCB Mount - 250V 5A
Stock Code: 190-0173 - Slide Switch SPDT Mini 11.3x5.8x9.6 - 3 Terminal
Stock Code: 190-0174 - Slide Switch SPDT Small Offset - 3 Terminal
Stock Code: 190-0175 - Slide Switch DPDT Small 19X24X8 - 6 Terminal
Stock Code: 190-0176 - Slide Switch SPDT On-On 35X14X23 - 3 Terminal 250V 5A
Stock Code: 190-0177 - Slide Switch DP3T On-On-On 3 Position - 8 Terminal 250V 2A

TACT SWITCHES

SMD



Stock Code: 190-0178 - Tact Switch SMD 2 Pin 4X6 2.5mm
Stock Code: 190-0179 - Tact Switch SMD 4 Pin 5X5 1.5mm
Stock Code: 190-0180 - Tact Switch SMD 4 Pin 4.5X4.5 3.5mm

SMALL





Stock Code: 190-0181 - Tact Switch Small 4X6 5mm 2 Pin - 12V 50mA
Stock Code: 190-0185- Tact Switch Small 4.5X4.5 8mm - 12V 50mA

MEDIUM



Stock Code: 190-0186 - Tact Switch Medium 6X6 4.3mm - 12V 50mA
Stock Code: 190-0187 - Tact Switch Medium 6X6 5mm - 12V 50mA
Stock Code: 190-0188 - Tact Switch Medium 6X6 6mm - 12V 50mA
Stock Code: 190-0189 - Tact Switch Medium 6X6 8mm - 12V 50mA
Stock Code: 190-0190 - Tact Switch Medium 6X6 10mm - 12V 50mA
Stock Code: 190-0191 - Tact Switch Medium 6X6 13mm - 12V 50mA
Stock Code: 190-0192 - Tact Switch Medium 6X6 17mm - 12V 50mA

LARGE



Stock Code: 190-0193 - Tact Switch Large 12X12 4.3mm Flush Button - 12V 50mA
Stock Code: 190-0194 - Tact Switch Large 12X12 7.3mm Button for Cap - 12V 50mA
Stock Code: 190-0195 - Tact Switch Large 12X12 8mm - 12V 50mA

OTHER

Stock Code: 190-0196 - Tact Switch Round Button Cover - Tact Switch Round Button Cover
Stock Code: 190-0197 - Tact Switch on Cable - 12V 50mA

TOGGLE SWITCHES

SUB MINI TOGGLE SWITCH



Stock Code: 190-0198 - Toggle Switch Sub Mini SPDT On-On - 3 Terminal 250V 1.5A
Stock Code: 190-0199 - Toggle Switch Sub Mini DPDT On-On - 6 Terminal 250V 1.5A

MINI TOGGLE SWITCH



Stock Code: 190-0200 - Toggle Switch Mini SPDT On-Off - 3 Terminal 250V 3A
Stock Code: 190-0201 - Toggle Switch Mini DPDT On-On - 6 Terminal 250V 3A
Stock Code: 190-0202 - Toggle Switch Mini SPDT On-Off-On - 3 Terminal 250V 3A
Stock Code: 190-0203 - Toggle Switch Mini DPDT On-Off-On - 6 Terminal 250V 2A



Stock Code: 190-0204 - Toggle Switch Mini SPDT (On)-Off-(On) - 3 Terminal 250V 2A
Stock Code: 190-0205 - Toggle Switch Mini DPDT (On)-Off-(On) - 6 Terminal 250V 2A
Stock Code: 190-0206 - Toggle Switch Mini SPDT On-(On) - 3 Terminal 250V 2A
Stock Code: 190-0207 - Toggle Switch Mini SPDT On-Off-(On) - 3 Terminal 250V 2A



Stock Code: 190-0208 - Toggle Switch Mini DPDT On-Off-(On) - 6 Terminal 250V 2A
Stock Code: 190-0209 - Toggle Switch Mini 4 Pole QPDT On-On - 12 Terminal 250V 2A
Stock Code: 190-0210 - Toggle Switch Mini 4 Pole QPDT On-Off-On - 12 Terminal 250V 2A

LARGE TOGGLE SWITCH



Stock Code: 190-0211 - Toggle Switch Large SPST On-Off - 2 Terminal 250V 2A
Stock Code: 190-0212 - Toggle Switch Large DPDT On-Off - 6 Terminal 250V 2A



Stock Code: 190-0213 - Toggle Switch Large SPDT On-On - 3 Terminal 250V 10A
Stock Code: 190-0214 - Toggle Switch Large DPST On-Off - 4 Terminal 250V 6A
Stock Code: 190-0215 - Toggle Switch Large DPDT On-On - 6 Terminal 250V 5A



Stock Code: 190-0216 - Toggle Switch Large DPDT On-Off-On - 6 Terminal 250V 6A

PLASTIC TOGGLE SWITCH



Stock Code: 190-0217 - Toggle Switch Plastic SPST On-Off - 2 Terminal 250V 10A

CHILY TOGGLE SWITCH



Stock Code: 190-0218 - Toggle Switch Chily 7011 SPST On-Off - 2 Terminal 250V 20A
Stock Code: 190-0219 - Toggle Switch Chily 7012 SPDT On-On - 3 Terminal 250V 20A
Stock Code: 190-0220 - Toggle Switch Chily 7013 SPDT On-Off-On - 3 Terminal 250V 20A
Stock Code: 190-0221 - Toggle Switch Chily 7022 DPDT On-On - 6 Terminal 250V 20A



Stock Code: 190-0222 - Toggle Switch Chily 7023 DPDT On-Off-On - 6 Terminal 250V 20A
Stock Code: 190-0224 - Toggle Switch Chily 7026 DPDT (On)-Off-(On) - 6 Terminal 250V 20A

WATERPROOF TOGGLE SWITCH IP56



Stock Code: 190-0225 - Waterproof Toggle Switch B1300 SPST On-Off - 2 Terminal 250V 20A
Stock Code: 190-0226 - Waterproof Toggle Switch B1303 DPDT On-Off-On - 6 Terminal 250V 16A

TOGGLE SWTICH WITH LIGHT



Stock Code: 190-0241 - Toggle Switch Large SPST On-Off 12V 20A Red LED
Stock Code: 190-0242 - Toggle Switch Large SPST On-Off 12V 20A Green LED
Stock Code: 190-0243 - Toggle Switch Large SPST On-Off 12V 20A Blue LED
Stock Code: 190-0244 - Toggle Switch Large SPST On-Off 12V 20A White LED
Stock Code: 190-0245 - Toggle Switch Large SPST On-Off 12V 20A Yellow LED
Stock Code: 190-0246 - Toggle Switch Large SPST On-Off 12V 20A Purple LED

BOOTS FOR TOGGLE SWITCHES



Stock Code: 190-0227 - Rubber Boot Small for Toggle Switch
Stock Code: 190-0228 - Rubber Boot Large Other Toggle Switch Brass Thread
Stock Code: 190-0229 - Rubber Boot Large Chily Toggle Silver Thread

TOGGLE SWITCH PLATES



Stock Code: 190-0230 - Toggle Switch Plate On-Off Plate for M12 Toggle
Stock Code: 190-0231 - Toggle Switch Plate On-Off-On Plate for M12 Toggle
Stock Code: 190-0232 - Toggle Switch Plate On-On Plate for M12 Toggle

SAFETY COVER FOR TOGGLE SWITCHES



Stock Code: 190-0233 - Safety Cover for Toggle Switch Red
Stock Code: 190-0234 - Safety Cover for Toggle Switch Green

JOYSTICK



Stock Code: 190-0287 - Joystick 4 Direction Act Spring Return 4xNO 22mm

PROXYS IP67

M8



Stock Code: 190-0283 - Proxy M8 PNP NO Flush 10-30VDC 200mA 2mm
Stock Code: 190-0284 - Proxy M8 PNP NC Flush 10-30VDC 200mA 2mm
Stock Code: 190-0285 - Proxy M8 PNP NC Non-Flush 10-30VDC 200mA 4mm With Cable

M12



Stock Code: 190-0257 - Proxy M12 PNP NO NC Flush 10-30VDC 200mA 2mm
Stock Code: 190-0258 - Proxy M12 PNP NO NC Non-Flush 10-30VDC 200mA 4mm
Stock Code: 190-0290 - Proxy M12 NPN NO Non-Flush 10-30VDC 200mA 4mm With Cable
Stock Code: 190-0291 - Proxy M12 NPN/PNP/NO/NC Non-Flush 10-30V 100mA 4mm

M18



Stock Code: 190-0259 - Proxy M18 PNP NO NC Flush 10-30VDC 400mA 8mm
Stock Code: 190-0238 - Proxy M18 PNP NO NC Non-Flush 10-30VDC 12mm

M30

Stock Code: 190-0260 - Proxy M30 NPN NO NC Flush 10-30VDC 400mA 15mm
Stock Code: 190-0261 - Proxy M30 PNP NO NC Flush 10-30VDC 400mA 15mm
Stock Code: 190-0237 - Proxy M30 NPN PNP NO Non-Flush 10-30VDC 100mA 20mm



PROXY CABLES

Stock Code: 190-0236 - Proxy Sensor Cable M12 4 Pin 4A 2m
Stock Code: 190-0286 - Proxy Sensor Cable M8 3 Pin 4A 2m



THYRISTORS

DIAC



Stock Code: 195-0001 - Diac BR100-3 37V 2A 28-36 VOLT 2A DO-35 Package

---

SCRS

TO92



Stock Code: 195-0002 - MCR100-6 400V 0.8A

Sensitive Gate, Silicone Controlled Rectifier / Thyristor 0.8A 400V TO92 Package

Stock Code: 195-0003 - MCR100-8 600V 0.8A

Sensitive Gate Silicon Controlled Rectifiers Reverse Blocking Thyristors 0.8A 600V

Stock Code: 195-0011 - 2N6509 800V 25A

RMS On-State Current 80mA 200V TO-92 Package

TO220



Stock Code: 195-0004 - BT145 800V 25A Thyristor

RMS On State Current 25A 800V

Stock Code: 195-0005 - BT151 800V 12A

RMS On-State Current - 12A 800V

Stock Code: 195-0006 - BT152 800V 13A

RMS On-State Current 20A 800V

Stock Code: 195-0007 - TIC106D 600V 4A

Continuous On-State Current 5A 600V

Stock Code: 195-0010 - TD15-80 800V 14A

Stock Code: 195-0012 - 2N6509 800V 25A

RMS On-State Current 25A 800V TO220 Package

Stock Code: 195-0013 - BT151650R 600V 7.5A

RMS On-State Current 12A 600V TO220 Package

STUD MOUNT



Stock Code: 195-0008 - 25RIA 120 1200V 25A

TO48 Package 25A 1200V

Stock Code: 195-0009 - 50RIA 120 1200V 50A

TO65 Package 50A 1200V

THYRISOR MODULE



Stock Code: 195-0026 - SCR Dual Thyristor

1800V 116A Module

TOOLS

ANTI STATIC ACCESSORIES

Stock Code: 200-0002 - Antistatic Blue Wrist Strap

An antistatic (ESD) blue wrist strap protects sensitive electronics from electrostatic discharge during repairs or assembly. It features an adjustable elastic band with a conductive interior and a coiled cord with an alligator clip that attaches to a grounded, unpainted metal surface.



Stock Code: 200-0003 - Antistatic Ground Cord 10mm + 4mm Banana

An ESD (Electrostatic Discharge) antistatic ground cord features a 10 mm snap (female socket) at one end for connecting to wristbands or workbench mats, and a 4 mm banana plug at the other for grounding to a common point or earth



Stock Code: 200-0004 - Antistatic Table Mat 900x600x2mm Beige

The Antistatic Table Mat (900x600x2mm, Beige) is a heavy-duty ESD (Electrostatic Discharge) mat designed for electronic assembly, repair benches, and sensitive workstation areas. It protects delicate electronic components from static damage by safely dissipating electrical charges through a grounded system



CRIMPING TOOLS

UNINSULED LUG CRIMPING TOOL

Stock Code: 200-0016 - Crimping Tool HT-202B Uninsulated Lugs

Hand Crimper Crimping Tool for Computer Butterfly Pins & Sockets, D-Sub 26-28awg Wire, Insulated Butt Connectors 22-26awg, Non-Ins. Terminals 10-14,16-18,20-22 And for Fold-Over Terminals.



Stock Code: 200-0030- Crimping Tool YYT11 for Bosch Terminals 0.5 to 6mm

Features: Ratchet Release, Pressure Adjustment, Roll over Crimp. For use with Bosch Terminals



MULTI–PURPOSE CRIMPING TOOL

Stock Code: 200-0128 - Kennedy Crimping Tool Set with Interchangeable Jaw

8 Piece: Insulated terminal: 0.5- 6.0mm^2. Non-insulated terminal: 1.5mm^2 - 10mm^2. Open barrel terminal: 0.5 - 6.0mm^2. Cord end terminal (small AWG): 0.5mm^2 - 4.0mm^2. RG type coaxial cable connector: RG 58, 59, 62 and 6, 6.48mm - 8.23mm. Cord end terminal (large AWG): 0.5mm^2 - 16.0mm^2. Open barrel terminal 7 D-SUB, V3.5: 2.5mm^2 - 8.0 - 10.0mm^2



BOOTLACE CRIMPING TOOL

Stock Code: 200-0131 - Crimping Tool Bootlace 6mm-16mm

Features: Insulated- single and twin entry ferrules. Uninsulated ferrules. Adjustable crimping pressure. Ratchet release.



Stock Code: 200-0020 - Crimping Tool Bootlace Mini Self-Adj 0.25mm-6mm

Crimper Bootlace Pliers Hsc8 6-4 Mini Self-Adjustable Crimping Tool Use For 0.25-6.0 Mm2 (23-10 AWG) Square Ferrule Wire Cable End-Sleeves Orange.



Stock Code: 200-0155 - Crimping Tool Bootlace 25mm-50mm

Crimp star range ratchet crimping tool. Features: Compact and easy to use manual tool. Treated steel jaws with high mechanical properties. Ergonomically designed non-slip molded plastic grips. Emergency release lever (releases jaws before completion of crimp). Factory-set ratchet for crimping control (automatic release on completion of crimping operation)



DEUTSCH CRIMPING TOOL

Stock Code: 200-0132 - Crimping Tool Deutsch Connector 12-26AWG (ON ORDER ONLY)



Stock Code: 200-0133 - Deutsch Turret for 14/16/20 Guage Wire (ON ORDER ONLY)

Stock Code: 200-0134 - Deutsch Turret for 16 Guage Wire Only (ON ORDER ONLY)



Stock Code: 200-0136 - Crimping Tool BF15811 for Deutsch Connector Pins



MODULAR CRIMPING TOOLS

Stock Code: 200-0009 - Crimping Tool HTH210C - RJ45



The HTH210Cis a reliable, budget-friendly 3-in-1 RJ45 crimping tool. It is designed to strip, cut, and crimp standard 8P8C (RJ45) modular plugs for Ethernet cables, making it a staple for setting up home or office networks

Stock Code: 200-0015 - Crimping Tool TT315 Modular RJ11-RJ12-RJ45



An essential 3-in-1 multi-tool designed to cut, strip, and crimp Unshielded Twisted Pair (UTP) network and flat telephone cables. It accommodates various modular plugs: 8-pin (RJ45) for Ethernet networks, and 6-pin (RJ12) or 4/6-pin (RJ11) for telephone lines.
Typical multi-crimp tools feature a ratchet mechanism with parallel-action design to ensure the die and plug remain perfectly aligned during termination, delivering a flawless and consistent crimp every time

Stock Code: 200-0019 - Crimping Tool Pros Kit CP-393 RJ11-RJ22-RJ45



Pro-Crimper Modular Tool delivers precision and efficiency for all your cable installation needs. With its versatile design, easily cut and strip RJ45 and RJ11 cables for a flawless connection every time.

Stock Code: 200-0135 - Crimping Tool EZ Combo RJ45



EZCRIMP features a solid and robust RJ45/RJ11 crimping, stripper and side cutter tool. It is designed for standard RJ45 connectors as well as the EZ Crimp range of pass-through modular plugs. The EZ range of RJ45 connectors allows you to push the eight strands of UTP cable through the connector and once crimped, the crimper cuts off any excess copper.

BNC CRIMPING TOOLS

Stock Code: 200-0005 - Crimping Tool HT-336A - RG58 RG59 RG62



Coaxial ratchet crimping tool inbuilt arms returning block mechanism and crimping depth, hex crimping sleeve

Stock Code: 200-0006 - Crimping Tool HT-336K - RG8 RG11 RG174 RG179 RG213



The HT-336K Coaxial Cable Ratchet Crimping Tool is an ergonomic, heavy-duty crimper used to terminate large and small RF coaxial cables. Featuring hardened steel jaws and a built-in ratchet, it ensures consistent pressure and secure terminations on RG8, RG11, RG174, RG179, and RG213 cables.

Stock Code: 200-0007 - Crimping Tool HT-336J - BNC RG174 RG179 8218 F



The HT-336J is a professional ratcheting crimping tool designed for terminating coaxial cables (like RG174, RG179, Belden 8218, and F-type) with BNC connectors. It features precision-machined, hardened-steel dies that accommodate specific hex sizes, ensuring a secure and reliable connection without damaging the delicate inner conductor.

Stock Code: 200-0010 - Crimping Tool HT-336V - SMA SMB SMC MCX



Elevate your connectivity with the HT336V Crimper, expertly designed for SMA, SMB, SMC, and MCX connectors. Achieve precise and reliable terminations with ease, ensuring optimal performance in your projects

INSULATED TERMINAL CRIMPING TOOL

Stock Code: 200-0013 - Crimping Tool HTH-236H Insulated Terminals



The HTH-236H is a heavy-duty, professional ratchet-style crimping tool specifically designed for pre-insulated terminals (recognized by their red, blue, and yellow collars).

MOLEX CRIMPING TOOL



Stock Code: 200-0014 - Crimping Tool Red Molex

Hand Crimper, 1.4, 1.6, 1.8, 2.0, 2.3, 2.5, 2.8,3.2, 3.4, 3.6, 3.9, 4.3, And 4.8mm For Fold-In/Over Crimp Open Butterfly Terminals, 4809tl, 1560tl,1561tl

D-SUB CRIMPING TOOL



Stock Code: 200-0017 - Crimping Tool HT-225D Ratchet D-Sub FOR FOLD-IN/OVER / OPEN BARREL TERMINALS

HT-225D is a specialized hand crimping tool designed for open barrel, non-insulated terminals and D-sub connectors. It typically features precision dies for wire gauges ranging from AWG 18–22 and 24–30. It is ideal for folding over the metal tabs to firmly grip wire strands.

IDC CRIMPING TOOL



Stock Code: 200-0018 - Crimping Tool 6PK-214 IDC HT-214

Th 6PK-214 IDC crimping tool is a heavy-duty, manual IDC (Insulation Displacement Connector) crimping tool. It is designed to press ribbon cables into IDC connectors (like box headers and socket connectors) with a uniform, parallel action.

DREMEL



Stock Code: 200-0021 - Dremel 3000 Multitool System

The Dremel 3000 is a versatile, corded rotary multi-tool powered by a 130W motor. It features variable speeds from 10,000 to 33,000 RPM. Ideal for cutting, sanding, grinding, and engraving, it includes the EZ Twist nose cap for wrench-free accessory changes and a fan-assisted cooling system for extended use.



Stock Code: 200-0022 - Dremel Workstation Drill Press

The Dremel Workstation is a 3-in-1 accessory that converts your Dremel rotary tool into a drill press, tool holder, and flex shaft stand. It features a maximum drill depth of 5 cm, allows for drilling at angles in 15-degree increments, and holds the tool horizontally for sanding or polishing.

PCB DRILL BITS

Micro drill bits are ideal for PCB manufacturing, scale modeling, and fine jewelry work



Stock Code: 200-0023 - Drill Bit 0.8mm Each

Stock Code: 200-0024 - Drill Bit 0.9mm Each

Stock Code: 200-0025 - Drill Bit 1mm Each

Stock Code: 200-0026 - Drill Bit 1.2mm Each

Stock Code: 200-0027 - Drill Bit 1.5mm Each

Stock Code: 200-0028 - Drill Bit 2mm Each

DRILL BIT SETS



Stock Code: 200-0029 - Sherwood 1mm-13mm HSS Drill Bit Set 25Pcs

An industrial-quality, metric jobber drill set engineered for drilling through steel, cast iron, wood, and plastic. The 25-piece set increments in steps of 0.5 mm (1mm to 13mm) and is housed in a durable metal indexing case.

HELLERMANN TOOLBAG



Stock Code: 200-0123 - Hellermann Backpack Empty Tool Bag

Black Polyvinylchloride PVC, a heavy-duty, water-resistant bag. It measures approximately 460mm (H) x 380mm (W) x 210mm (D), weighs 8kg, and holds a maximum payload of 12kg.

EMPTY TOOLBAG

Stock Code: 200-0139 - Backpack Rucksack Heavy Duty Tool Bag Empty

---

EXTRACTION TOOLS



Stock Code: 200-0137 - Extraction Tool for Deutsch Connector Pins

Simply slide the tool over the wire into the rear of the connector, press to release the locking fingers, and pull the wire out.



Stock Code: 200-0037 - Extraction Tool Yellow IC Puller

An anti-static extractor designed to safely lift 6 to 48-pin IC chips or PLCCs out of sockets without bending pins or damaging the circuit board. The spring-loaded or U-shaped design uses side hooks to apply even, upward pressure.



Stock Code: 200-0038 - Extraction Tool PLCC

A specialized spring-assisted extraction tool designed for the safe removal of PLCC (Plastic Leaded Chip Carrier) integrated circuits from their sockets. It prevents bent pins and component damage during electronic repairs or upgrades.



Stock Code: 200-0039 - Extraction Tool Molex Pin

A spring-loaded extraction tool used to safely remove 0.093-inch diameter male and female pin-and-socket terminals from nylon plugs and receptacles. It accommodates wire gauges ranging from 14-30 AWG.

HELPING HANDS



Stock Code: 200-0044 - Helping Hands with Magnifier (3xAAA)

Helping Hands with Magnifier (3xAAA) workstation is an ideal tool for hands-free precision work like micro-soldering, jewelry repair, and modeling. It typically features a heavy cast-iron base, adjustable alligator clips, and a built-in magnifier illuminated by LEDs powered by three AAA batteries.

Stock Code: 200-0045 - Kennedy Helping Hands with Magnifier

A classic third-hand tool featuring a heavy cast-iron base, adjustable alligator clips to hold components, and a standard glass magnifying lens. It is ideal for basic soldering, jewelry making, and precision crafts where unlit magnification is preferred.

INSULATION TAPE



Stock Code: 200-0056 - 3M Scotch 23 Self Bonding Electrical Tape - 19mm x 9.15m x 0.76mm

A premium, high-voltage self-amalgamating rubber tape made from Ethylene Propylene Rubber (EPR). It stretches up to 100% to create a moisture-resistant, void-free seal and is rated for splices up to 69 kV.




Stock Code: 200-0066 - 3M Scotch 27 Glass Cloth Electrical Tape - 12.7mm x 20.1m x 0.18mm Class B Insulation

A 0.178 mm (7-mil) woven insulating tape featuring a pressure-sensitive rubber thermosetting adhesive. Designed for demanding 600-volt dry applications, it offers excellent edge-tear resistance, abrasion protection, and can withstand continuous operating temperatures ranging from 130°C to 150°C.



Stock Code: 200-0153 - Cloth Harness Tape 19mm Smooth

A premium, flexible PET fleece or fabric tape ideal for automotive and electronic wiring. It is designed to bundle cables cleanly while dampening noise, resisting abrasion, and withstanding extreme temperatures (often -40°C to +125°C).



Stock Code: 200-0046 - Nitto Insulation Tape Red

Stock Code: 200-0047 - Nitto Insulation Tape Black

Stock Code: 200-0048 - Nitto Insulation Tape Yellow

Stock Code: 200-0049 - Nitto Insulation Tape White

Stock Code: 200-0138 - Nitto Insulation Tape Green

A premium, heavy-duty vinyl/PVC tape used for electrical insulation, wire bundling, and color-coding positive line conductors. It features a strong, pressure-sensitive adhesive that tears easily by hand and resists moisture, abrasion, and temperatures up to 80°C.

MAGNIFYING GLASS



Stock Code: 200-0050 - Precision Eye Loupe

A precision 10X magnification eye loupe manufactured by Kennedy. It is a durable, lightweight tool equipped with clear optical glass designed to help professionals and hobbyists perform detailed, close-up inspections without causing severe eye fatigue.

Stock Code: 200-0051 - Magnifying Glass Kennedy 2X Handheld Round

A lightweight, 5X magnification handheld tool featuring a 50mm diameter lens. Designed for precision, it is ideal for engineers, mechanics, and hobbyists inspecting finished parts, reading small print, or checking intricate details



Stock Code: 200-0147 - Magnifying Glass Handheld Round 75mm

A 75mm handheld magnifying glass features an optical-grade glass or acrylic lens that provides a 3x to 10x magnification power. It is ideal for reading small text, inspecting stamps, jewelry, and detailed hobby work.

Stock Code: 200-0052 - Opti visor Lens

The Opti Visor is an adjustable, hands-free binocular headband magnifier featuring interchangeable prismatic glass lenses. It delivers distortion-free, 3D magnification for detailed work and can be worn over prescription eyeglasses. The interchangeable lens plates come in multiple magnifications and focal lengths.



Stock Code: 200-0055 - Large Magnifying Lamp 90 Led X 5 Slimline

A large slimline magnifying lamp featuring 90 LEDs and 5x magnification is a professional-grade tool widely used for detailed close-up work, crafting, and inspection. These lamps typically feature a spring-loaded articulating arm for easy positioning, a heavy-duty desk clamp, and shadow-free lighting

---

NEEDLE FILE SET



Stock Code: 200-0058 - Needle File Set Pros Kit 8PK-605L 5Pcs

A 5-piece professional needle file set featuring 180mm overall length and 85mm cut lengths. Designed for intricate, precision jobs, it includes flat, round, square, triangular, and half-round shapes. Made from SK8 carbon steel, it's ideal for jewelry making, model building, and electronics work.

NUT DRIVER SET

Stock Code: 200-0059 - Nut Driver Set Precision



Tip/Socket Sizes: 3.0 mm, 3.5 mm, 4.0 mm, 4.5 mm, and 5.0 mm. It is a professional-grade hand tool set primarily used for fine assembly, electronics repair, and tight fastening tasks.

OTHER TOOLS

Stock Code: 200-0060 - Engraver 220V



A handheld corded tool used for permanently marking and personalizing materials like metals, plastics, glass, ceramics, wood, and leather. It features a 5-position stroke adjuster for varying engraving depths and operates via a rapid pulsing, jackhammer-like action.

Stock Code: 200-0061 - Network Cable Tester - RJ11 RJ12 RJ45 BNC



It is designed for testing the UTP and screens for the opens, shorts, reversals, mis-wiring and so on. The relative indicators on the main tester and the remote testing terminal will flash one by one in cycle to judge which wire is in the correct working connection, or in the incorrect order connection.

Stock Code: 200-0062 - Satellite Finder



A tool used to precisely align a satellite dish for optimal signal reception. It works by measuring the signal strength between your dish and the satellite.

Stock Code: 200-0063 - Double Pole Voltage Tester 120V - 750V - Dust Pole Tester



Double pole (or two-pole) voltage testers measure AC and DC voltages typically between 120V and 750V. These rugged tools are essential for verifying the absence of voltage before servicing circuits. They detect hazardous potentials using neon indicators, LED scales, or LCD screens, often without needing internal batteries.

Stock Code: 200-0121 - Network Tester 4 in 1 NF-3468 - RJ11 RJ12 RJ45 BNC + USB



A 4-in-1 cable tester designed to verify continuity and identify faults (opens, shorts, and crosses) for RJ11/RJ45, USB, and BNC cables. It includes a detachable remote module, making it ideal for testing installed cables or patch cords up to 1500 ft long.

PLIERS

Stock Code: 200-0065 - Long Nose Pliers Pros Kit 8PK-102D Green



A 145mm precision long-nose plier ideal for electronics and fine mechanical work. Weighing just 105g, it features a 40mm SK7 carbon steel blade, serrated jaws, and a built-in wire cutter for clean, smooth cuts on copper.

Stock Code: 200-0140 - Draper Mini Plier Long Nose S/Grip



A compact, carbon-steel tools featuring induction-hardened jaws and cutting edges. They include double-leaf springs to minimize hand fatigue and ergonomic soft-grip handles. These pliers are ideal for precise gripping and manipulation in confined spaces.

Stock Code: 200-0143 - Draper Carbon Steel Mini Plier Set



A 5-piece Carbon Steel Mini Pliers Set designed for intricate electrical, electronic, and hobbyist work

PORTABLE TOOL KIT

Stock Code: 200-0129 - Portable Toolkit Orico 28 Piece



Simple and practical style. Made of alloy steel with heat-treatment. Solid and durable. Same size as a wallet. Easy to carry around. Hanging design makes it easy to store away. Magnetic screwdriver absorbs little screws even in ultra-small space, improving working efficiency. Delicate handle with laser etching, is just like a work of art.

SCREWDRIVER SETS

Stock Code: 200-0125 - Hellermann Screwdriver Set Insulated 1000AC 1500DC



A professional-grade, VDE-certified insulated screwdriver sets designed for live circuits up to 1000V AC and 1500V DC.

Stock Code: 200-0068 - Screwdriver Set Precision Kennedy 9Pcs



9-piece Kennedy Pro-Torq Precision Screwdriver Set. Designed for delicate and professional applications, it includes 5 parallel and 4 Phillips drivers with hardened chrome alloy steel blades, magnetic black oxidized tips, and swivel-top dual-grip handles. The set comes in a leatherette wallet.

Stock Code: 200-0069 - Screwdriver Set MCE 13 Piece



A versatile, 1000V safe toolkit certified for electrical work to IEC 60900 standards. It features a comfortable handle and interchangeable insulated blades/heads that lock securely, and includes a sturdy, compact storage case.

Stock Code: 200-0070 - Screwdriver Set Pros Kit 8PK-2061 6Pcs



The Pro'sKit 8PK-2061 is a 6-piece precision screwdriver set designed for electronics, small appliances, and hobbies. It features durable ABS handles with an anti-slip grip and a rotating end cap for precise finger-tip control. The tempered, chrome-plated blades have sand-blasted tips for a firm grip on tiny screws.

SIDE CUTTERS



Stock Code: 200-0087 - Side Cutter Xuron Blue Handle

An industry-standard precision tool. It utilizes a patented bypass shearing action—rather than pinching—to deliver clean, flat cuts on soft wires up to 18 gauge, making it incredibly popular for jewelry making, electronics, and plastic modeling.

Stock Code: 200-0088 - Side Cutter Pros Kit 1PK-501A



A 90mm micro cutting plier designed for precision electronic work. Featuring high-quality stainless-steel construction, a return spring, and non-slip PVC grips, it safely cuts soft copper wire up to 1.3mm.

Stock Code: 200-0089 - Snip All Purpose Pros Kit 8PK-SR007



A 200mm heavy-duty all-purpose snip designed for electrical, crafting, and DIY tasks. Featuring stainless steel SUS 420J2 blades and a rust-resistant spring, it easily cuts materials like cables, leather, wire, and carpet up to 10mm thick.

Stock Code: 200-0154 - Side Cutter Model 170 Micro Shear 130mm



The Model 170 Micro Shear (130mm/5-inch) is a precision flush cutter designed for electronics work, 3D printing support removal, and delicate crafting. It features an angled, narrow head for tight circuit board areas, precision-hardened carbon steel blades for clean cuts on 18 AWG (1mm) copper wire, and spring-loaded ergonomic grips.

TENTIONING TOOL

Stock Code: 200-0090 - Tensioning Tool Cable Tie 3.6mm-9.0mm Wide



Allows for effortless, ergonomic fastening and flush-cutting of heavy-duty nylon or stainless-steel ties. Simply wrap the tie, insert the tail into the tool nose, squeeze the trigger to dial in your desired tension, and engage the cut-off lever for a clean finish.

TWEEZERS (LOOSE)



Stock Code: 200-0114 - Tweezer Bent

Stock Code: 200-0115 - Tweezer Straight

Stock Code: 200-0116 - Tweezer Straight Extra Fine Sharp Tip 115mm

---

VICE



Stock Code: 200-0117 - Kennedy Vice

Designed for versatility and holding delicate components, it features a lockable ball joint, a 60mm jaw capacity, and can clamp directly onto surfaces up to 50mm thick.

WIRE STRIPPERS



Stock Code: 200-0118 - Kennedy Wire Stripper & Cutter

It is a fully insulated, self-adjusting hand tool designed to strip and cut wires ranging from 0.5 mm^2 to 6.0 mm^2.



Stock Code: 200-0119 - Wire Stripper Orange

Stripping range: 0.2mm-4.0mm (1/2. 1/4. 3/4) 2 in 1 wire stripping and cutting pliers, sharp blade, durable. Automatically adjustable function. It can be adjusted according to the insulation thickness. Good rust resistance, ergonomic design, beautiful and comfortable, and durable.

Stock Code: 200-0120 - Link basic UTP Cable Stripper Tool

The tool includes an adjustable cutting blade, which is specifically designed to accurately strip the jacket from a 4-pair cable without damaging the conductors.



Stock Code: 200-0127 - Hellermann Rotary Wire Stripper 4 to 25mm

Features: Cable diameter from 4 to 25mm, Blade angle adjustable, Lateral or vertical stripping, PVC, Teflon and THHN insulations
Application: For quick, easy, clean stripping and cutting of small solid and flexible wires in electronic instruments and appliances



HEATGUN

Stock Code: 200-0041 - Bosch Heat Gun 1800W

Featuring a robust 1800W motor and three adjustable temperature settings (60/350/550°C) for versatile use. With a rapid heat-up time of just 1 second and adjustable airflow up to 550 l/min, it's perfect for tasks like paint stripping, soldering, and shrinking. Lightweight and easy to handle at 0.75 kg, this heat gun is your go-to tool for any DIY project.



DRAPER NUT SPANNER SET

Stock Code: 200-0144 - Draper 7 Piece Nut Spanner Set 5mm - 13mm

This set features 7 commonly used spanner sizes ranging from 5-13mm, each forged from chrome vanadium steel with blades that are hardened and tempered with a satin chrome plated finish. Each socket has a hex on the base and soft grip handles for a more comfortable hold.



GLUE GUN

Stock Code: 200-0042 - Glue Gun 80W 230V

A mid-to-heavy-duty tool ideal for carpentry, DIY crafts, and continuous household repairs. These corded models typically use standard 11mm glue sticks, heat up rapidly in 3 to 5 minutes, and dispense between 14g to 16g of glue per minute for smooth, uninterrupted bonding.

Stock Code: 200-0043 - Glue Stick Each



HEAVY DUTY HARD CASE

Stock Code: 200-0031 - Heavy Duty Universal Hard Case 410 x 325 x 170mm

FEATURES: Hard-shelled Case. Side handles. Strong, easy open latches. Pressure release valve – easy to open. Shock-resistant with multi foam layer system. Easy customization with diced pluck out foam. Shockproof, waterproof and dustproof with weatherproof seal. Ultraviolet resistant. Stackable for easy storage. Ergonomic, rubber covered handle. Keyholes to attach to your cable lock (not included) for multiple protection



DRAPER TOOLS

TORX DRIVERS (LOOSE)



Stock Code: 200-0094 - Torx Driver Draper T4 x 50mm
Stock Code: 200-0095 - Torx Driver Draper T5 x 50mm
Stock Code: 200-0096 - Torx Driver Draper T6 x 50mm
Stock Code: 200-0096 - Torx Driver Draper T7 x 50mm
Stock Code: 200-0098 - Torx Driver Draper T8 x 50mm
Stock Code: 200-0099 - Torx Driver Draper T9 x 50mm
Stock Code: 200-0100 - Torx Driver Draper T10 x 50mm
Stock Code: 200-0101 - Torx Driver Draper T15 x 50mm
Stock Code: 200-0102 - Torx Driver Draper T20 x 50mm
Stock Code: 200-0103 - Torx Driver Draper T6 x 75mm
Stock Code: 200-0104 - Torx Driver Draper T7 x 75mm
Stock Code: 200-0105 - Torx Driver Draper T8 x 75mm

Stock Code: 200-0106 - Torx Driver Draper T9 x 75mm
Stock Code: 200-0107 - Torx Driver Draper Tamperproof T10 x 75mm
Stock Code: 200-0108 - Torx Driver Draper Tamperproof T15 x 100mm
Stock Code: 200-0109 - Torx Driver Draper Tamperproof T20 x 100mm
Stock Code: 200-0110 - Torx Driver Draper Tamperproof T25 x 100mm
Stock Code: 200-0111 - Torx Driver Draper Tamperproof T27 x 100mm
Stock Code: 200-0112 - Torx Driver Draper Tamperproof T30 x 115mm
Stock Code: 200-0113 - Torx Driver Draper Tamperproof T40 x 115mm

SCREWDRIVERS (LOOSE)



Stock Code: 200-0071 - Screwdriver Kennedy Flat 2.5 x 85mm
Stock Code: 200-0072 - Screwdriver Draper Flat 3.0 x 100mm
Stock Code: 200-0073 - Screwdriver Draper Flat 4.0 x 150mm
Stock Code: 200-0074 - Screwdriver Draper Phillips No.000 x 75mm (Ph)
Stock Code: 200-0075 - Screwdriver Draper Phillips No.00 x 100mm
Stock Code: 200-0076 - Screwdriver Draper Phillips No.0 x 150mm
Stock Code: 200-0077 - Screwdriver Draper Phillips #0 x 75mm
Stock Code: 200-0078 - Screwdriver Draper Phillips #1 x 75mm
Stock Code: 200-0079 - Screwdriver Kennedy Phillips #2 x 100mm
Stock Code: 200-0080 - Screwdriver Draper Pozi Star #0 x 75mm
Stock Code: 200-0081 - Screwdriver Draper Pozi Star #1 x 75mm
Stock Code: 200-0082 - Screwdriver Draper Pozi Star #2 x 100mm
Stock Code: 200-0083 - Screwdriver Draper Flat 3 x 75mm
Stock Code: 200-0084 - Screwdriver Draper Flat 4 x 100mm
Stock Code: 200-0085 - Screwdriver Draper Flat 5 x 100mm
Stock Code: 200-0086 - Screwdriver Draper Flat 6 x 150mm

DRAPER SCREWDRIVER SETS



Stock Code: 200-0032 - Draper 6 Piece Precision Screwdriver Set
Contents: 3 plain slot and 3 cross slots, Hardened, precision ground steel blades, Nickel plated steel bodies with swivel tops



Stock Code: 200-0145 - Draper 9 Piece Precision Screwdriver Set
This 9 - piece Draper TX - STAR® set is ideal for use with precise or delicate work. Manufactured with hardened chrome vanadium tips and durable soft grip handle



Stock Code: 200-0146 - Draper 6 Piece Extra Long Screwdriver Set

DRAPER SIDE CUTTERS & PLIERS



Stock Code: 200-0141 - Draper Mini Plier Side Cutter S/Grip
Size: 110mm, Carbon steel hardened and tempered, the jaws and cutting edges are induction hardened, soft grip handles, Jaws and cutting edges are induction hardened with captive double leaf springs and soft grip handles



Stock Code: 200-0142 - Draper Flush Cut Nipper 130mm
Carbon steel, hardened and tempered with chemically blacked finish, Cut copper wire up to 1.2mm dia.



Stock Code: 200-0033 - Draper Mini Flat Nose Pliers 115mm
Carbon steel hardened and tempered. Captive double leaf springs and soft grip handles.



Stock Code: 200-0034 - Draper End Cutters 100mm
Carbon steel hardened and tempered. The jaws and cutting edges are induction hardened with captive double leaf springs and soft grip handles.

Stock Code: 200-0035 - Draper Water pump Pliers 250mm



Chrome vanadium steel hardened and tempered with chemically blacked finish, featuring multi position adjustments and 'no - nip' PVC dipped handles, which prevent the handles from locking together at their largest capacity and nipping the users' hands.

Stock Code: 200-0036 - Draper Diagonal Side Cutter 160mm



Drop forged from chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Lacquered finish for corrosion protection with heavy duty, soft grip handles with slip guards.

Stock Code: 200-0053 - Draper High Leverage Combination Pliers 200mm



Drop forged from chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Higher leverage is achieved by setting the fulcrum point closer to the jaw, increasing the lever moment. Lacquered finish for corrosion protection with heavy duty, soft grip handles with slip guards.

HEX KEY SETS

Stock Code: 200-0057 - Draper Colored Long Arm Hex Key Set



Colored extra-long metric ball ended hex keys. Manufactured from chrome vanadium steel, hardened, tempered and chrome plated with a protective-colored rubber coating. Each color signifies a different size. Supplied in fold - out easy release holder. 9 x Keys: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

Stock Code: 200-0067 - Draper Ball End 10 Piece Hex Key Set

OTHER

Stock Code: 200-0126 - Draper Easy Find Retractable Trimming Knife



Stock Code: 200-0148 - Draper Measuring Tape 5m x 19mm Blue



Plastic tape cases with locking button and belt clip. Power return blade has clear graduations, meters into cm/mm and feet into inches, 1/8", 1/16" and 1/32". Yellow wear resistant coating. Stud center markings every 16". Self-aligning end hook for accurate internal/external measurements.

Stock Code: 200-0149 - Draper 6 Piece Needle File Set 150mm



6 x Files: flat parallel, flat taper, half round, three square, square, round files. No. 2 cut files, high carbon steel hardened and tempered with sand blasted finish. Two - tone soft grip handles. Conveniently stored in plastic storage case.

Stock Code: 200-0150 - Draper Round Magnifier 60mm



Plastic lightweight magnifiers ideal for engineers, philatelists, etc. Main lens magnification x 3 with inset x 6.

Stock Code: 200-0151 - Draper Adjustable Wrench 150mm 22mm



This adjustable wrench is forged from chrome vanadium steel hardened and tempered with a satin chrome finish. The adjustable smooth-running jaws can be used on a variety of fixings and sizes up to 22mm. The jaws also have laser-etched markings for easy measurements.

Stock Code: 200-0152 - Draper 25 Piece Drill Bit Set 1-13mm



These high-speed steel drill bits are fully ground with a 135° split point for precise centering to prevent drill wander. The black oxide coating ensures the drill bits are more durable and resistant to corrosion than standard HSS bits. Draper Black Series drill bits do not need to be used in conjunction with a cooling agent. Suitable for use with metal, wood, chipboard and plastic. Compatible with a standard 10/13mm chuck. Sizes 1.0-13.0mm. Supplied inside a plastic case.

AUTOMOTIVE EXTRACTION PIN SET

Stock Code: 200-0156 - Extraction Pin Set for Automotive Connectors 82Pcs



Our Kit Offers single, double pin extractors and casting tool of different sizes to fit most terminals. 82 Pieces electrical pin removal tool kit includes 28Pcs Single Pin Extractor, 30Pcs Double Pin Extractor, 24Pcs Casing Tool and 1 Protective Case.

TRANSISTORS

2N'S



Stock Code: 205-0001 - 2N1132 - PNP 50V 600MA
Stock Code: 205-0002 - 2N1711 - NPN 75V 500MA
Stock Code: 205-0003 - 2N1893 - NPN 120V 500MA
Stock Code: 205-0004 - 2N2218 - NPN 75V 800MA
Stock Code: 205-0005 - 2N2219 - NPN 75V 800MA
Stock Code: 205-0006 - 2N2222A - NPN 60V 800MA
Stock Code: 205-0007 - 2N2369A - NPN 40V 200MA
Stock Code: 205-0276 - 2N2646 - PN UNI 35V 50MA
Stock Code: 205-0008 - 2N2905A - PNP 60V 600MA
Stock Code: 205-0010 - 2N2907A - PNP 60V 600MA
Stock Code: 205-0011 - 2N3019 - NPN 140V 1A
Stock Code: 205-0012 - 2N3053 - NPN 60V 700MA
Stock Code: 205-0013 - 2N3054 - NPN 90V 4A
Stock Code: 205-0014 - 2N3055 - NPN 100V 15A
Stock Code: 205-0016 - 2N3439 - NPN 450V 1A
Stock Code: 205-0017 - 2N3440 - NPN 300V 1A
Stock Code: 205-0018 - 2N3442 - NPN 160V 10A
Stock Code: 205-0019 - 2N3584 - NPN 375V 2A
Stock Code: 205-0020 - 2N3700 - NPN 140V 1A
Stock Code: 205-0022 - 2N3704 - NPN 60V 800MA
Stock Code: 205-0023 - 2N3705 - NPN 50V 800MA
Stock Code: 205-0024 - 2N3772 - NPN 100V 20A
Stock Code: 205-0025 - 2N3773 - NPN 160V 16A
Stock Code: 205-0026 - 2N3904 - NPN 60V 200MA
Stock Code: 205-0027 - 2N3906 - PNP 40V 200MA
Stock Code: 205-0029 - 2N4123 - NPN 40V 200MA
Stock Code: 205-0030 - 2N4124 - NPN 30V 200MA
Stock Code: 205-0031 - 2N4126 - PNP 25V 200MA
Stock Code: 205-0032 - 2N4401 - NPN 60V 600MA
Stock Code: 205-0033 - 2N4403 - PNP 40V 600MA
Stock Code: 205-0036 - 2N5401 - PNP 160V 600MA
Stock Code: 205-0037 - 2N5416 - PNP 350V 1A
Stock Code: 205-0038 - 2N5447 - PNP 40V 200MA
Stock Code: 205-0039 - 2N5551 - NPN 180V 600MA
Stock Code: 205-0040 - 2N6027 - PUT 40V 150MA
Stock Code: 205-0042 - 2N6028 - PUT 40V 150MA
Stock Code: 205-0043 - 2N6103 - NPN 45V 16A
Stock Code: 205-0044 - 2N6292 - NPN 80V 7A
Stock Code: 205-0045 - 2N6388 - NPN 60V 10A
Stock Code: 205-0048 - 2N910 - NPN 100V 1A
Stock Code: 205-0059 - 2N918 - NPN 30V 50MA
Stock Code: 205-0050 - 2N929 - NPN45V 30MA

2SA'S



Stock Code: 205-0051 - 2SA1015 - 50V 0.15A

2SC'S





Stock Code: 205-0052 - 2SC1818 - NPN 50V 150MA
Stock Code: 205-0053 - 2SC2328 - NPN 7V 30MA
Stock Code: 205-0054 - 2SC3807 - NPN DARL 25V 2A
Stock Code: 205-0055 - 2SC945 - NPN 60V 150MA

BC's



Stock Code: 205-0056 - BC107 - NPN 50V 0.1A
Stock Code: 205-0057 - BC108 - NPN 30V 0.1A
Stock Code: 205-0058 - BC109 - NPN 30V 0.1A
Stock Code: 205-0059 - BC140 - NPN 100V 1A
Stock Code: 205-0060 - BC141 - NPN 50V 1A
Stock Code: 205-0062 - BC160 - PNP 40V 1A
Stock Code: 205-0063 - BC161 - PNP 60V 1A
Stock Code: 205-0064 - BC177 - PNP 50V 0.1A

Stock Code: 205-0066 - BC182B - NPN 60V 0.2A
Stock Code: 205-0067 - BC182L - NPN 60V 0.2A
Stock Code: 205-0068 - BC184B - NPN 45V 0.2A
Stock Code: 205-0069 - BC207 - NPN 50V 0.1A
Stock Code: 205-0070 - BC212B - PNP 60V 0.2A
Stock Code: 205-0072 - BC237 - NPN 50V 0.1A
Stock Code: 205-0073 - BC238 - NPN 30V 0.1A
Stock Code: 205-0074 - BC251 - PNP 50V 0.1A
Stock Code: 205-0075 - BC307 - PNP 50V 0.1A
Stock Code: 205-0076 - BC308 - PNP 30V 0.1A
Stock Code: 205-0077 - BC327 - PNP 50V 0.8A
Stock Code: 205-0078 - BC337 - NPN 50V 0.8A
Stock Code: 205-0079 - BC516 - NP 40V 0.4A
Stock Code: 205-0080 - BC517 - NPN 40V 0.4A
Stock Code: 205-0081 - BC546 - NPN 80V 0.1A
Stock Code: 205-0082 - BC547 - NPN 50V 0.1A
Stock Code: 205-0083 - BC548 - NPN 30V 0.1A
Stock Code: 205-0084 - BC550 - NPN 50V 0.1A
Stock Code: 205-0085 - BC556 - PNP 80V 0.1A
Stock Code: 205-0086 - BC557 - PNP 50V 0.1A
Stock Code: 205-0087 - BC560C - PNP 50V 0.1A
Stock Code: 205-0088 - BC639 - NPN 80V 1A
Stock Code: 205-0089 - BC640 - PNP 80V 1A




BCY'S

Stock Code: 205-0090 - BCY65 - NPN 60V 0.1A



BD's





Stock Code: 205-0091 - BD132 - PNP 45V 3A
Stock Code: 205-0092 - BD135 - NPN 45V 1.5A
Stock Code: 205-0093 - BD136 - PNP 45V 1.5A
Stock Code: 205-0094 - BD137 - NPN 60V 1.5A
Stock Code: 205-0095 - BD138 - PNP 60V 1.5A
Stock Code: 205-0096 - BD139 - NPN 100V 1.5A
Stock Code: 205-0097 - BD140 - PNP 100V 1.5A
Stock Code: 205-0098 - BD175 - NPN 45V 3A
Stock Code: 205-0099 - BD176 - PNP 45V 3A
Stock Code: 205-0100 - BD177 - NPN 60V 3A
Stock Code: 205-0101 - BD232 - NPN 500V 0.025A
Stock Code: 205-0102 - BD237 - NPN 100V 2A
Stock Code: 205-0103 - BD238 - PNP 100V 2A
Stock Code: 205-0104 - BD239A - NPN 70V 2A
Stock Code: 205-0105 - BD240C - PNP 115V 2A
Stock Code: 205-0106 - BD241C - NPN 115V 3A
Stock Code: 205-0107 - BD243C - NPN 115V 6A
Stock Code: 205-0108 - BD244 - PNP 55V 6A
Stock Code: 205-0109 - BD249C - PNP 115V 25A
Stock Code: 205-0110 - BD250 - PNP 55V 25A
Stock Code: 205-0111 - BD435 - NPN 32V 4A
Stock Code: 205-0112 - BD436 - PNP 32V 4A
Stock Code: 205-0113 - BD437 - NPN 45V 4A
Stock Code: 205-0114 - BD438 - PNP 45V 4A
Stock Code: 205-0115 - BD439 - NPN 60V 4A
Stock Code: 205-0116 - BD440 - PNP 60V 4A
Stock Code: 205-0117 - BD442 - PNP 80V 4A
Stock Code: 205-0120 - BD677 - PN 60V 4A
Stock Code: 205-0121 - BD678 - PNP60V 4A
Stock Code: 205-0122 - BD679 - NPN 80V 4A
Stock Code: 205-0123 - BD681 - NPN 100V 4A
Stock Code: 205-0124 - BD682 - PNP 100V 4A
Stock Code: 205-0125 - BD911 - NPN 100V 15A
Stock Code: 205-0126 - BD912 - 100V 15A

BDW's

Stock Code: 205-0127 - BDW24C



BDX's



Stock Code: 205-0130 - BDX53C - 100V 8A
Stock Code: 205-0131 - BDX54C - 100V 8A

BF's



Stock Code: 205-0133 - BF173 - NPN 40V 25MA
Stock Code: 205-0134 - BF199 - NPN 40V 25MA
Stock Code: 205-0135 - BF240 - NPN 40V 25MA
Stock Code: 205-0137 - BF259 - PNP 300V 0.1A
Stock Code: 205-0138 - BF442 - NPN 250V 0.2A
Stock Code: 205-0139 - BF450 - PNP 40V 25MA
Stock Code: 205-0140 - BF459 - PN 300V 0.1A
Stock Code: 205-0141 - BF460 - NPN 250V 0.5A
Stock Code: 205-0142 - BF469 - NPN 250V 30MA
Stock Code: 205-0143 - BF470 - PNP 250V 30MA
Stock Code: 205-0144 - BF472 - PNP 300V 30MA
Stock Code: 205-0145 - BF494 - NPN 30V 30MA
Stock Code: 205-0148 - BF759 - NPN 350V 0.5A
Stock Code: 205-0149 - BF762 - PNP 350V 0.5A
Stock Code: 205-0150 - BF871 - NPN 300V 50MA
Stock Code: 205-0151 - BF872 - PNP 300V 50MA

BFR's



Stock Code: 205-0152 - BFR91 - NPN 15V 0.35A

BFW's



Stock Code: 205-0153 - BFW10 - PNP 40V 0.5A

BFX'S



Stock Code: 205-0154 - BFX85 - NPN 100V 1A

BFY'S



Stock Code: 205-0155 - BFY51 - NPN 60V 1A
Stock Code: 205-0156 - BFY90 - NPN 30V 200MA

BRY'S



Stock Code: 205-0157 - BRY39 - TETRODE 70V 0.25A

BSV's



Stock Code: 205-0158 - BSV15-10 - PNP 40V 1A

BSY's



Stock Code: 205-0159 - BSY34 - NPN60V 0.6A

BU's




Stock Code: 205-0160 - BU126 - NPN 750V 3A
Stock Code: 205-0162 - BU2028A - NPN 1.5KV 5A
Stock Code: 205-0164 - BU326A - NPN 900V 6A
Stock Code: 205-0165 - BU406 - NPN 400V 7A
Stock Code: 205-0167 - BU426 - NPN 800V 6A
Stock Code: 205-0168 - BU508 - NPN 1.5KV 8A
Stock Code: 205-0169 - BU508D - NPN D
Stock Code: 205-0170 - BU806 - NPN 400V 8A D&D

BUT's



Stock Code: 205-0171 - BUT11 - NPN 850V 5A

BUV's



Stock Code: 205-0172 - BUV48 - NPN 850V 15A

BUX's



Stock Code: 205-0173 - BUX84 - NPN 800V 2A
Stock Code: 205-0174 - BUX85 - NPN 1KV 2A

IGBT'S



Stock Code: 205-0176 - IGBT FGH60N60SMD - 600V 60A

MJ's



Stock Code: 205-0181 - MJ15003 - NPN 140V 20A
Stock Code: 205-0182 - MJ15004 - PNP 140V 20A
Stock Code: 205-0183 - MJ2955 - PNP 100V 15A
Stock Code: 205-0184 - MJ3001 - NPN D&D 80V 10A
Stock Code: 205-0185 - MJ4502 - PNP 100V 30A

MJE's






Stock Code: 205-0187 - MJE13005 - NPN 400V 8A
Stock Code: 205-0188 - MJE2955 - PNP 55V 10A
Stock Code: 205-0189 - MJE3055 - NPN 55V 10A
Stock Code: 205-0190 - MJE340 - NPN 300V 500MA
Stock Code: 205-0191 - MJE350 - PNP 300V 500MA

MOSFETS - P CHANNEL





Stock Code: 205-0192 - IRF9530 - 100V 12A
Stock Code: 205-0193 - IRF9540 - 100V 19A
Stock Code: 205-0194 - 2N3820 - 20V 10MA

MOSFETS - N CHANNEL









Stock Code: 205-0195 - IR2110 (DRIVER IC) - 10-500V 2A
Stock Code: 205-0196 - IRFP260N - 200V 50A
Stock Code: 205-0197 - IRF510 - 100V 5.6A
Stock Code: 205-0198 - IRF530 - 100V 14A
Stock Code: 205-0199 - IRF540 - 100V 28A
Stock Code: 205-0200 - IRL540 - 100V 36A
Stock Code: 205-0201 - IRF640 - 200V 18A
Stock Code: 205-0202 - IRF730 - 400V 5.5A
Stock Code: 205-0203 - IRF740 - 400V 10A
Stock Code: 205-0204 - IRF830 - 500V 4.5A
Stock Code: 205-0205 - IRF840 - 500V 8A
Stock Code: 205-0206 - IRF3710 - 100V 57A
Stock Code: 205-0207 - IRF1010 - 60V 84A
Stock Code: 205-0208 - IRFP150 - 100V 40A
Stock Code: 205-0209 - IRFP450 - 500V 14A
Stock Code: 205-0210 - IRFP460 - 500V 20A
Stock Code: 205-0211 - IRFZ44N - 60V 50A
Stock Code: 205-0212 - IRFZ48N - 60V 50A
Stock Code: 205-0213 - IRFBE30 - 800V 4.1A

Stock Code: 205-0214 - 2N5457 - 25V 10MA
Stock Code: 205-0041 - IRF1404 - 40V 202A
Stock Code: 205-0216 - BF245 - 30V 10MA
Stock Code: 205-0219 - BS170 - 60V 500MA
Stock Code: 205-0220 - BUK456 - 60V 60A
Stock Code: 205-0223 - 50N06 - 60V 50A
Stock Code: 205-0224 - 70N06 - 60V 70A
Stock Code: 205-0225 - 2SJ162 - 120V 7A
Stock Code: 205-0226 - 2SK1058 - 50V 10MA
Stock Code: 205-0227 - 2N3819 - 25V 10MA
Stock Code: 205-0229 - 2N4393 - 40V 50MA
Stock Code: 205-0230 - IRFP064N - 55V 50MA
Stock Code: 205-0231 - TC4420 - 4.5-18V 110A
Stock Code: 205-0232 - IRFP24N - 200V 20A
Stock Code: 205-0233 - IRF4905 - 55V 74A
Stock Code: 205-0234 - IRF3205 - 55V 110A
Stock Code: 205-0235 - IRFPF50PBF (FQA6N90C) - 55V 110A
Stock Code: 205-0236 - IRF3750 - 55V 98A

MPSA



Stock Code: 205-0237 - MPSA06 - NPN 80V 500MA
Stock Code: 205-0238 - MPSA13 - NPN 30V 500MA
Stock Code: 205-0239 - MPSA42 - NPN 300V 500MA
Stock Code: 205-0240 - MPSA56 - PNP 80V 500MA
Stock Code: 205-0241 - MPSA92 - PNP 300V 500MA

PN'S



Stock Code: 205-0242 - PN2222A - NPN 40V 0.6A
Stock Code: 205-0243 - PN2907A - PNP 60V 0.6A

TIPS





Stock Code: 205-0250 - TIP110C - NPN D&D 60V 4A
Stock Code: 205-0251 - TIP112C - NPN D&D 100V 4A
Stock Code: 205-0252 - TIP120C - NPN D&D 60V 5A
Stock Code: 205-0253 - TIP122C - NPN D&D 100V 5A
Stock Code: 205-0254 - TIP127C - PNP D&D 100V 5A
Stock Code: 205-0255 - TIP132 - NPN D&D 100V 8A
Stock Code: 205-0256 - TIP137 - PNP D&D 100V 8A
Stock Code: 205-0257 - TIP141C - NPN D&D 80V 10A
Stock Code: 205-0258 - TIP142C - NPN D&D 100V 10A
Stock Code: 205-0259 - TIP147C - PNP D&D 100V 10A
Stock Code: 205-0260 - TIP162C - NPN D&D 380V 10A
Stock Code: 205-0261 - TIP2955C - PNP 100V 15A
Stock Code: 205-0262 - TIP29C - NPN 55V 2A
Stock Code: 205-0263 - TIP3055C - PNP 100V 15A
Stock Code: 205-0264 - TIP30C - PNP 55V 2A
Stock Code: 205-0265 - TIP31C - NPN 55V 3A
Stock Code: 205-0266 - TIP32C - PNP 55V 3A
Stock Code: 205-0267 - TIP33C - NPN 55V 10A
Stock Code: 205-0268 - TIP34C - PNP 55V 10A
Stock Code: 205-0269 - TIP35C - NPN 55V 25A
Stock Code: 205-0270 - TIP36C - PNP 55V 25A
Stock Code: 205-0271 - TIP41C - NPN 55V 6A
Stock Code: 205-0272 - TIP42C - PNP 55V 6A

VN



Stock Code: 205-0274 - VN10KM - 60V 200MA

SS'S



Stock Code: 205-0245 - Transistor SS8050
Stock Code: 205-0246 - Transistor SS8550
Stock Code: 205-0247 - Transistor SS9013
Stock Code: 205-0248 - Transistor SS9014
Stock Code: 205-0249 - Transistor SS9018

